

BIM 標準

BIM 於流線型建築的高級應用

馮樹堅

註冊建築師

信息化建築模型系統總建築師

信息化建築模擬學會副會長

香港大學/ 香港珠海學院客席教授

HKIBIM

www.hkibim.org



The Hong Kong Institute of
Building Information Modelling
香港建築信息模擬學會

http://hkibim.org/ - Windows Internet Explorer

http://www.hkibim.org/

File Edit View Favorites Tools Help

★ Favorites http://hkibim.org/ www.aec-uk.org

Home Chairman's Corner BIM HKIBIM BIM in HK BIM Projects Courses Commercial

Links About Us

 The Hong Kong Institute of Building Information Modelling
香港建築信息模擬學會

HKIBIM Launch on 8th Jan 2010

Hong Kong Institute of Building Information Modelling (HKIBIM) was established in Jan 2009. After one year's preparation, it is proud to announce the launch of HKIBIM. On 8 Jan, 2010, the Launch was successfully held at the Hong Kong Club Building.

After opening speech by Ir Francis Leung, the Chairman of HKIBIM, the first fellow member of HKIBIM, Ms Ada Fung, made her speech followed by Architect Mr David Fung, Vice Chairman, sharing the membership application method and further direction of HKIBIM.

The launch ended with cocktail and networking until late night.



Click [here](#) to view the event photos.

Search for: 

Recent Posts

HKIBIM Launch on 8th Jan 2010
Official Launch of The Hong Kong
Institute of Building Information
Modelling (HKIBIM)

Useful Links

Membership Application Form:



PDF format



Link: www.hkibim.org

香港 BIM 標準

Hong Kong Institute of
Building Information Modelling

BIM Project Specification



MTR CORPORATION

OPERATIONS DIVISION

BUILDING INFORMATION MODELING MANUAL

**Building Information Modelling (BIM)
Standards Manual
for
Development and Construction Division
of
Hong Kong Housing Authority**



(Version 1.0)
November 2009

Prepared by Business Information Technology Unit
Development & Construction Division
Housing Department


標準的作用

標準 = 協同

• 若只有一個BIM 單位, 就不需要標準

- 單一專業
- 不同專業
- 第三方 (審批方)
- 不同項目
- 資料的再用性

BIM – 資訊流程



BIM 的應用範圍 (HKIBIM)

2.0 BIM Project Objective


The client, architect and BIM Project Manager should define and agree the purpose of the BIM process at the beginning of a project. It will be difficult to implement additional functionality in the BIM models at a later date.

The purpose for the BIM on a project can be selected from the requirements and objectives listed in Table 1. For each objective, an individual organisation should be appointed to manage the task. This role may change at different stages of the project life-cycle and should be reviewed at key milestones.


BIM Project Objective		REQ	Arc	Str	MEP	Con	FM	BIM
1	Use BIM Models for Master plan site study at Feasibility analysis stage							
2	Create architectural BIM.							
3	Maintain and update architectural BIM.							
4	Create structural BIM.							
5	Maintain and update structural BIM.							
6	Create MEP building services BIM.							
7	Maintain and up date MEP building services BIM.							
8	Create and maintain parametric models							
9	Produce design drawings and documentation including plans, elevations and sections directly from the BIM applications.							
10	Produce drawings for statutory submissions							

11	Produce a Bill of Quantities in accordance with the standard method of measurement							
12	Digitally link the BIM to the project specifications							
13	Include spatial validation checks for headroom and working spaces for building operations and maintenance activities.							
14	Produce visualisation walk-through, animations and rendered images.							
15	Implement clash analysis systems to detect and identify conflicts and interferences between different model elements.							
16	Link the BIM models to environmental analysis software for solar, heating and cooling and life-cycle analysis to support building design accreditation and building performance assessment.							
17	Produce schedules of materials, areas and quantities from the BIM databases.							
18	Link the BIM models to the construction programme to produce 4D Virtual Construction simulations							
19	Produce shop drawings, fabrication drawings, combined services drawings (CSD's), individual services drawings (ISD's) from the BIM applications							
20	Produce Purchase Orders as part of contractor procurement systems							
21	Incorporate as-built equipment information in the BIM model elements for provision to the building facility							


標準 – 設計BIM 模型



標準 – 施工BIM 模型



標準 — 管理階段BIM 模型



1. 單一專業協同

-  BIM Standards
-  Common Families
-  Fonts
-  Keynotes
-  Maps
-  References
-  Shortcut
-  Template
-  Titleblock


BIM 設定工作夾定義

Name

-  Archive
-  Background
-  Central File
-  Incoming
-  Photo
-  Presentation
-  Project Specific BIM Admin
-  Project Specific Families

BIM 項目工作夾定義


1. 單一專業協同



1. 單一專業協同 (工作集)


父

子




1. 單一專業協同（權限）


Take **OWNERSHIP** of an entire
workset



BORROW elements from workset as required



NB/ Users only need to open required
worksets





1. 單一專業協同 (工作集)

	Workset	Note
Architectural	Shared Levels and Grids	Default Levels and Gridlines
	Area & Room	Room, Area object, Colour paths
		Base Map, Existing drawings, in AutoCAD or


Structure		
	Shared Levels and Grid	
	Site	Site reference files, typography, Building blocks, above ground structures, roads etc
Mechanical Elements	EAD - Exhaust air ducts	gs, dimension,
	FAD - Fresh air ducts	ap, Existing drawings, in AutoCAD or
	SAD - Supply air ducts	ation Format.
Electrical Elements	CAB - Cable tray, trunking, cable containment, Electrical risers, conduit, Busduct, power feeds	
	BRD - HV & LV switch boards, switchgear, MCCB boards, MCCB boards	
Plumbing & Drainage Elements	FWP - Fresh water piping	
	RWP - Rainwater & stormwater piping	
	SWP - Sewerage water piping	
Fire Protection Elements	TRP - Grease traps	
	PMP - Pumps	
	PIT - Sumps	
	TNK - Storage vessels	
	UGR - External drainage	
	WSD - Wastewater supply	

Fire Protection Elements	SPR - System piping, droppers, fittings
	PMP - fire sprinkler pumps
	TNK - Sprinkler tanks
	HYD - Hydrants and hose reels
	GAS - Gas piping for suppression systems
	PAN - Heat or smoke detectors
	EXT - Fire extinguishers
	SHT - Fire shutters & hoods above
	BG - Fire alarm gongs & break glass
	AFA - AFA control & monitoring

2. 不同專業




圖紙製作



地理位置定位

Revit 2011 (30kmx30km)

Revit 2010 (3kmx3km)





地理位置定位

同一座標 (X, Y)

同一高度 (mPD) (Z)

- 日照運算
- GIS 定位
- 跟別專業協同




Authority Submission	Drainage Services Department	YES	NO	NO	NO	YES	NO	NO	DSD Colour Code	
	Water Authority	YES	NO	NO	NO	YES	NO	NO	B&W	
	STIC	YES	NO	NO	NO	NO	NO	NO	STIC Colour Code	Location, Area
	SSCC1	YES	NO	NO	NO	NO	NO	NO	SSCC Colour Code	Fire Safety, Area
	SSCC2	YES	NO	YES	YES	NO	NO	NO	SSCC Colour Code	Fire Services Provision
	SSCC3	YES	NO	YES	YES	NO	NO	NO	SSCC Colour Code	Smoke Extraction
	CLP/ HKE/ Gas/ Telcommunication	NO	NO	NO	NO	NO	YES	YES	B&W	
Tender		YES	YES	YES	YES	YES	YES	YES	B&W	Quantity, Specifications, Cost
Construction		YES	YES	YES	YES	YES	YES	YES	B&W	Dimension and Material
CSD		YES	YES	YES	YES	YES	YES	YES	CSD Colour	Clashes
Shop Drawing		YES	NO	YES	YES	YES	YES	YES	B&W	Construction Details
As-Built Drawings		YES	YES	YES	YES	YES	YES	YES	B&W	
Demolition		YES	YES	YES	YES	YES	NO	NO	Dotted lines	Area of demolition

視圖定義

[illegible]

視圖定義



BIM 標準

單位, 尺寸標註 Units and Measurement

Folder Structure

Model Naming Convention

Sheet Naming Convention

Parameter Naming Convention

View Naming

Project Browser Organization

Presentation Styles

Templates

Annotation

Text Assignment

Line Weight

Line Pattern

Line Style

Hatching & Fill Regions

View Templates and Filters

Dimensioning

Title block

Symbology

Family

3. 第三方 (審批方)

SSCC Submission Stage 1

	Pantone No.	R	G	B	Colour
Extent of SSCC Submission	179 U	226	61	40	
Gazettal Boundary for Railway Development	293 U	0	81	186	
Station Boundary	130 U	234	175	15	
Design Year Incoming Passenger (PPH)AM (PM) Peak	286 U	0	56	168	
Design Year Outcoming Passenger (PPH)AM (PM) Peak	390 U	186	196	5	
Fireman's Access Route	286 U	0	56	168	
Emergency Vehicular Access	485 U2X	216	30	5	
Station Emergency Evacuation Route	368 U2X	91	191	33	
Disabled Access Route	239 U2X	224	33	158	
Station Public Area	607 U	242	234	188	
Station Public area, Open 24 Hours	623 U	165	191	170	
Non-Public Area, Operation	155 U	244	219	170	
Non-Public Area, E&M	453 U	214	204	175	

SSCC SUBMISSION STAGE 1



PANTONE NO.		
179 U		EXTENT OF SSCC SUBMISSION
293 U		GAZETAL BOUNDARY FOR RAILWAY DEVELOPMENT
130 U		STATION BOUNDARY
286 U		DESIGN YEAR INCOMING PASSENGER (PPH) AM(PM) PEAK
390 U		DESIGN YEAR OUTGOING PASSENGER (PPH) AM(PM) PEAK
286 U		FIREMAN'S ACCESS ROUTE
485 U2X		EMERGENCY VEHICULAR ACCESS
368 U2X		STATION EMERGENCY EVACUATION ROUTE
239 U2X		DISABLED ACCESS ROUTE
607 U		STATION PUBLIC AREA
623 U		STATION PUBLIC AREA, OPEN 24 HOURS
155 U		NON-PUBLIC AREA - OPERATION

3. 第三方 (審批方)

12.23 Drawing Colour Coding^u

Material	Design	SSCC Submission	BD Submission (Practice Notes AGM)					
			Preferred Colour	BS5252 Identification Code	Colour	R	G	B
Earth (unexcavated)			Fawn	06 C 33		245	217	144
Hardcord or dry fill			Brown	06 C 39		65	44	13
Brick			Red	04 E 55		230	36	11
Concrete (plain or reinforced)			Green	14 E 53		0	134	67
Solid Concrete Blocks			Blue	20 E 56		1	52	135
Hollow Concrete Blocks			Mauve	24 E 53		110	67	113
Lightweight Partition (e.g. Plasterboard)			Orange	06 E 55		255	66	10
Plaster or Cement Rendering			Magnolia	08 E 49		255	251	201
Mosaic or other non-absorbent floor tiles			Pink	02 C 33		255	217	218
Mosaic or other non-absorbent wall tiles			Lemon	10 E 50		254	253	67

4.不同項目, 同一標準



同族 **SAME FAMILIES**

同模版 **SAME TEMPLATES**

生產明細表

GENERATE SCHEDULES



比較, 分析


COMPARABLE ANALYSIS

物業管理

FACILITY MANAGERMENTS



5. 資料的再用



5. 資料的再用


類型 _ 副類型 _ 創作單位 _ 描述1 _ 描述2

Category .	Code .
Air Terminals .	AIR .
Annotations .	ANN .
Ceilings .	CLG .
Columns .	COL .
Communication Devices .	COM .
Casework .	CSW .
CUC .	CUC .
Curtain Wall Mullions .	CTM .
Curtain Panels .	CTP .
Curtain Systems .	CTS .
Data Devices .	DAT .
Duct Accessories .	DCA .
Duct Fittings .	DCF .
Duct Insulations .	DCI .
Duct Linings .	DCL .
Ducts .	DCT .
Detail Items .	DET .
Doors .	DOR .
- Door .	DOR .

Category .	Code .
Mass .	MAS .
Mechanical Equipment .	MEC .
Nurse Call Devices .	NRS .
People .	PEP .
Pipe Fittings .	PIF .
Plumbing Fixtures .	PLM .
Planting .	PLN .
Profile .	PRF .
Pipe Accessories .	PPA .
Pipe Fittings .	PPF .
Pipes .	PPS .
Parking .	PRK .
PSB .	PSB .
PSD .	PSD .
Roads .	RDS .
Roof and Ceiling .	RFC .
Railings .	RLG .
Ramps .	RMP .
Roofs .	ROF .

ADP_(Advertising Panel)
ANN_(Annotations)
CLG_(Ceilings)
COL_(Column)
CSW_(Casework)
CTP_(Curtain_Panels)
CUC_(CUC)
DOR_(Door)
ECS_(Environmental_Control_System)
ELF_(Electrical_Fixture)
ESC_(Escalator)
FIF_(Fire_Fixture)
FLR_(Floor)
FRN_(Furniture)
FRS_(Furniture_Systems)
KOK_(Kiosks)
LFT_(Lift)
LGF_(Lighting_Fixtures)
LOU_(Louvre)
PEP_(People)
PIF_(Pipe_Fittings)
PLM_(Plumbing_Fixtures)
PLN_(Planting)

5. 資料的再用




-  DOR-DBL-HK-Curtain Wall.rfa
-  DOR-DBL-HK-Metal.rfa
-  DOR-DBL-HK-Metal-full swing.rfa
-  DOR-DBL-HK-Metal-self closing.rfa
-  DOR-DBL-HK-Metal-Transformer Room.0001.rfa
-  DOR-DBL-HK-Metal-Transformer Room.rfa
-  DOR-DBL-HK-Metal-vision panel self closing.rfa
-  DOR-DBL-HK-Timber-self closing.rfa
-  DOR-DBL-HK-Timber-vision panel self closing(unsy...
-  DOR-DBL-HK-Timber-vision panel self closing.rfa
-  DOR-DBL-HK-Timber-vision panel.rfa
-  DOR-DBL-HK-Timber-vision panel-self closing.rfa
-  DOR-DBL-HR-Metal-Tx Leaf & Lock.rfa
-  DOR-DBL-MTR- Hinge & Handle.rfa
-  DOR-DBL-MTR-C101 & P029.rfa
-  DOR-DBL-MTR-Cabinet-MTR-for Water Meters.rfa
-  DOR-DBL-MTR-Curtain Wall Type T.rfa
-  DOR-DBL-MTR-Fixed Panel & Handle.rfa
-  DOR-DBL-MTR-Frame and Panel-MTR-With Handle....

標準 = 協同


- 單一專業
- 不同專業
- 第三方 (審批方)
- 不同項目
- 資料的再用

BIM 於流線型建築的高級應用


















設計

RHINO

模版分區

GRASSHOPPER



匯出

數字庫

REVIT API/ EXCEL



IMPORT

理性化

REVIT API



自動 **BIM** 建模

REVIT





出圖

REVIT



生產/ 建造






Nomenclature - Fin Cladding

2 e.g. F1

NAMING CONVENTION:
ELEMENT / STRIP(S) / PANEL(P)
E.G. F1 / SXX / PXXX
F1S03P078









Nomenclature - V Cladding

1 e.g. P3

NAMING CONVENTION:
ELEMENT / STRIP(S) / PANEL(P)
E.G. P3 / SXX / PXXX
P3S17P123







	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1		P01x### lengt	P01y### lengt	P01z### lengt	P02x### lengt	P02y### lengt	P02z### lengt	P03x### lengt	P03y### lengt	P03z### lengt	P04x### lengt	P04y### lengt	P04z### lengt	Panel Type###tot
2	P3S06P001	149572.632	43124.1138	30997.4089	150034.096	44497.0923	31201.1007	151479.165	44220.6936	29756.4955	151017.994	42846.0425	29553.4116	P3S06P001
3	P3S06P002	150034.096	44497.0923	31201.1007	150490.205	45872.5015	31400.2904	151935	45597.7674	29955.086	151479.165	44220.6936	29756.4955	P3S06P002
4	P3S06P003	150490.205	45872.5015	31400.2904	150940.93	47250.3052	31594.9821	152385.473	46977.2334	30149.1841	151935	45597.7674	29955.086	P3S06P003
5	P3S06P004	150940.93	47250.3052	31594.9821	151386.267	48630.4698	31785.1616	152830.57	48359.0618	30338.7828	152385.473	46977.2334	30149.1841	P3S06P004
6	P3S06P005	151386.267	48630.4698	31785.1616	151474.689	48906.7825	31822.6539	152918.944	48635.7079	30376.1616	152830.57	48359.0618	30338.7828	P3S06P005
7	P3S06P006	151474.689	48906.7825	31822.6539	151913.575	50289.7323	32007.3872	153357.585	50020.3276	30560.3477	152918.944	48635.7079	30376.1616	P3S06P006
8	P3S06P007	151913.575	50289.7323	32007.3872	152347.08	51674.9657	32187.576	153790.836	51407.2369	30740.0246	153357.585	50020.3276	30560.3477	P3S06P007
9	P3S06P008	152347.08	51674.9657	32187.576	152775.147	53062.4739	32363.2813	154218.667	52796.4316	30915.2314	153790.836	51407.2369	30740.0246	P3S06P008
10	P3S06P009	152775.147	53062.4739	32363.2813	153197.744	54452.3272	32534.6167	154641.09	54188.0429	31086.0665	154218.667	52796.4316	30915.2314	P3S06P009
11	P3S06P010	153197.744	54452.3272	32534.6167	153281.603	54730.5766	32568.3694	154724.924	54466.654	31119.7184	154641.09	54188.0429	31086.0665	P3S06P010
12	P3S06P011	153281.603	54730.5766	32568.3694	153697.624	56123.188	32734.5715	155140.841	55861.1282	31285.4274	154724.924	54466.654	31119.7184	P3S06P011
13	P3S06P012	153697.624	56123.188	32734.5715	154108.128	57517.7498	32896.4211	155551.199	57257.4509	31446.8027	155140.841	55861.1282	31285.4274	P3S06P012
14	P3S06P013	154108.128	57517.7498	32896.4211	154513.02	58914.0007	33053.6684	155955.863	58655.1793	31603.5689	155551.199	57257.4509	31446.8027	P3S06P013
15	P3S06P014	154513.02	58914.0007	33053.6684	154912.275	60311.9726	33206.0604	156354.833	60054.3601	31755.4605	155955.863	58655.1793	31603.5689	P3S06P014
16	P3S06P015	154912.275	60311.9726	33206.0604	154991.455	60591.8003	33235.9403	156433.956	60334.4167	31785.2395	156354.833	60054.3601	31755.4605	P3S06P015
17	P3S06P016	154991.455	60591.8003	33235.9403	155384.039	61992.164	33382.3144	156826.258	61735.9125	31931.1206	156433.956	60334.4167	31785.2395	P3S06P016
18	P3S06P017	155384.039	61992.164	33382.3144	155771.104	63394.5402	33523.6095	157213.036	63139.4019	32071.9532	156826.258	61735.9125	31931.1206	P3S06P017
19	P3S06P018	155771.104	63394.5402	33523.6095	156152.641	64799.0536	33659.8994	157594.329	64545.1147	32207.8035	157213.036	63139.4019	32071.9532	P3S06


```

        {
            case 'x':
                p[index].x = System.Convert.ToDouble(para.AsValueString());
                break;
            case 'y':
                p[index].y = System.Convert.ToDouble(para.AsValueString());
                break;
            case 'z':
                p[index].z = System.Convert.ToDouble(para.AsValueString());
                break;
            default:
                MessageBox.Show("Wrong format of parameter name");
                break;
        }
    }
}

CladdingPanel cl = new CladdingPanel(p, PanelCounter); // new panel created from list of points.
double Area_m2 = cl.PanelArea / 1000000; // division by 1000000 to get area in m2 from mm2

//current family type parameter is updated with value of Area_m2 ;
document.BeginTransaction();
if( symbol.ParametersMap["Area"].Set(Area_m2) == false )
{
    MessageBox.Show("Wrong parameter type");
}
document.EndTransaction();

ArrayOfPanels.Add(cl); // new panel inserted into the array of panels

output += cl.UniqueNumber + " " + Area_m2 + " " + cl.T_edge[0] + " " + cl.T_edge[1] + " " + cl.T_edge[2] + " " + cl.T_edge[3]

// creating panel objects in space
document.BeginTransaction();
FamilyInstance instance = document.Create.NewFamilyInstance(location, symbol, StructuralType.NonStructural);
document.EndTransaction();
}
//MessageBox.Show(output);

```

```

    {
        if
        (
            Math.Abs(nextPanel.G_edge[0] - G_edge[0]) <= tolerance
            &&
            Math.Abs(nextPanel.G_edge[1] - G_edge[1]) <= tolerance
            &&
            Math.Abs(nextPanel.G_edge[2] - G_edge[2]) <= tolerance
            &&
            Math.Abs(nextPanel.G_edge[3] - G_edge[3]) <= tolerance
            &&
            Math.Abs(nextPanel.G_diagonal_1 - G_diagonal_1) <= tolerance * Math.Sqrt(2)
        )
        { return true; }
        else
        { return false; }
    }

}

#endregion



public class Group
{
    public int GroupNumber;
    public double[] Edge; //array of lengths of groups's edges.
    public double Diagonal; //length of group's diagonal.
    public double Area; //area of a grouped panel;
}

double toFeet(double value) //conversion of linear sizes for family instances
{
    return value * FACTOR_MMtoFT;
}


double toSqFeet(double value) //conversion of areal sizes for family instances
{

```


CONTEXT




SK SJ SH SG SF SE SD SC SB SA




1 Section 200 GRID_31
1 : 200

SK SJ SH SG SF SE SD SC SB SA




2 Section 200 GRID_32
1 : 200

SK SJ SH SG SF SE SD SC SB SA




SK SJ SH SG SF SE SD SC SB SA



SK SJ SH SG SF SE SD SC SB SA


L02
22.10mPD



Section 200 GRID_35
1 : 200


L02
22.10mPD
L01
14.70mPD
Overall RCP
8.85mPD
B1M
5.00mPD
B1 (Concourse)
1.50mPD
2mPD
0.00mPD



SL SK SJ SH SG SF SE SD SC SB SA




Section 200 GRID_36


L02
22.10mPD
L01
14.70mPD
Overall RCP
8.85mPD
B1M
5.00mPD
B1 (Concourse)
1.50mPD
2mPD
0.00mPD








① Section 200 GRID_41
1 : 200





② Section 200 GRID_42
1 : 200



Component Elevation P3 North

1 : 100





Panel P3S03P082

Group AL 36
Edge 1 1391 mm
Edge 2 839 mm
Edge 3 1398 mm
Edge 4 839 mm
Diagonal 1628 mm
Area 1.197 m²

Panel P3S03P081

Group AL 33
Edge 1 1358 mm
Edge 2 839 mm
Edge 3 1366 mm
Edge 4 839 mm
Diagonal 1600 mm
Area 1.169 m²

Panel P3S03P080

Group AL 34
Edge 1 267 mm
Edge 2 824 mm
Edge 3 269 mm
Edge 4 824 mm
Diagonal 867 mm
Area 0.234 m²

Panel P3S03P079

Group AL 33
Edge 1 1358 mm
Edge 2 839 mm
Edge 3 1366 mm
Edge 4 839 mm
Diagonal 1600 mm
Area 1.169 m²

Panel P3S03P078

Group AL 33
Edge 1 1358 mm
Edge 2 839 mm
Edge 3 1366 mm
Edge 4 839 mm
Diagonal 1600 mm
Area 1.169 m²

Panel P3S03P077

Group AL 33
Edge 1 1358 mm
Edge 2 839 mm
Edge 3 1366 mm
Edge 4 839 mm
Diagonal 1600 mm
Area 1.169 m²

Panel P3S04P082

Group AL 43
Edge 1 1378 mm
Edge 2 276 mm
Edge 3 1378 mm
Edge 4 276 mm
Diagonal 1405 mm
Area 0.400 m²

Panel P3S04P081

Group AL 40
Edge 1 1347 mm
Edge 2 276 mm
Edge 3 1354 mm
Edge 4 276 mm
Diagonal 1379 mm
Area 0.392 m²

Panel P3S04P080

Group AL 41
Edge 1 265 mm
Edge 2 271 mm
Edge 3 266 mm
Edge 4 271 mm
Diagonal 381 mm
Area 0.078 m²

Panel P3S04P079

Group AL 40
Edge 1 1347 mm
Edge 2 276 mm
Edge 3 1354 mm
Edge 4 276 mm
Diagonal 1379 mm
Area 0.392 m²

Panel P3S04P078

Group AL 40
Edge 1 1347 mm
Edge 2 276 mm
Edge 3 1354 mm
Edge 4 276 mm
Diagonal 1379 mm
Area 0.392 m²

Panel P3S04P077

Group AL 40
Edge 1 1347 mm
Edge 2 276 mm
Edge 3 1354 mm
Edge 4 276 mm
Diagonal 1379 mm
Area 0.392 m²

Panel P3S02P082

Group AL 30
Edge 1 1412 mm
Edge 2 8443 mm
Edge 3 1400 mm
Edge 4 8443 mm
Diagonal 8559 mm
Area 11.992 m²

Panel P3S02P081

Group AL 29
Edge 1 1400 mm
Edge 2 8443 mm
Edge 3 1367 mm
Edge 4 8443 mm
Diagonal 8551 mm
Area 11.801 m²

Panel P3S02P080

Group AL 23
Edge 1 272 mm
Edge 2 8298 mm
Edge 3 272 mm
Edge 4 8298 mm
Diagonal 8296 mm
Area 2.361 m²

Panel P3S02P079

Group AL 29
Edge 1 1400 mm
Edge 2 8443 mm
Edge 3 1367 mm
Edge 4 8443 mm
Diagonal 8551 mm
Area 11.801 m²


Panel P3S02P078

Group AL 29
Edge 1 1400 mm
Edge 2 8443 mm
Edge 3 1367 mm
Edge 4 8443 mm
Diagonal 8551 mm
Area 11.801 m²

Panel P3S02P077

Group AL 29
Edge 1 1400 mm
Edge 2 8443 mm
Edge 3 1367 mm
Edge 4 8443 mm
Diagonal 8551 mm
Area 11.801 m²

P3




Schedule of panels																						
Panel	Point 1			Point 2			Point 3			Point 4			Center of weight				Edges				Area	Grou
	P01 x	P01 y	P01 z	P02 x	P02 y	P02 z	P03 x	P03 y	P03 z	P04 x	P04 y	P04 z	C x	C y	C z	Edge 1	Edge 2	Edge 3	Edge 4	Diagonal		
P3SD1P001	835106129	818405541	18298	835101017	818402394	12231	835106871	818404239	18290	835101802	818401012	12299	835103955	818403297	15262	1493	8446	1583	8446	8565	13.111 m²	AL
P3SD1P002	835106871	818404239	18290	835101802	818401012	12231	835107598	818402931	18391	835102588	818399625	12410	835104710	818401952	15347	1493	8446	1583	8446	8565	13.111 m²	AL
P3SD1P003	835107598	818402931	18391	835102588	818399625	12410	835108310	818401617	18528	835103312	818398241	12560	835105447	818400604	15472	1493	8446	1583	8446	8565	13.111 m²	AL
AL 1.3																					39.033 m²	AL
P3SD1P004	835108310	818401617	18528	835103312	818398241	12560	835109007	818400300	18696	835104033	818396862	12745	835106166	818399255	15633	1493	8446	1559	8446	8583	13.010 m²	AL
AL 2.1																					13.010 m²	AL
P3SD1P005	835109007	818400300	18696	835104033	818396862	12745	835109144	818400036	18736	835104175	818396588	12786	835106560	818398446	15741	294	8313	305	8313	8318	2.594 m²	AL
P3SD1P010	835111765	818394722	19674	835106783	818391211	13770	835111890	818394454	19728	835109506	818390943	13826	835109336	818392833	16760	294	8313	305	8313	8318	2.594 m²	AL
P3SD1P015	835114256	818398075	20934	835109228	818385543	15084	835114368	818388805	21001	835109337	818395271	15154	835109336	818392833	16760	294	8313	305	8313	8318	2.594 m²	AL
P3SD1P020	835116476	818393392	22499	835111414	818379769	16734	835116575	818383121	22582	835111511	818379492	16822	835113994	818381444	19659	294	8313	305	8313	8318	2.594 m²	AL
P3SD1P025	835118417	818377721	24432	835113315	818373975	16781	835118503	818377451	24534	835113398	818373701	16888	835115906	818375712	21659	294	8313	305	8313	8318	2.594 m²	AL
P3SD1P030	835120084	818372092	26716	835114909	818368280	21178	835120157	818371825	26832	835114977	818368015	21297	835117532	818370053	24006	294	8313	305	8313	8318	2.594 m²	AL
AL 3.6																					15.564 m²	AL
P3SD1P006	835109144	818400036	18736	835104175	818396588	12786	835109622	818398714	18942	835104883	818390527	13005	835107001	818397641	16867	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P018	835115454	818386100	21710	835110405	818382531	15899	835115973	818384746	22094	835110918	818381150	16305	835113167	818383632	19002	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P019	835115973	818384746	22094	835110918	818381150	16305	835116476	818383392	22499	835114124	818379769	16734	835113995	818382834	19408	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P021	835116575	818383392	22499	835111414	818379769	16734	835117059	818381769	23013	835111987	818378111	12728	835114283	818380623	19924	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P022	835117059	818381769	23013	835111987	818378111	12728	835117528	818380417	23465	835112447	818376730	17757	835114755	818379257	20378	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P023	835117528	818380417	23465	835112447	818376730	17757	835117980	818379088	23938	835112890	818375351	18258	835115211	818377891	20855	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P024	835117980	818379088	23938	835112890	818375351	18258	835118417	818377721	24432	835113315	818373075	16781	835115906	818376629	21353	1493	8446	1534	8446	8561	12.901 m²	AL
P3SD1P026	835118503	818373975	16781	835114909	818368280	21178	835118921	818376108	25052	835113802	818372392	19436	835116156	818374988	21978	1493	8446	1534	8446	8561	12.901 m²	AL
AL 4.8																					103.028 m²	AL
P3SD1P007	835109822	818398714	18942	835104883	818390527	13005	835110485	818397388	19170	835105522	818393885	13245	835107673	818396303	16000	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P008	835110485	818397388	19170	835105522	818393885	13245	835111332	818396057	19414	835109161	818392551	13500	835106325	818394070	10332	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P009	835111332	818396057	19414	835109161	818392551	13500	835111765	818394722	19674	835106783	818391211	13770	835109960	818393635	10590	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P011	835111890	818394544	19728	835109506	818385943	13826	835112504	818393115	20006	835107510	818386599	14116	835108702	818382028	10919	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P012	835112504	818393115	20006	835107510	818386599	14116	835113103	818391771	20300	835108097	818388252	14422	835110304	818390654	17211	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P013	835113103	818391771	20300	835108097	818388252	14422	835113688	818390425	20609	835108670	818386600	14745	835110280	818389357	17519	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P014	835113688	818390425	20609	835108670	818386600	14745	835114256	818389075	20934	835109228	818385543	15084	835111450	818387968	17943	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P016	835114368	818388805	21001	835109337	818385521	15154	835114919	818387453	21346	835109678	818383806	15516	835112126	818386359	18254	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P017	835114919	818387453	21346	835109678	818383806	15516	835115454	818386100	21710	835110405	818382531	15899	835112654	818384998	18618	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P027	835118921	818376108	25052	835113802	818372392	19436	835119324	818373428	26145	835114189	818370671	20002	835116559	818373544	22520	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P028	835119324	818373428	26145	835114189	818370671	20002	835119711	818373428	26145	835114589	818369618	20585	835116948	818372196	23081	1493	8445	1507	8445	8578	12.786 m²	AL
P3SD1P029	835119711	818373428	26145	835114589	818369618	20585	835120084	818372092	26716	835114909	818368280	21178	835117316	818370855	23656	1493	8445	1507	8445	8578	12.786 m²	AL
AL 5.12																					14.825 m²	AL
P3SD1P031	835120157	818371825	26832	835114977	818368015	21297	835120513	818370490	27416	835115304	818366697	21896	835117738	818369257	24360	1493	8445	1477	8445	8574	12.661 m²	AL
AL 6.1																					12.661 m²	AL

Panel P3S02P002

Group AL 14
Edge 1 1583 mm
Edge 2 8445 mm
Edge 3 1367 mm
Edge 4 8445 mm
Diagonal 8568 mm
Area 12.573 m²

N 818401012
E 835101802
EL 12299

N 818404239
E 835106871
EL 18290




Panel P3S01P009

Group AL 5
Edge 1 1493 mm
Edge 2 8445 mm
Edge 3 1507 mm
Edge 4 8445 mm
Diagonal 8578 mm
Area 12.786 m²

Panel P3S01P002
Group AL 1
Edge 1 1493 mm
Edge 2 8446 mm
Edge 3 1583 mm
Edge 4 8446 mm
Diagonal 8585 mm
Area 13.111 m²

Remark: An above table is a portion extracted for presentation purpose from the full schedule of panels included in the BIM model.

P3



N 818398670
E 835109844
EL 18950


N 818405541
E 835106129
EL 18228

N 818402394
E 835101017
EL 12231

N 818398353
E 835096414
EL 18290

Group Name	Number of panels	Edge 1	Edge 2	Edge 3	Edge 4	Diagonal	Panel area	Group Area
AL 1	3	1493	8446	1593	8446	8595	13.111 m²	39.333 m²
AL 2	1	1493	8446	1599	8446	8583	13.010 m²	13.010 m²
AL 3	6	284	8313	305	8313	8318	2.594 m²	15.564 m²
AL 4	9	1493	8446	1534	8446	8581	12.901 m²	103.208 m²
AL 5	12	1493	8445	1507	8445	8578	12.786 m²	153.433 m²
AL 6	1	1493	8445	1477	8445	8574	12.661 m²	12.661 m²
AL 7	32	1493	8444	1452	8444	8572	12.554 m²	401.734 m²
AL 8	5	1493	8444	1424	8444	8569	12.436 m²	62.180 m²
AL 9	13	1493	8444	1398	8444	8567	12.325 m²	160.227 m²
AL 10	13	284	8303	272	8302	8307	2.453 m²	80.933 m²
AL 11	25	1493	8443	1389	8443	8564	12.199 m²	304.979 m²
AL 12	3	1493	8443	1354	8443	8562	12.109 m²	60.076 m²
AL 13	3	1493	8443	1338	8443	8560	12.069 m²	36.208 m²
AL 14	3	1583	8445	1367	8445	8568	12.673 m²	37.718 m²
AL 15	1	1559	8445	1368	8445	8560	12.479 m²	12.479 m²
AL 16	6	1533	8445	1389	8445	8556	12.372 m²	98.979 m²
AL 17	3	1513	8445	1374	8445	8547	12.311 m²	36.932 m²
AL 18	1	1497	8446	1385	8445	8536	12.290 m²	12.290 m²
AL 19	1	1477	8445	1387	8445	8534	12.209 m²	12.209 m²
AL 20	1	1452	8445	1387	8445	8531	12.102 m²	12.102 m²
AL 21	1	1424	8445	1387	8445	8529	11.984 m²	11.984 m²
AL 22	1	1388	8444	1386	8444	8527	11.871 m²	11.871 m²
AL 23	11	272	8298	272	8298	8526	2.361 m²	25.974 m²
AL 24	6	1569	8444	1385	8444	8524	11.742 m²	70.452 m²
AL 25	7	1254	8444	1384	8444	8524	11.674 m²	81.716 m²
AL 26	3	1338	8443	1381	8443	8524	11.595 m²	34.786 m²
AL 27	6	1362	8442	1389	8442	8539	11.648 m²	93.185 m²
AL 28	3	1380	8442	1367	8442	8543	11.714 m²	35.143 m²
AL 29	10	1400	8443	1367	8443	8551	11.801 m²	118.005 m²
AL 30	1	1412	8443	1400	8443	8559	11.992 m²	11.992 m²
AL 31	10	1427	8444	1431	8444	8564	12.187 m²	121.867 m²
AL 32	24	1440	8444	1453	8444	8568	12.334 m²	296.014 m²
AL 33	62	1358	839	1366	839	1607	1.169 m²	66.791 m²
AL 34	16	267	824	269	824	867	0.294 m²	3.748 m²
AL 35	13	1372	839	1379	839	1611	1.181 m²	15.348 m²
AL 36	1	1391	839	1398	839	1628	1.197 m²	1.197 m²
AL 37	31	1422	839	1426	839	1653	1.222 m²	37.880 m²
AL 38	3	1444	839	1447	839	1671	1.240 m²	3.720 m²
AL 39	34	284	825	285	825	873	0.248 m²	8.446 m²
AL 40	54	1347	276	1354	276	1379	0.392 m²	21.163 m²
AL 41	24	265	271	266	271	361	0.078 m²	1.883 m²
AL 42	11	1361	276	1366	276	1396	0.396 m²	4.353 m²
AL 43	1	1378	276	1378	276	1405	0.400 m²	0.400 m²
AL 44	32	1406	276	1408	276	1432	0.408 m²	13.052 m²
AL 45	2	1426	276	1425	276	1452	0.414 m²	0.827 m²
AL 46	26	261	271	261	271	390	0.083 m²	2.154 m²
AL 47	100	1456	276	1453	276	1481	0.422 m²	42.209 m²
AL 48	100	1474	839	1483	839	1700	1.269 m²	126.892 m²
Grand total:	750							2923.908 m²

P3




P3 - schedule of finish groups							
Finish Group	Surface Finish		Perforated	Thickness	Outside/ Inside	Acoustic Insulation	Thermal Insulation
	Weather-proof Finish	Trafficable Finish					
F1	Yes	No	No	3 mm	Outside	No	Yes
F2	No	No	No	3 mm	Inside	No	No
F3	Yes	Yes	No	5 mm	Outside	No	Yes
F4	No	No	Yes	3 mm	Inside	Yes	No
F5	No	Yes	No	5 mm	Inside	No	No
F6	Yes	No	No	3 mm	Outside	No	No

P3 - schedule of finishes Segment 01 - 08								
Panel	Finish Group	Surface Finish		Perforated	Thickness	Outside/ Inside	Acoustic Insulation	Thermal Insulation
		Weather-proof Finish	Trafficable Finish					
P3501P001	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P002	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P003	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P004	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P005	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P006	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P007	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P008	F1	Yes	No	No	3 mm	Outside	No	Yes
P3501P009	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P001	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P002	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P003	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P004	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P005	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P006	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P007	F1	Yes	No	No	3 mm	Outside	No	Yes
P3508P008	F1	Yes	No	No	3 mm	Outside	No	Yes
F 1: 17								
P3502P001	F2	No	No	No	3 mm	Inside	No	No
P3502P002	F2	No	No	No	3 mm	Inside	No	No
P3502P003	F2	No	No	No	3 mm	Inside	No	No
P3502P004	F2	No	No	No	3 mm	Inside	No	No
P3502P005	F2	No	No	No	3 mm	Inside	No	No
P3502P006	F2	No	No	No	3 mm	Inside	No	No
P3502P007	F2	No	No	No	3 mm	Inside	No	No
P3502P008	F2	No	No	No	3 mm	Inside	No	No
P3502P009	F2	No	No	No	3 mm	Inside	No	No
P3503P001	F2	No	No	No	3 mm	Inside	No	No
P3503P002	F2	No	No	No	3 mm	Inside	No	No
P3503P003	F2	No	No	No	3 mm	Inside	No	No
P3503P004	F2	No	No	No	3 mm	Inside	No	No
P3503P005	F2	No	No	No	3 mm	Inside	No	No
P3503P006	F2	No	No	No	3 mm	Inside	No	No
P3503P007	F2	No	No	No	3 mm	Inside	No	No
P3503P008	F2	No	No	No	3 mm	Inside	No	No
P3503P009	F2	No	No	No	3 mm	Inside	No	No
P3504P001	F2	No	No	No	3 mm	Inside	No	No
P3504P002	F2	No	No	No	3 mm	Inside	No	No

P3 - schedule of finishes Segment 01 - 08								
Panel	Finish Group	Surface Finish		Perforated	Thickness	Outside/ Inside	Acoustic Insulation	Thermal Insulation
		Weather-proof Finish	Trafficable Finish					
P3504P003	F2	No	No	No	3 mm	Inside	No	No
P3504P004	F2	No	No	No	3 mm	Inside	No	No
P3504P006	F2	No	No	No	3 mm	Inside	No	No
P3504P007	F2	No	No	No	3 mm	Inside	No	No
P3504P008	F2	No	No	No	3 mm	Inside	No	No
P3504P009	F2	No	No	No	3 mm	Inside	No	No
F 2: 25								
P3503P005	F2	No	No	No	3 mm	Inside	No	No
P3504P005	F2	No	No	No	3 mm	Inside	No	No
P3505P001	F2	No	No	No	3 mm	Inside	No	No
P3505P002	F2	No	No	No	3 mm	Inside	No	No
P3505P003	F2	No	No	No	3 mm	Inside	No	No
P3505P004	F2	No	No	No	3 mm	Inside	No	No
P3505P005	F2	No	No	No	3 mm	Inside	No	No
P3505P006	F2	No	No	No	3 mm	Inside	No	No
P3505P007	F2	No	No	No	3 mm	Inside	No	No
P3505P008	F2	No	No	No	3 mm	Inside	No	No
P3505P009	F2	No	No	No	3 mm	Inside	No	No
P3506P001	F2	No	No	No	3 mm	Inside	No	No
P3506P002	F2	No	No	No	3 mm	Inside	No	No
P3506P003	F2	No	No	No	3 mm	Inside	No	No
P3506P004	F2	No	No	No	3 mm	Inside	No	No
P3506P005	F2	No	No	No	3 mm	Inside	No	No
P3506P006	F2	No	No	No	3 mm	Inside	No	No
P3506P007	F2	No	No	No	3 mm	Inside	No	No
P3506P008	F2	No	No	No	3 mm	Inside	No	No
P3506P009	F2	No	No	No	3 mm	Inside	No	No
P3507P001	F2	No	No	No	3 mm	Inside	No	No
P3507P002	F2	No	No	No	3 mm	Inside	No	No
P3507P003	F2	No	No	No	3 mm	Inside	No	No
P3507P004	F2	No	No	No	3 mm	Inside	No	No
P3507P005	F2	No	No	No	3 mm	Inside	No	No
P3507P006	F2	No	No	No	3 mm	Inside	No	No
P3507P007	F2	No	No	No	3 mm	Inside	No	No
P3507P008	F2	No	No	No	3 mm	Inside	No	No
P3507P009	F2	No	No	No	3 mm	Inside	No	No
F 6: 29								

Remark: An above is a portion extracted for presentation purpose the full schedule of panels included in the BIM model.



Panel P3S01P004
 Edge 1 1488 mm
 Edge 2 2279 mm
 Edge 3 1476 mm
 Edge 4 2279 mm
 Diagonal 2720 mm
 Group(Size) A 1
 Group(Finish)... F 1

Panel P3S04P001
 Edge 1 1460 mm
 Edge 2 2042 mm
 Edge 3 1445 mm
 Edge 4 2042 mm
 Diagonal 2508 mm
 Group(Size) A 13
 Group(Finish)... F 2

01 P4 EAST ELEVATION

REV	DESCRIPTION	BY	DATE	APPROVED	REV	DESCRIPTION	BY	DATE	APPROVED
					A1	ISSUE FOR DRAFT ACP			

DRAWN	ERICA LIM
DESIGNED	MARK POLLARD
CHECKED	F MCGLDRICK
APPROVED	KELVIN KO
DATE	JUN 2010

ORIGINATOR: EXPRESS RAIL LINK

AECOM • AEDAS • MENHARDT • MVA • BURD HAPPOOLD • EDWARDS • MOIT


CADD REF: 09010A XRL Station Roof.rvt


CONTRACT 810A
 WEST KOWLOON TERMINUS
 ENTRANCE BUILDING, WALL TYPE G, V BEAM P4 EAST ELEVATIONS
 (SHEET 2)

SCALE: 1 : 100 @ A1



DRAWING NO: 810A/T/WKT/AAT/A67/180





REV: A1












BIM 流程的再用














File Edit View Arrange Solution Window Help


Params Math Sets Vector Curve Surface Mesh

Geometry Primitive

21%

Solution completed in ~24.9 seconds (140 seconds ago)

The screenshot shows a software interface with a 3D visualization on the left and a complex node-based diagram on the right. The 3D view displays a red mesh surface over a yellowish-brown ground plane. The right panel features a toolbar with icons for various functions like Geometry, Primitive, and Mesh. Below the toolbar is a status bar indicating the solution completion time. The main area on the right contains a dense network of interconnected nodes and lines, representing a computational graph or a simulation setup. The nodes are small rectangular blocks, and the lines represent connections between them. The entire interface is set against a light blue background.




File Edit View Arrange Solution Window


Params Math Sets Vector Curve Surface

Geometry Primitive

64%

Solution completed in ~24.9 seconds (250 seconds ago)





Params Math Sets Vector Curve Surface Mesh Intersect Transform

Geometry Primitive Special

125%

(0)

```

point0, 61020.017, 44981.376, 85776.932, point01, 60741.499,
0 44511.051, 83120.315, point02, 58698.728, 45308.790,
83736.844, point03, 58989.108, 45819.827, 86451.051
point0, 58989.108, 45819.827, 86451.051, point01, 58698.728,
1 45308.790, 83736.844, point02, 56610.633, 45988.468,
84250.442, point03, 56906.455, 46527.415, 87029.756
point0, 56906.455, 46527.415, 87029.756, point01, 56610.633,
2 45988.468, 84250.442, point02, 54493.430, 46510.217,
84658.256, point03, 54787.256, 47068.069, 87507.497
point0, 54787.256, 47068.069, 87507.497, point01, 54493.430,
3 46510.217, 84658.256, point02, 52363.338, 46834.165,
84957.434, point03, 52646.712, 47405.714, 87878.722
point0, 52646.712, 47405.714, 87878.722, point01, 52363.338,
4 46834.165, 84957.434, point02, 50236.572, 46920.442,
85145.122, point03, 50500.019, 47504.278, 88137.881
point0, 50500.019, 47504.278, 88137.881, point01, 50236.572,
5 46920.442, 85145.122, point02, 48129.351, 46729.178,
85218.467, point03, 48362.378, 47327.686, 88279.424
point0, 48362.378, 47327.686, 88279.424, point01, 48129.351,
6 46729.178, 85218.467, point02, 46059.347, 46225.662,

```

0.8.0050

1 TAG & ANNOTATION


BIM EVANGELIST

Part Name	Material	Femilection Schedule (Partial)												Edge 1	Edge 2	Edge 3	Edge 4	Diagonal	Area
		P01x	P01y	P01z	P02x	P02y	P02z	P03x	P03y	P03z	P04x	P04y	P04z						
G04-P001	Glaizing b	41.228	18.153	71.594	41.563	18.877	70.124	43.351	17.900	69.607	42.999	18.653	71.234	1.491	1.150	1.539	1.167	3.294	2.787 m²
G04-P002	Glaizing b	42.999	18.053	71.034	41.341	17.800	69.607	42.270	16.975	69.189	44.001	17.200	70.575	1.451	1.131	1.491	1.240	3.119	2.789 m²
G04-P003	Glaizing b	44.598	17.201	70.575	40.170	16.975	69.189	47.280	16.426	68.877	45.508	16.620	70.222	1.408	1.120	1.451	1.231	3.030	2.742 m²
G04-P007	Glaizing b	45.928	16.620	70.222	47.280	16.426	68.877	49.394	16.126	68.658	49.032	15.697	69.963	1.365	1.133	1.408	1.245	2.962	2.738 m²
G04-P008	Glaizing b	49.032	15.697	69.963	49.394	16.126	68.658	51.548	15.069	68.512	51.194	16.213	69.780	1.324	1.160	1.365	1.212	2.914	2.736 m²
G04-P009	Glaizing b	51.194	16.213	69.780	51.548	15.069	68.512	53.789	14.383	68.463	53.952	15.286	70.575	1.287	1.144	1.324	1.236	2.871	2.708 m²
G04-P030	Glaizing b	53.398	16.347	69.652	53.789	14.383	68.463	55.917	13.590	67.337	55.599	16.681	69.564	1.254	1.166	1.287	1.256	2.727	2.651 m²
G04-P031	Glaizing b	55.599	16.681	69.564	55.917	13.590	67.337	58.082	12.714	66.309	57.768	17.133	69.495	1.229	1.231	1.254	1.230	2.634	2.626 m²
G04-P032	Glaizing b	57.768	17.133	69.495	58.082	12.714	66.309	60.200	10.920	65.258	59.961	17.868	69.431	1.214	1.229	1.229	1.238	2.500	2.645 m²
G04-P033	Glaizing b	59.961	17.868	69.431	60.200	10.920	65.258	62.318	9.246	64.256	63.910	18.685	69.385	1.207	1.208	1.214	1.216	2.374	2.645 m²
G04-P034	Glaizing b	61.993	18.703	69.385	62.318	9.246	64.256	64.519	7.680	63.206	63.898	19.706	69.382	1.207	1.217	1.207	1.219	2.268	2.576 m²
G04-P035	Glaizing b	63.898	19.706	69.382	64.519	7.680	63.206	66.523	6.020	62.067	66.267	20.085	69.450	1.210	1.217	1.207	1.213	2.096	2.551 m²
G04-P036	Glaizing b	65.699	20.085	69.450	66.523	6.020	62.067	67.492	4.222	60.828	67.280	22.248	69.515	1.217	1.209	1.210	1.201	1.940	2.537 m²
G04-P037	Glaizing b	67.492	22.248	69.515	67.492	4.222	60.828	69.213	2.789	59.433	69.093	23.955	69.595	1.233	1.212	1.217	1.184	1.794	2.536 m²
G04-P038	Glaizing b	69.213	23.955	69.595	69.213	2.789	59.433	70.989	1.590	58.257	69.128	25.566	70.344	1.229	1.210	1.223	1.166	1.704	2.567 m²
G04-P039	Glaizing b	70.989	25.566	70.344	70.989	1.590	58.257	72.128	0.678	57.482	69.708	27.037	70.334	1.234	1.156	1.229	1.168	1.621	2.598 m²
G04-P042	Glaizing b	69.594	21.666	71.395	68.781	21.380	69.680	40.239	16.877	69.228	69.938	20.176	69.475	1.168	1.198	1.168	1.191	1.744	3.305 m²
G04-P043	Glaizing b	68.781	21.380	69.680	69.594	21.666	71.395	42.581	16.483	68.781	70.124	18.233	71.424	1.172	1.198	1.172	1.191	1.744	3.305 m²
G04-P044	Glaizing b	41.563	18.877	70.124	43.351	18.877	69.607	42.999	17.900	69.607	42.999	18.653	71.234	1.491	1.150	1.539	1.167	3.294	2.787 m²
G04-P045	Glaizing b	43.351	17.900	69.607	43.351	17.900	69.607	42.999	18.653	71.234	1.491	1.150	1.539	1.167	3.294	2.787 m²			
Glaizing b: 20																			
G04-P001	Glaizing frost	60.436	44.002	80.251	60.289	43.797	78.693	58.234	44.622	79.403	58.385	44.769	80.242	1.429	1.241	1.398	1.282	3.413	3.133 m²
G04-P002	Glaizing frost	58.385	44.769	80.251	60.289	43.797	78.693	58.234	44.622	79.403	58.385	44.769	80.242	1.429	1.241	1.398	1.282	3.413	3.133 m²
G04-P003	Glaizing frost	56.296	45.411	81.242	56.144	45.147	79.808	54.035	45.627	80.101	54.186	45.503	81.571	1.503	1.183	1.466	1.192	2.542	3.326 m²
G04-P004	Glaizing frost	54.186	45.503	81.571	54.035	45.627	79.808	51.923	45.919	80.284	52.070	46.204	81.909	1.540	1.140	1.503	1.249	2.604	3.262 m²
G04-P005	Glaizing frost	52.070	46.204	81.909	54.186	45.503	81.571	54.035	45.627	79.808	51.923	45.919	80.284	1.540	1.140	1.503	1.249	2.604	3.262 m²
G04-P006	Glaizing frost	49.964	46.972	81.901	49.854	45.978	80.358	47.768	46.762	80.327	47.893	46.653	81.902	1.609	1.089	1.609	1.089	2.062	2.760 m²
G04-P007	Glaizing frost	47.893	46.972	81.901	47.768	45.978	80.358	47.768	46.762	80.327	47.893	46.653	81.902	1.609	1.089	1.609	1.089	2.062	2.760 m²
G04-P008	Glaizing frost	45.844	45.542	81.797	45.732	45.230	80.126	43.766	43.998	79.595	43.877	44.718	81.589	1.653	1.131	1.630	1.142	2.068	3.433 m²
G04-P009	Glaizing frost	43.877	45.542	81.797	43.766	45.230	80.126	43.766	43.998	79.595	43.877	44.718	81.589	1.653	1.131	1.630	1.142	2.068	3.433 m²
G04-P010	Glaizing frost	42.021	43.626	81.903	41.954	43.290	79.632	40.271	41.951	79.219	40.132	42.299	80.885	1.704	1.190	1.696	1.200	3.163	3.514 m²
G04-P011	Glaizing frost	40.212	42.299	80.885	40.271	41.951	79.219	38.775	40.413	78.722	38.789	40.772	80.401	1.717	1.201	1.717	1.201	3.255	3.502 m²
G04-P012	Glaizing frost	38.789	40.772	80.401	38.775	40.413	78.722	37.503	38.712	78.100	37.487	39.081	79.838	1.725	1.199	1.717	1.208	3.311	3.451 m²
G04-P013	Glaizing frost	37.503	38.712	79.838	37.503	38.712	78.100	37.487	39.081	79.838	1.725	1.199	1.717	1.208	3.311	3.451 m²			
G04-P014	Glaizing frost	36.425	37.258	79.195	36.429	36.584	77.508	35.767	36.961	76.055	35.681	35.339	76.485	1.727	1.174	1.729	1.183	3.385	3.327 m²
G04-P015	Glaizing frost	35.681	37.339	76.488	35.767	36.961	76.055	35.304	32.975	75.808	35.681	35.336	77.731	1.721	1.167	1.727	1.177	3.411	3.358 m²
G04-P016	Glaizing frost	35.198	33.343	76.738	35.304	32.975	75.808	35.133	32.969	75.274	34.997	33.343	76.938	1.710	1.163	1.721	1.173	3.426	3.106 m²
G04-P017	Glaizing frost	34.997	33.343	76.738	35.133	32.969	75.274	34.246	34.246	74.476	35.099	33.343	76.122	1.696	1.160	1.710	1.171	3.432	3.033 m²
G04-P018	Glaizing frost	34.246	34.246	74.476	34.997	33.343	76.122	34.246	34.246	74.476	35.099	33.343	76.122	1.696	1.160	1.710	1.171	3.432	3.033 m²
G04-P019	Glaizing frost	34.647	27.359	75.829	35.644	27.000	73.674	36.329	25.108	72.884	36.101	25.645	74.484	1.653	1.162	1.676	1.172	3.418	2.927 m²
G04-P020	Glaizing frost	35.101	25.455	74.484	35.329	25.108	72.884	37.291	23.320	72.119	37.033	23.653	73.960	1.626	1.170	1.653	1.179	3.401	2.968 m²
G04-P021	Glaizing frost	37.033	23.653	73.960	37.291	23.320	72.119	36.504	21.666	71.395	36.329	25.108	72.884	1.597	1.175	1.626	1.179	3.418	2.968 m²
G04-P022	Glaizing frost	36.504	21.666	71.395	36.329	25.108	72.884	37.291	23.320	72.119	37.033	23.653	73.960	1.626	1.170	1.653	1.179	3.401	2.968 m²
G04-P023	Glaizing frost	35.025	20.473	72.280	35.020	20.176	70.272	34.563	18.987	70.124	34.208	19.153	71.590	1.592	1.165	1.564	1.172	3.276	2.819 m²
G04-P040	Glaizing frost	70.539	27.477	47.334	70.678	27.472	49.708	71.158	29.505	70.414	71.158	29.505	70.414	1.700	1.259	1.749	1.234	2.207	2.901 m²
G04-P041	Glaizing frost	71.590	29.499	71.649	71.158	29.506	70.414	71.334	31.559	71.220	71.278	31.552	72.463	1.434	1.213	1.434	1.213	2.236	2.920 m²
G04-P042	Glaizing frost	71.278	31.552	72.463	71.220	31.559	71.334	31.559	71.220	71.278	31.552	72.463	1.434	1.213	1.434	1.213	2.236	2.920 m²	
G04-P043	Glaizing frost	71.188	33.570	73.249	71.201	33.571	72.099	70.761	35.472	73.024	70.774	35.483	74.283	1.395	1.161	1.250	1.168	1.978	2.488 m²
G04-P044	Glaizing frost	70.774	35.483	74.283	70.761	35.472	73.024	69.580	37.193	73.659	70.336	37.223	75.326	1.269	1.109	1.259	1.117	1.911	2.463 m²
G04-P045	Glaizing frost	70.336	37.223	75.326	70.336	37.193	73.659	68.980	36.980	74.810	69.589	36.980	76.187	1.261	1.109	1.261	1.109	1.889	2.370 m²
G04-P046	Glaizing frost	68.980	36.980	76.187	68.980	36.980	74.810	69.589	36.980	74.810	69.589	36.980	76.187	1.261	1.109	1.261	1.109	1.889	2.370 m²
G04-P047	Glaizing frost	65.579	36.226	75.187	65.579	36.226	75.187	64.541	35.995	74.502	64.541	35.995	74.502	1.716	1.116	1.697	1.124	2.026	2.574 m²
G04-P048	Glaizing frost	67.645	40.778	71.116	67.641	40.741	39.998	74.827	65.949	71.311	70.701	66.079	41.258	1.785	1.316	1.744	1.217	2.026	2.574 m²
G04-P049	Glaizing frost	66.079	41.258	70.805	65.949	41.131	70.701	64.193	42.124	71.514	64.326	42.296	78.836	1.338	1.162	1.316	1.196	2.133	2.726 m²
G04-P049	Glaizing frost	66.328	42.256	78.836	64.193	42.124	71.514	62.289	43.003	74.547	63.435	43.199	79.591	1.365	1.222	1.338	1.236	2.238	2.727 m²
G04-P050	Glaizing frost	62.430	43.199	79.591	62.430	43.199	79.591	62.430	43.199	79.591	62.430	43.199	79.591	1.365	1.222	1.338	1.236	2.238	2.727 m²
G04-P001	Glaizing frost	60.299	43.797	78.692	60.143	43.759	77.512	58.082	44.282	79.002	58.234	44.622	79.403	1.429	1.231	1.396	1.281	3.421	3.108 m²
G04-P002	Glaizing frost	58.234	44.622	79.403	60.143	43.759													



PROJECT NAME	KALLANG RIVERSIDE HOTEL DEVELOPMENT
DRAWING TITLE	PANELISATION ANNOTATION AND SCHEDULE

FILE Project Name		SCALE @ A1	
DRAWN Author	CHECK Checker	DATE 10. SEPT.2011	
DRAWING NO. BIM A102		REVISION	



① TOWER FACADE


BIM EVANGELIST



PROJECT NAME **KALLANG RIVERSIDE
HOTEL DEVELOPMENT**

DRAWING TITLE **TOWER ON
PANELISATION**

FILE Project Name		SCALE @ A1	
DRAWN Author	CHECK Checker	DATE 10_SEPT.2011	REVISION
DRAWING NO. BIM_A101			



DRAWING TITLE


FILE Project Name		SCALE @ A1	
DRAWN Author	CHECK Checker	DATE 10. SEPT. 2011	
DRAWING NO.		REVISION	


BIM A102

Glazing frost: 55	169.317 m³
Grand total: 75	223.087 m³


BIM in Organic Design Manufacturing

Direct from Design to Manufacturing / Construction











Unable to cap at least one object. The openings did not have closed, planar loops of edges.

Creating meshes... Press Esc to cancel


Command: _Undo

Undoing Cap

Command:



Perspective





Navigation icons: Previous, Next, Home, etc.

☒ End ☒ Near ☒ Point ☐ Mid ☐ Cen ☒ Int ☒ Perp ☐ Tan ☐ Quad ☐ Knot ☐ Project ☐ STrack ☐ Disable

CPlane x 12.08 y 9.64 z 0.00 0.00 Default

Snap Ortho Planar Osnap Record History





Unable to cap at least one object. The openings did not have closed, planar loops of edges.

Creating meshes... Press Esc to cancel


Command: _Undo

Undoing Cap

Command:




Perspective



⏪ ⏩ ⏴ ⏵ Perspective / Top / Front / Right /
☒ End ☒ Near ☒ Point ☐ Mid ☐ Cen ☒ Int ☒ Perp ☐ Tan ☐ Quad ☐ Knot ☐ Project ☐ STrack ☐ Disable

CPlane x 10.62 y 9.55 z 0.00 0.00 Default



Snap Ortho Planar Osnap Record History



1:13

1:10 / 1:38





Properties

No selection

General

Color	ByLayer
Layer	Default
Linetype	ByLayer
Linetype s...	1.00
Lineweight	ByLayer
Transpare...	ByLayer
Thickness	0.00

3D Visualization

Material	ByLayer
Shadow di...	Casts and Rec...

Plot style

Plot style	ByColor
Plot style t...	None
Plot table ...	Model
Plot table ...	Not available

View

Center X	105487.92
Center Y	32603.25
Center Z	0.00
Height	59629.24
Width	136281.36

Misc



Annotatio...	1:1
UCS icon ...	Yes
UCS icon ...	Yes
UCS per vi...	Yes
UCS Name	
Visual Style	2D Wireframe


Model / Layout1 / Layout2 /

Automatic save to C:\Users\David\AppData\Local\Temp\002_Export_1_1_1616.sv\$...

Command:

Command:





Sheet 1 E130 0.472m	Sheet 2 N82A 3.144m	Sheet 3 E116A 3.276m
Sheet 1 N1 0.714m	Sheet 2 E121 3.127m	Sheet 3 E122 2.664m
Sheet 1 N24B 1.754m	Sheet 2 N120 3.205m	Sheet 3 E11 2.754m
Sheet 1 N121 2.78m	Sheet 2 N119 3.321m	Sheet 2 N128 0.786m
Sheet 1 N0 0.413m	Sheet 1 N2 0.97m	Sheet 2 N58B 1.437m
Sheet 1 E120 3.459m	Sheet 1 N30B 1.489m	Sheet 2 E15B 1.187m
Sheet 1 E119 3.599m	Sheet 1 N124 1.908m	Sheet 2 N123 2.173m

Label Sheet 1

Sheet 4 E82A 3.312m	Sheet 4 E89B 1.4m	Sheet 5 E57A 2.685m
Sheet 4 E85A 3.316m	Sheet 4 E49A 2.87m	Sheet 5 E72A 3.204m
Sheet 3 E51B 1.467m	Sheet 4 E73A 3.221m	Sheet 5 E81A 2.306m
Sheet 3 N129 0.786m	Sheet 4 E83A 3.373m	Sheet 5 N42B 1.169m
Sheet 3 E118B 2.124m	Sheet 4 N130 0.768m	Sheet 5 E86A 2.321m
Sheet 3 E115A 3.29m	Sheet 4 N40B 1.193m	Sheet 5 E114A 2.267m
Sheet 3 E117A 3.259m	Sheet 4 E84A 3.376m	Sheet 5 E87A 3.329m

Label Sheet 2

Sheet 6 E112B 1.625m	Sheet 7 N41B 1.193m
Sheet 6 E114B 1.84m	Sheet 7 E78A 3.284m
Sheet 6 E118A 3.226m	Sheet 7 E90A 3.119m
Sheet 6 E79A 3.281m	Sheet 7 E89A 3.327m
Sheet 6 E80A 2.289m	Sheet 6 E57B 1.819m
Sheet 6 E88A 3.324m	Sheet 6 E113B 1.736m
Sheet 5 E19B 1.36m	Sheet 6 E74A 3.237m

Label Sheet 3





labels.jpg



sheet_1_preview_thumb.jpg



sheet_2_preview_thumb.jpg



sheet_3_preview_thumb.jpg



sheet_4_preview_thumb.jpg



sheet_5_preview_thumb.jpg



sheet_6_preview_thumb.jpg



sheet_7_preview_thumb.jpg



sheet_8_preview_thumb.jpg



sheet_9_preview_thumb.jpg



sheet_10_preview_thumb.jpg



sheet_11_preview_thumb.jpg



sheet_12_preview_thumb.jpg



sheet_13_preview_thumb.jpg



sheet_14_preview_thumb.jpg



sheet_15_preview_thumb.jpg



sheet_16_preview_thumb.jpg



sheet_17_preview_thumb.jpg



sheet_18_preview_thumb.jpg



sheet_19_preview_thumb.jpg



sheet_20_preview_thumb.jpg



sheet_21_preview_thumb.jpg



sheet_22_preview_thumb.jpg



sheet_23_preview_thumb.jpg



sheet_24_preview_thumb.jpg



sheet_25_preview_thumb.jpg



sheet_26_preview_thumb.jpg



sheet_27_preview_thumb.jpg



sheet_28_preview_thumb.jpg



sheet_29_preview_thumb.jpg



sheet_30_preview_thumb.jpg



sheet_31_preview_thumb.jpg



sheet_32_preview_thumb.jpg



sheet_33_preview_thumb.jpg




sheet_34_preview_thumb.jpg




sheet_35_preview_thumb.jpg





Sheet43



Sheet9















Sheet 42
N99B
1.94m

N17A

~~A10-1~~ N18A

(1) N19A

N20A
























• Thank You !