Autodesk Revit

User Guide
for
Building Library Components
Drawing Office





Provisional Copy and For Internal Reference Only

As at 1 June 2017



Autodesk Revit User Guide for Building Library Components

Drawing Office
Water Supplies Department

(Provisional Copy)

1st June 2017

Contents

1.0 Introduction	3
2.0 Library Components for Civil and Mechanical Disciplines	4
3.0 Library Component for Electrical Discipline	. 41
4.0 Detail Level and Element Visibility	. 43
5.0 Category	. 44
6.0 Consideration for Creating Revit Family	. 45
7.0 Family, Type and Parameter Naming Conventions	. 46
7.1 Family Naming	. 46
7.2 Type Naming	
7.3 Parameter Naming	
8.0 Reference	

1.0 Introduction

This user guide provides a guidance to staff members of the Drawing Office, Design Division, Water Supplies Department, when creating common components and symbols by Autodesk Revit to be used for projects works to achieve completeness, consistency, stability and accuracy.

The guide should be read in conjunction with the WSD Standard Drawings from which some library components' dimensions and parameters come. The link for downloading the drawings is as follows:-

http://www.wsd.gov.hk/en/publications and statistics/guidelines drawings and specifications/wsd standard drawings/index.html


With the rapid changing of BIM technology, this user guide will be continuously improved and updated.

2.0 Library Components for Civil and Mechanical Disciplines

Section 1 – Mainlaying\Chamber

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Chamber for Gate Valve not exceeding DN300 (Parametric family)				
Chamber for Horizontal Gate Valve DN400 or above (Parametric family)				
Double Air Valve Chamber (Parametric family)		#		1
Rodding Pit for Under Floor Drains – Depth between 6 and 9m (Parametric family)				
Septic Tank Inlet Chamber (Parametric family)				

⁺ Insertion Point




Section 1 – Mainlaying\Chamber\Parts

Name of Free land	Graphic Representation			
Name of Family	Isometric View	Plan View	Side View	Front View
Concrete Unit (Parametric family)		\blacksquare		4
Hessian Bag			A A	AGA_

Section 1 - Mainlaying\Manhole

7	Graphic Representation			
Name of Family	Isometric View	Plan View	Side View	Front View
Cable Drawpit (Parametric family)				



⁺ Insertion Point

Section 1 – Mainlaying\Manhole\Parts

Nome of Family	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
300 sq Manhole Cover			4		
600 sq Manhole Cover					
Earthing Rod		+ ,	#	#	
Grating		\mathbb{X}	+	+	
Precast Concrete Unit	0				
with Four Lifting		0 0			
Holes		2			
(Parametric family)					
Precast Concrete Unit with Lifting Hooks (Parametric family)		1+1	+	4	
Precast Concrete Unit with 300 sq Manhole Opening			d	+	
(Parametric family) Precast Concrete Unit (Parametric family)			+		

⁺ Insertion Point

Section 1 – Mainlaying\Pipe Accessories

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Butterfly Valve (BV) (Parametric family)		-		- M
Electromagnetic Flowmeter (Parametric family)			<u></u>	-4
Flap Valve (Parametric family)		+		
Gate Valve - Type A (Parametric family)		Radus		- Spines
Gate Valve - Type B (Parametric family)	Rode		1-1-1	
Horizontal Sluice Valve (SV) (Parametric family)				
Inspection Tee welded on Steel Pipe (Parametric family)				+ + +
Motorized Butterfly Valve (MBV) (Parametric family)	07			

⁺ Insertion Point

N CD -11	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Motorized Sluice Valve (MSV) (Parametric family)					
Non Return Valve (NRV) (Parametric family)				H	
Reflux Valve (RV) (Parametric family)					
Sluice Valve (SV) (Parametric family)					
Valve Actuator with Pillar (Parametric family)					
Valve Actuator (Parametric family)					
Water Meter (Parametric family)	Radius Radius	Radius		Radius	
Water Tap - Type A (Parametric family)	Nacional Parish		-	14	
Water Tap - Type B (Parametric family)	200	Radius			

⁺ Insertion Point

Section 1 – Mainlaying\Pipe Accessories\Motor and Pump Set

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Motor			-	+
Pump				
Safety Guard for Shaft		+		
Universal Shaft				

Section 1 - Mainlaying\Pipe Accessories/Parts

Name of Family &		Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View		
Frame of Handle			+			
Handwheel				-		

⁺ Insertion Point

Section 1 – Mainlaying\Pipe Fitting\Cast Iron (CI) Pipe Fittings in Flange Joint

Name of Family	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Adaptor-Flanged - Cast Iron (Parametric family)				, and a second s	
Bellmouth Short Bend-Flanged - Cast Iron (Parametric family)					
Duckfoot long Bend-Flanged - Cast Iron (Parametric family)			1		
Flange-Cast Iron (Parametric family)	Redus	Radius	Bours	Page Page Page Page Page Page Page Page	
Flat Taper-Flanged - Cast Iron (Parametric family)					
Long Bend-Flanged - Cast Iron (Parametric family)		1			
Puddle Flanged Pipe - Cast Iron (Parametric family)	000				

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Radial Tee-Flanged - Cast Iron (Parametric family)			1	
Short Bend-Flanged - Cast Iron (Parametric family)				1
Taper-Flanged - Cast Iron (Parametric family)				
Tee-Flanged - Cast Iron (Parametric family)		17	11	++

Section 1 – Mainlaying\Pipe Fitting\Copper Pipe Fittings in Thread Joint

Name of Family	Graphic Representation			
Name of Family	Isometric View	Plan View	Side View	Front View
Bend-Threaded - Copper	Radius	Radius	n 5	ST.
(Parametric family)	Part Radio	Radius		√ Sin

Section 1 - Mainlaying\Pipe Fitting\Ductile Iron (DI) Pipe Fittings in Flange Joint

Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Bellmouth-Flanged				-1	
- DI		-+	((4))	+	
(Parametric family)	E±3	-		-1	
Bend-Flanged	6	F	(PT)		
- DI	e n		((((147)))	- + (1)	
(Parametric family)		-		1 2 9	

Name of Family		Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View		
Blank-Flanged - DI (Parametric family)	0	+		+		
Collar-Flanged - DI (Parametric family)	0	Manuel National Natio		+		
Duckfoot Bend - Flanged DI (Parametric family)	A T					
Flanged Spigots with Puddle Flange - Flanged DI (Parametric family)	W					
Flanged Spigots - Flanged DI (Parametric family)						
Flange - DI (Parametric family)		Radius Sadius		-		
Level Invert Tee - Flanged DI (Parametric family)		+		1		
Puddle Flange - DI (Parametric family)		Natura -				
Taper-Flanged - DI (Parametric family)		and the same of th				
Tee-Flanged - DI (Parametric family)	08			-		

⁺ Insertion Point

Section 1 – Mainlaying\Pipe Fitting\Ductile Iron (DI) Pipe Fittings in Socket Joint

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Bend-Socket - DI (Parametric family)		4	-	
Blank-Socket - DI (Parametric family)		+		+
Collar-Socket - DI (Parametric family)			(F)	
Double Socket Tee – Socket - DI (Parametric family)	60		1	
Duckfoot Bend - Socket - DI (Parametric family)				
Level Invert Tee - Socket - DI (Parametric family)	D			
Socket Spigot with Puddle Flange - DI (Parametric family)	Q			
Socket Spigot - DI (Parametric family)		+		+
Taper - Socket - Df (Parametric family)	(Ca		4	
Tee-Socket - DI (Parametric family)	\$6		-	-14-1-

⁺ Insertion Point

Section 1 – Mainlaying\Pipe Fitting\Galvanized Iron (GI) or Galvanized Iron (Lined) (GIL) Pipe Fittings in Thread Joint

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Bend-Threaded - GIL (Parametric family)	Podus Podus	Radius	snipey Radius	Preduction of the control of the con
Cross-Threaded - GIL (Parametric family)	Rades Rades Rades	Rober Ralie	Reduce Reduce	214
End Cap – Threaded - GIL (Parametric family)	Rodes	Radius	Rachas	(-
Reducer-Threaded - GIL (Parametric family)	Wal	Radius	Para Para Para Para Para Para Para Para	
Tee-Threaded - GIL (Parametric family)	"Edd			-11-1-

. Section 1 – Mainlaying\Pipe Fitting\PE Pipe Fittings in Electrofusion Joint

Name of Family		707	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Bend-Electrofusion	NO 1	H	mile Harris	
- PE	6 - 9.			
(Parametric family)	* 1	七千	V 5 L	
Coupler-Electrofusion				11
- PE (Parametric family)	*(1)			1
End Cap -			Radius	8
Electrofusion - PE		4		+
(Parametric family)		No flue		
Long Spigot Flange-	.a.	Reduc		1 1
Electrofusion - PE	10 7			-
(Parametric family)				Н

⁺ Insertion Point

Name of Family	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Reducer-Electrofusion	V52.	Radus Radas	1.0	<i>p</i>	
- PE	(The state of the				
(Parametric family)	10		100	7	
Tee-Electrofusion	400				
- PE					
(Parametric family)					
Unequal Tee -	Radio			4	
Electrofusion - PE		Radian Radian	Radia		
(Parametric family)	- 12 0	Refu	*		

Section 1 – Mainlaying\Pipe Fitting\Stainless Steel (SS) Pipe Fittings in Flange Joint

Name of Family	Graphic Representation			
	Isometric View	Plan View	Side View	Front View
Bellmouth - Flanged	9			1
- SS				
(Parametric family)				
Puddle Flanged Pipe				1 1 1
- Flanged - SS		+ +	((++-))	- - -
(Parametric family)				

Section 1 – Mainlaying\Pipe Fitting\Stainless Steel (SS) Fittings in Weld Joint

Name of Family	Graphic Representation				
	Ĭsometric View	Plan View	Side View	Front View	
Bend-Welded-SS (Parametric family)	Radius	Padus	Radus	Radius	
Cross-Welded-SS (Parametric family)	Radios Patient - Radios				
End Cap-Welded-SS (Parametric family)	Radius	Radius	Radus		

N	Graphic Representation				
Name of family	Isometric View	Plan View	Side View	Front View	
Reducer-Welded-SS (Parametric family)		Radio			
Tee-Welded-SS (Parametric family)	160	- Carlo		-14-	

Section 1 – Mainlaying\Pipe fitting\Steel Pipe Fittings in Flange Joint

	maying wipe nun		presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Adaptor-Flanged - Steel (Parametric family)				
Bend-Flanged-Steel (Parametric family)	Co			+
Blank-Flanged-Steel (Parametric family)	9	+		
Duckfoot Long Bend - Flanged - Steel (Parametric family)				
Flange - Steel (Parametric family)		Radio		
Flat Taper-Planged - Steel (Parametric family)				+
Gussetted Bend Type 1 - Flanged - Steel (Parametric family)				+9
Gussetted Bend Type 2 - Flanged-Steel (Parametric family)				-1-10

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Gussetted Bend Type 3 - Flanged-Steel (Parametric family)		-		1
Level Invert Tee - Flanged - Steel (Parametric family)	600		+	
Orifice Plate - Steel (Parametric family)	1	han /		
Puddle Flange Pipe - Steel (Parametric family)	Pa .	have been seen as a second	(4)	1+1-
Puddle Flange - Steel (Parametric family)		+ *		+
Radial Tee - Flanged - Steel (Parametric family)	50			1 +
Taper - Flanged - Steel (Parametric family)		+		+===
Tee - Flanged - Steel (Parametric family)	60	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Section 1 - Mainlaying\Pipe Fitting\Steel Pipe Fittings in Weld Joint

Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Bend - Welded	- I-	4			
- Steel			+	- +	
(Parametric family)					

Name of Family	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Gussetted Bend Type 1 - Welded - Steel (Parametric family)	100	False False	i		
Gussetted Bend Type 2 - Welded - Steel (Parametric family)			- 1 0 (C)	-1-11-0	
Gussetted Bend Type 3 - Welded - Steel (Parametric family)	1º ad-		- 1 0	-	
Level Invert Tee - Welded - Steel (Parametric family)	-30				
Taper - Welded - Steel (Parametric family)	1	+ ====			
Tee - Welded - Steel (Parametric family)	50			+	

Section 1 – Mainlaying\Pipe Fitting\UPVC Pipe Fittings in Thread Joint

Name of Family	0 000		presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Bend - Threaded - UPVC (Parametric family)	Radius	Radius Radius	Radius	Radius
Coupling - Threaded -UPVC (Parametric family)	Radius	Radius	Radius	Pades 1
End Cap - Threaded - UPVC (Parametric family)	Radius	Radius	Radius	Radius
Puddle Flange Pipe - Threaded - UPVC (Parametric family)	0	+ + + + + + + + + + + + + + + + + + + +		

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Puddle Flange -UPVC (Parametric family)	Radus	Radius		Radius
Reducer - Threaded - UPVC (Parametric family)	Radius Radius Radius	Radius	Radius	Rodus
Round Hopper - Threaded - UPVC (Parametric family)				+
Tee -Threaded - UPVC (Parametric family)	Radius Radius Radius	Radius Radius	Raddus Raddus	100
Trap-Threaded - UPVC (Parametric family)	Sation Reduce	7		141

Section 1 - Mainlaying\Pipe Support

Name of Family	Graphic Representation				
	Isometric View	PlanView	Side View	Front View	
Pipe Bracket - various angles (Parametric family)	1			2	
Pipe Bracket (Parametric family)	K	-		2	
Saddle Supports for Exposed Pipe (Parametric family)		+		#	
Saddle Supports - Slip on Type Coupling or Expansion Joint for Exposed Pipe (Parametric family)		+	+		

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Supports for Exposed Pipe across stream course and valley (Parametric family)				
Supports for Exposed Pipe on Steep Gradient - Type A (Parametric family)		+	—	4
Supports for Exposed Pipe on Steep Gradient - Type B (Parametric family)			L	


Section 2 – Pumping Station

Name of Partille	Graphic Representation			
Name of Family	Isometric View	Plan View® /	Side View	Front View
Roof Extractor	8,	(#)		

Section 3 - Service Reservoir

N. CD 1	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Junction pit					
(Parametric family)			+	+	
Ribbed Finishes with opening	Managamana M.				
(Parametric family)	Militarian				
Ribbed Finishes with	Military				
two openings	Married William	Tanapa III	-		
(Parametric family)	E Dist				

⁺ Insertion Point



Section 3 – Service Reservoir\Parts

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Void Single Ribbed		A		
Finishes			vd	-
(Parametric family)		6/		

Section 4 – Treatment Works

Name of Family	Graphic Representation			
Name of Family	Isometric View Plan View Side View			Front View
Nil	Nil.	Nil	Nil	Nil

Section 5 - WSD Access Road

Name of Family	Graphic Representation			
Name of Family	Msometric View	Plan View	Side View	Front View
NIP %	Nil	Nil	Nil	Nil

Section 6 – Security Measures/Fence/High Strength Security Fence


Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Fence - Chain Link (Parametric family)		+	1	+	

Name of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
High Strength Security Fence (HSSF) (Parametric family)	F	aa		
Lattice Post for High Strength Security Fence (HSSF)			1	. +
Main Gate for HSSF (Parametric family)				
Rolled Hollow Section (RHS) Post (Parametric family)			4)	1
Security Fence (Parametric family)		-+3	1	

Section 6 – Security Measures/High Strength Security Fence - Hooks

Name of Family	*	Graphic Representation				
	Isometric View	Plan View	Side View	Front View		
Fence Post with Hook (Parametric family)		-				
Fence Post (Parametric family) Fence-Hook		+				
(Parametric family) L Shape Plate - Type I		Nil	Nil	Nil		
(Profile) L Shape plate - Type						
II (Profile)		Nil	Nil	Nil		

⁺ Insertion Point



Section 6 – Security Measures\Fence\Parts

Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Wire (Profile)	diamage to 5	Nil	Nil	Nil	
Gate Hinge		-	1	1	
Weather Proof Box for Pad Lock		#			

Section 7 – General/Access Door

N 6E	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Access Door rested on a Stainless Steel Frame on top of concrete upstand (Parametric family)			7	+	
Access Door supported on top of concrete upstand (Parametric family)		+		+	

Section 7 – General\Cat ladder

Name of Family	Graphic Representation				
The straining	Isometric view	Plan View	Side View	Front View	
Cat-ladder Extension - Type 1					
Cat-ladder Extension - Type 2			0 0 0	+	
Inclined Ladder			+		
Vertical Cat-ladder with Handrail (Parametric family)	The state of the s	-			
Vertical Cat-ladder with safety cage built at corner of walls (Parametric family)	The state of the s	- mulitarium			
Vertical Cat-ladder (Parametric family)					
Vertical Cat-ladder - Height less than 1 m (Parametric family)				4	

Section 7 - General\Cat-ladder\Parts

Name of Family	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Bottom Bracket		+	7 1	+	
Fixing Plate (Parametric family)		+-	Ŧ	+	

⁺ Insertion Point

Section 7 – General\Cat-ladder\Parts

Nama of Family		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Hand Grip to Manhole Access			-	1
Rung for Cat-ladder (Parametric family)		-	+	+
Safety Cage Hoop			-+	
Safety Cage Hoop - Left (Parametric family)		4	-	
Safety Cage Hoop - Right (Parametric family)			+	-
Side Bracket				
Side Handrail Support with Tube for Inclined Ladder	9			
Side Handrail Support for Inclined Ladder	E		10	9
Step Iron		+		4
Tread for Inclined Ladder (Parametric family)		+	+	

⁺ Insertion Point

Section 7 – General/Chequer Plate

Name of Parties	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Steel Angles (Parametric family)	The state of the s		+	+	
Chequer Plate (Parametric family)				+	
Heavy Duty Mesh Flooring (Parametric family)		+	+	7	

Section 7 – General/Door

	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Double Leaf Door for HEC (Parametric family)			*		
Double Leaf Stainless Steel door (Parametric family)					
Double Leaf Stainless Steel door (Parametric family)					
Double Leaf Timber Door (Parametric family)				b.	
Single Leaf,Steel Door with Steel Channel Door Frame (Parametric family)	A STATE OF THE STA				
Roller Shutter (Parametric family)	1				

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
	Isometric View	Plan View	Side View	Front View
Single Leaf Stainless Steel Door with a single Lourve (Parametric family)			4	
Single Leaf Stainless Steel Door with two Lourves (Parametric family)		4	4	
Single Leaf Timber Door with a single Lourve (Parametric family)		1 "	4	
Single Leaf Timber Door (Parametric family)				

Section 7 – General\Door\Parts

Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Door Label - Type I	A				
(Parametric family)	AN COMMINCHES PLANT HOUSE	AIR CONDITION OF PLANT ROOM.			
Door Label - Type II (Parametric family)	AIR CONDITIONER PLANT ROOM Room 電 機 宝 調	ARI CONCITTOR IR PLANT ROOM ROM R M 3K 3R	+		

Section 7 - General\Facilities

Name of Family	Graphic Representation				
Name Organiny	Isometric View	Plan View	Side View	Front View	
Anti-Vortex Bench over Outlet inside SR (Parametric family)		+		+	
Bollard (Parametric family)					

N. CF '1		Graphic Re	presentation	
Name of Family	Isometric View	Plan View	Side View	Front View
Electrode Mounting Plate for Stilling Well	9		-+-	
Electrode Mounting plate for Stilling Well (5-holes)			+	
Roof Ventilator for Service Reservoir (Parametric family)				
Vent for Air Blower Room in PS	TH.	+		
Water Sample Collection Point at PS (Parametric family)				
Water Tank for Pumping Station		+		

Section 7 – General\Grating

Name of Family	A Localita	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View		
Bars Grating (Parametric family)						
Grating - Type 1 - Capsule Void (Parametric family)			+	cumu <mark>d</mark> unus		
Grating - Type 1 - Rectangular Void (Parametric family)		4		Current Transport		
Grating - Type 2 - Capsule Void (Parametric family)				AMMERICANIAN TO THE PARTY NAMED AND ADDRESS OF THE PARTY NAMED		

⁺ Insertion Point

N	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Grating - Type 2 - Rectangular Void (Parametric family)		-			
Grating - Type 3 (Parametric family)		+			
Grating – Floor Drain (Parametric family)		Diameter	Diameter 3	Diameter	

Section 7 – General\Joint Sealant

Name of Family		Graphic Re	presentation	and a
	Isometric View	Plan View	Side View	Front View
Movement joint (Parametric family)			+	-

Section 7 – General\Joint Sealant\Profile

N CF	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View	
Waterstop with	4 4				
Centre-bulb and	41	Nil	Nil	Nil	
Eyeleted profile	7	NII	NII	NII	
(Profile)					
Waterstop Plain Web	and :				
and Eyeleted profile (Profile)	→	Nil	Nil	Nil	


Section 7 – General\Louvre

Name of Family		Graphic Re	presentation	
Ivaille of Faililly	Isometric View	Plan View	Side View	Front View
Exhaust Fan Cowl (Parametric family)		+		
Louvre and Frame with Xpelair Fan (Parametric family)				
Louvre (Parametric family)		-		
Louvre with Mesh inside (Parametric family)				
Cover for Louvre (Parametric family)		+	+	

Section 7 – General\Sign Plate

Name of Family		Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View		
Concrete Name Panel on walls of Service Reservoir	MA IN ESTREET MATERIAL PROPERTY OF THE PROPER	Va u n TEE * m set to the to	+	+		
(Parametric family)						
Name Board (Parametric family)	W-W-	0 + 0		TO THE PARTY OF TH		
Name Plate (Parametric family)	A SET White Regular Department of the SET of	187 18.5 E 0.8 187.5 E 0.8 100 187.5 E 0.8 100 187.5 E 0.00	 	+		
Sign Plate	次氨酸鈉溶液 SODIUM HYPOC-ILORITE SOLUTION	- 次氯酸鈉清液 SODIUM HYPGCHLORITE SOLUTION	 	+		

⁺ Insertion Point



Section 7 – General\U-Channel

Name of Family	1 NY	Graphic Representation				
Name of Family	Isometric View	Plan View	Side View	Front View		
U-Channel Grating - Steel (Parametric family)	STATE OF THE STATE		+			

Section 7 – General\U-Channel\Profile

Name of Family		Graphic Representation		
	Isometric View	Plan View	Side View	Front View
Surface Channel				
profile		Nil	Nil	Nil
(Profile)				

07 - 11	Graphic Representation			
Name of Family	Isometric View	Plan View	Side View	Front View
Stepped U-Channel profile (Profile)		Nil	Nil	Nil
U-Channel profile (Profile)		Nil	Nil	Nil

Section 7 – General\U-Hooks

Name of Family		Graphic Rep	oresentation	
	Isometric View	Plan View	Side View	Front View
U-Hooks (Parametric family)		+	+	1

Section 7 – General\Windows

Name of Family	Graphic Representation				
	Isometric View	Plan View	Side View	Front View	
Double Glazed Fixed Aluminium Windows - 2 Bays (Parametric family)				+	
Double Glazed Fixed Aluminium Windows - 4 Bays (Parametric family)		+	To the second se		
Double Glazed Sliding Aluminium Window (Parametric family)		—			
General Single Window (Parametric family)		-			

⁺ Insertion Point

Name of Family		Graphic Re	presentation	
Ivame of Family	Isometric View	Plan View	Side View	Front View
General Windows - 4 Bays (Parametric family)		-		
Glass Block Window (Parametric family)				
Side Hung Open Outward (Left) (Parametric family)	Printer and the second			
Side Hung Open Outward (Right) (Parametric family)				
Single Window with Propeller Fan on top (Parametric family)			1	
Top Hung Open Outward Window (Parametric family)	######################################			
Window with Propeller Fan on top (Parametric family)				

Section 8 - Structure\Steel Beam and Channel

Name of Family	Graphic Representation			
	‱Isometric View	Plan View	Side View	Front View
Steel Channel Runner. (Parametric family)		+	—	1
Steel Channel (Parametric family)		-+-	1	+
Universal Beam (UB) (Parametric family)	I	+	<u>+</u>	+

Section 8 – Structure\Steel Column

Name of Family	Graphic Representation			
	Isometric View	Plan View	Side View	Front View
Steel Channel (Parametric family)				
Universal Column (UC) (Parametric family)		+		

+ Insertion Point

Section 9 – Presentation/Annotation

Section 9 – Presentation/Annotation	
Name of Family	Illustration
Directional Arrow	Length of arrow = 50.0
Callout Head	Ref
Door, Tag	D1
Fixed Annotation Label Tag	FIXED
Grid Mark	0
Keynote Tag	1
Label for Direction of Water Flow	Text line 1 Text line 2
Label for Pipe	Comments
Label for Descriptive Notes	Description Line1 Description Description Line2
Multiple Leader Arrow Heads	Spacing between arrow = 5.0 Text
Existing Level Mark on Section and Elevation	Length of line = 20.0

Existing Level Mark on Plan	Level
	•
Lourve Mark	(L1)
Proposed Level in metre – on Plan	Name Elevation
Proposed Level in metre – on Section or View	Name Elevation
Label Tag for Handrail	Description Line1 This is a sample description Description Line2
Label Tag for Reinforcing Bars	Quantity1i - Rebar Number -Spacing
Label Tag for 25mm annotation	Room name Volume 101
Label Tag for 35mm annotation	Room name Volume 101
Section Mark	Â
Slide annotation label tag	SLIDE
Text Label	Label
View Title	<u>View Name</u> View Scale
Window Mark	W 1
Symbol for View	VIEW NAME

 $Section \ 9-Presentation \ \ Annotation \ \ \ Bar$

Trobolitation amount in Seale	<u> </u>
Name of Family	Illustration
S1	1 : 1 SCALE BAR
S2	0 50 100 mm 1 : 2 SCALE BAR
S5	0 50 100 150 200 250 mim 1 : 5 SCALE BAR
S10	0 100 200 300 400 500 mm . 1 : 10 SCALE BAR
S20	0 500 1000 mm
S25	0 500 1000 mm
S50	0 500 1000 1500 2000 2500 mm 1 : 50 SCALE BAR
S100	1: 100 SCALE BAR
S125	0 1 2 3 4 5 m 1 : 125 SCALE BAR
S200	0 5 10 m 1 : 200 SCALE BAR
S250*	0 5 10 m 1 : 250 SCALE BAR
S500	0 5 10 15 20 25 m
S1000	0 10 20 30 40 50 m
S2000	0 50 100 m 1 : 2000 GCALE BAR
S5000	0 50 100 150 200 250 m 1 : \$000 BCALE BAR
S10000	0 100 200 300 400 500 m
S20000	0 500 1000 m 1 : 20000 SGALE BAR

Name of family	Illustration		
Line type	RW——RW——RW		

Section 10 – Presentation\Symbol

Name of family	Illustration
Break Mark	
Granular Material	
North Arrow Indicator - General	0
North Arrow Indicator - Key Plan	O
Mark for Opening/Box-out	
Break Mark for Round Object	
Granular Material in Section View	\$ \$\$
Grass Surface/Hydroseeding	WWW # WWW
Soil Surface in Section Vi ew	
Tree	
Water Surface in Section View	

Section 10 – Presentation\Symbol\Parts

Name of family	Illustration	
Proposed Granular Material 0.5		
Proposed Granular Material 0.75	<i>£</i> \$£	

Proposed Granular Material	<i>5</i> 56		
	2030		
Existing Granular Material Surface 0.5	**************************************		
Existing Granular Material Surface 0.75	\$558		
Existing Granular Material Surface	\$		
Proposed Granular Material Surface 0.5			
Proposed Granular Material Surface 0.75	\$5555555 A		
Proposed Granular Material Surface	\$		
Existing Grass surface 0.5			
Existing Grass surface 0.75	- W. W. W.		
Existing Grass surface	A. W. W.		
Proposed Grass surface 0.5			
Proposed Grass surface 0.75			
Proposed Grass surface	WW WW		
Existing Soil surface 0.5	7777777		
Existing Soil surface 0.75			
Existing Soil surface			
Proposed Soil surface 0.5			
Propo se d So il surface 0.75			
Proposed Soil surface			
Tree 0.5			
Tree 0.75			
Tree			
Water Surface 0.5			

Water Surface 0.75	
Water Surface	

3.0 Library Component for Electrical Discipline

Section 1 – Lighting

Name of Family		Graphic Rep	c Representation		
Name of Family	Isometric View	Plan View	Side View	Front View	
Fluorescent Luminaire 600mm Single		=+=	+		
Fluorescent Luminaire 1200mm Single		+		+	
Fluorescent Luminaire 1200mm Twin		+	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	+	
Fluorescent Luminaire 1200mm Twin Metal Reflector				+	
Fluorescent Luminaire 1500mm Single		+		+	
Fluorescent Luminaire 1500mm Twin		+		+	
Fluorescent Euminaire 1500mm Twin Metal Reflector		+		-	
Fluorescent Lighting Panel Triple Tubes 1200x600mm		+	+	+	

⁺ Insertion Point

Name of Family	Graphic Representation			
	Isometric View	Plan View	Side View	Front View
Bulkhead Lighting		+	+	+
Highbay Lighting	Ô	(1)		#
Exit Sign			1	_
MCB Distribution Board (Single Phase)			7	
MCB Distribution Board (3 Phase)		+	+	+

+ Insertion Point

4.0 Detail Level and Element Visibility

Visibility of a family determines in which view the family displays and what it looks like in that view, whereas Detail Level determines the visibility of elements at different levels of detail, such as Coarse, Medium or Fine.

Typically, the geometry of an element created by a Family will change depending on the current project view. In a plan view, users may want to see a 2D representation of the element. On the contrary, users may want a fully detailed 3D representation of the element in a 3D or elevation view.

The detail level in a project view can be controlled with the Detail Level option on the view control bar. Users can also set the visibility and detail level of any 2D and 3D geometry in the family after creation.

5.0 Category

A category is a group of elements that users use to model or document a design.

The family category specified when a family is created determines which family parameters are activated. The settings for these family parameters affect the behaviour for the part and identifies the type of component.

In creating a family, it should be assigned to an appropriate category. The category is defined as its top level of identification (for example: Door, Window or Pipe Fitting) within the project environments.

Categories are predefined in Revit and cannot be created or changed by users. If a family component cannot be classified into any category, the Generic Models may be the best choice.


6.0 Consideration for Creating Revit Family

Families are components that use to build a model, such as walls, windows, stairs, doors, etc. Each family can have multiple types, such as different sizes, materials, parameter variables, etc. Any change to a type is updated in every instance throughout the project.

No matter how hard you try, the following criteria should be taken into account before creating a family.

- Which category will the family represent?
- Will the family need many types?
- Will the family require a host?
- Where is the family insertion point?
- How will the family display at each detail level?
- How will the family display from each view direction?
- Will the family need material control?
- Will the family parameter appear in schedules or tags?

7.0 Family, Type and Parameter Naming Conventions



7.1 Family Naming

The primary means of identifying families in Revit is the **Family** name. A **Family** name shall include a descriptor that enables users to search for a **Family** by element and family types.

For the standards and guidelines for family naming conventions in Revit, reference can be made to the provisional copy of Chapter 5.3 to Building Information Modelling, Standards Manual, Drawing Office.

7.2 Type Naming

A **Type** name is a description used to provide identification of a family having members with different characteristics, such as units, dimensions and materials.

The guidelines for **Type** naming shall be readable and legible to reflect its content of features. For example,

- Do not include the **Family** name or category in the **Type** name;
- Type name should mirror the actual usage; and

• Keep Type names as short as possible, and the names must display in dialogs and in the Type Selector.

7.3 Parameter Naming

A **Parameter** name is a description used to control values of variables of a family, such as dimensions or materials. It also enables users to understand the functions of the parameter.

The guidelines for Parameter naming are as follows:-

- Avoid abbreviation and truncation;
- Keep parameter names as short as possible;
- Use title casing for parameter names as they are case sensitive;
- Avoid using symbols in parameter names, including the reserved characters;
- Do not include units in the name of a parameter; and
- Name Yes/No parameters so they imply that they return a Yes/No value. For example:
 - Has Handle
 - Is Flush
 - Show Mount

8.0 Reference

This Revit User Guide for Building Library Component is written with reference to the following documents:-

- Building Information Modelling (BIM) Library Component Design Guide for Development and Construction Division of Hong Kong Housing Authority, Version 1.0 July 2009
- The Family Library Interchange Program (FLIP) Guidelines, Version 1.0, 2015



香港特別行政區政府水務署
Water Supplies Department
The Government of the Hong Kong
Special Administrative Region