

| Door Schedule 1 - LG2 and LG1  |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|---------------------------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name                             | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 34.00 LG2/F              |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
| B2500.00                       | B           | LIFT LOBBY                            | Type U - Curtain Wall_Single                          | 2475        | 1043       | 19             | 0                | 0               |                 |          |
| B2510.00                       | A           | TX ROOM                               | Type R - Metal_Double_full swing                      | 2100        | 2260       | 100            | 0                | 0               |                 |          |
| B2510.00                       | B           | TX ROOM                               | Type X - Stainless steel_Single Full Swing Door       | 2100        | 1006       | 50             |                  |                 |                 |          |
| B2511.00                       | A           | TX ROOM                               | Type R - Metal_Double_full swing                      | 2100        | 2260       | 100            | 0                | 0               |                 |          |
| B2511.00                       | B           | TX ROOM                               | Type X - Stainless steel_Single Full Swing Door       | 2100        | 1006       | 50             |                  |                 |                 |          |
| B2512.01                       | A           | REFUSE COLLECTION CHAMBER             | Type N - Metal_Single                                 | 2100        | 980        | 50             | 0                | 0               | IR06c           |          |
| B2512.02                       | A           | REFUSE COLLECTION CHAMBER             | Type Q - Metal_Double                                 | 2100        | 1660       | 50             | 0                | 0               | IR05b           |          |
| B2601.00                       | B           | ELEC DUCT ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0.5             | IR10            | 0        |
| B2601.01                       | A           | ELEC DUCT RM LOBBY                    | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0.5             | IR01            | 0        |
| B2606.00                       | A           | CORRIDOR                              | Type P - Metal_Double_self closing                    | 2100        | 1960       | 50             | 0                | 0               | IR29            | 0        |
| B2610.01                       | A           | STORE ROOM LOBBY                      | Type B - Timber_Single_self closing                   | 2100        | 780        | 50             | 1                | 0.5             | IR08            | 0        |
| B2610.01                       | B           | STORE ROOM LOBBY                      | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0.5             | IR10            | 0        |
| B2620.00                       | A           | MAINTENANCE WORKSHOP                  | Type Q - Metal_Double                                 | 2100        | 1660       | 50             | 0                | 0               | IR03a           | 0        |
| B2621.00                       | A           | REFUSE COLLECTION CHAMBER             | Type R - Metal_Double_full swing                      | 2100        | 2260       | 100            | 0                | 0               |                 |          |
| B2622.00                       | A           | UPS ROOM                              | Type M - Metal_Single_self closing                    | 2100        | 980        | 50             | 0                | 0               | IR06c           | 0        |
| B2623.00                       | A           | FS CONTROL ROOM                       | Type M - Metal_Single_self closing                    | 2100        | 980        | 50             | 0                | 0               | IR06c           | 0        |
| B2623.01                       | A           | FM200 CYLINDER CONTROL ROOM           | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR06c           | 0        |
| B2624.00                       | A           | DATA COMPUTER SERVER ROOM             | Type M - Metal_Single_self closing                    | 2100        | 980        | 50             | 0                | 0               | IR37            | 0        |
| B2625.00                       | A           | TBE ROOM                              | Type M - Metal_Single_self closing                    | 2100        | 980        | 50             | 0                | 0               | IR06c           | 0        |
| ST-04                          | A           | STAIRCASE ST-04                       | Type T - Curtain Wall_Double                          | 2440        | 1500       | 19             | 0                |                 |                 |          |
| ST-04                          | B           | STAIRCASE ST-04                       | Type T - Curtain Wall_Double                          | 2440        | 1500       | 19             | 0                |                 |                 |          |
| ST-05                          | A           | STAIRCASE ST-05                       | Type P - Metal_Double_self closing                    | 2100        | 1960       | 50             | 0                | 0               | IR29            | 0        |
| Level 34.00 LG2/F: 22          |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
| Level 37.80 LG1/F              |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
| B1510.00                       | A           |                                       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| B1510.01                       | A           | SPRINKLER WATER TANK                  | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR10            |          |
| B1511.00                       | A           | SERVER ROOM                           | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR38            | 0        |
| B1713.00                       | A           | EMERGENCY GENERATOR ROOM              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| B1714.00                       | A           | ELEC DUCT ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| ST-05                          | A           | ST-05 LOBBY                           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0.5             | IR29            | 0        |
| ST-05                          | B           | ST-05 LOBBY                           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0.5             | IR14            | 0        |
| ST-07                          | A           | STAIRCASE ST-07                       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0.5             | IR14            | 0        |
| ST-07                          | B           | STAIRCASE ST-07                       | Type P - Metal_Double_self closing                    | 2100        | 2560       | 50             | 0                | 0               | IR29a           | 0        |
| Level 37.80 LG1/F: 9           |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
| Level 38.40 LG/1 Raised Office |             |                                       |                                                       |             |            |                |                  |                 |                 |          |
| B1410.01                       | A           | STORE                                 | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| B1410.03                       | A           | F. LAV                                | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27a           | 0        |
| B1410.04                       | A           | M. LAV                                | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27a           | 0        |
| B1410.05                       | A           | OFFICE                                | Type A - Timber_Single_with vision panel_self closing | 2100        | 880        | 50             | 0                | 0               | IR24c           | 0        |
| B1410.06                       | A           | OFFICE                                | Type A - Timber_Single_with vision panel_self closing | 2100        | 880        | 50             | 0                | 0               | IR24c           | 0        |
| B1410.07                       | A           | MEETING ROOM                          | Type A - Timber_Single_with vision panel_self closing | 2100        | 880        | 50             | 0                | 0               | IR46a           | 0        |
| B1500.00                       | A           | LIFT LOBBY                            | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR54            | 0        |
| B1500.00                       | B           | LIFT LOBBY                            | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR14            | 0        |
| B1512.00                       | A           | PAU ROOM                              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| B1513.00                       | A           | LV SWITCH ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| B1600.00                       | A           | LIFT LOBBY                            | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0.5             | IR54            | 0        |
| B1601.00                       | A           | ELEC DUCT ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR01            | 0        |
| B1601.00                       | B           | ELEC DUCT ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR10            | 0        |
| B1710.00                       | A           | LV SWITCH ROOM                        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR02            | 0        |
| B1711.00                       | A           | 2cu.m. FS TRANSFER TANK AND PUMP ROOM | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR01            | 0        |
| B1712.00                       | B           | OIL TANK ROOM                         | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR10            | 0        |
| B1712.01                       | A           | OIL TANK ROOM LOBBY                   | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR02            | 0        |
| ST-04                          | A           | ST-04 LOBBY                           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 0.5              | 0.5             | IR14            | 0        |
| ST-04                          | B           | ST-04 LOBBY                           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 0.5              | 0.5             | IR14a           | 0        |
| ST-06                          | A           | STAIRCASE ST-06                       | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 0.5              | 0.5             | IR14            | 0        |

Level 38.40\_LG/1 Raised Office: 20  
Grand total: 51

| Drawing Type                                                                        |  | CONSTRUCTION DRAWINGS  |  |  |  |
|-------------------------------------------------------------------------------------|--|------------------------|--|--|--|
| B.D. Reference No.                                                                  |  | BD 2/4066/06 (P)       |  |  |  |
| F.S.D. Reference No.                                                                |  | FP 8/18636 (E)<br><29> |  |  |  |
| Authorize By                                                                        |  |                        |  |  |  |
| Notes                                                                               |  |                        |  |  |  |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007 |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |
|                                                                                     |  |                        |  |  |  |

| Door Schedule 2 - G/F |             |                    |                                                                       |             |            |                |                  |                 |                 |          |
|-----------------------|-------------|--------------------|-----------------------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No               | Door Letter | Room Name          | Door Type                                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 41.60_G/F       |             |                    |                                                                       |             |            |                |                  |                 |                 |          |
|                       | A           |                    | AED-Main Entrance Door_1F Height                                      |             |            |                |                  |                 |                 |          |
| -                     | B           | P.D.               | Type Y - Stainless steel_Matching_Single_Access panel                 | 1200        | 555        | 25             | 1                |                 | IR06            |          |
| -                     | R           | P.D.               | Type W - Stainless steel_Single_Access panel                          | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| GF100.00              | A           | LIFT LOBBY         | Type P - Metal_Double_self closing                                    | 2100        | 1960       | 50             | 0                | 0               | IR29            | 0        |
| GF100.00              | B           | LIFT LOBBY         | Type T - Curtain Wall_Double                                          | 2000        | 1750       | 50             | 1                | 0               |                 |          |
| GF101.00              | A           | WATER METER ROOM   | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                | 0               | IR47            | 0        |
| GF106.01              | A           | COMMON AREA        | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 0                | 0               | IR28            | 0        |
| GF110.00              | A           | COUNTER            | Type D - Timber_Single                                                | 2100        | 1180       | 50             | 0                | 0               | IR08b           | 0        |
| GF110.00              | A           | COUNTER            | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                | 0               | IR41            | 0        |
| GF111.00              | A           | CENTRAL OFFICE     | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                | 0               | IR41            | 0        |
| GF111.00              | B           | CENTRAL OFFICE     | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR40            | 0        |
| GF111.00              | C           | CENTRAL OFFICE     | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR40            | 0        |
| GF111.01              | A           | MEETING            | Type D - Timber_Single                                                | 2100        | 1180       | 50             | 0                | 0               | IR46            | 0        |
| GF111.02              | A           | MEETING            | Type D - Timber_Single                                                | 2100        | 1180       | 50             | 0                | 0               | IR46            | 0        |
| GF111.03              | A           | MEETING            | Type D - Timber_Single                                                | 2100        | 1180       | 50             | 0                | 0               | IR46            | 0        |
| GF201.00              | A           | SERVER ROOM        | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                | 0               | IR38            | 0        |
| GF202.00              | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                | 0               | IR01            | 0        |
| GF203.00              | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                | 0               | IR01            | 0        |
| GF205.01              | A           | F. LAV             | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| GF205.01              | C           | F. LAV             | Type Y - Stainless steel_Matching_Single_Access panel                 | 1200        | 555        | 25             | 1                |                 | IR06            |          |
| GF205.02              | A           | M. LAV             | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| GF205.04              | A           | CLEANER'S ROOM     | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| GF210.00              | A           | OPEN ACCESS        | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR48a           | 0        |
| GF210.00              | B           | OPEN ACCESS        | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR48a           | 0        |
| GF220.00              | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                                      | 2500        | 4200       | 40             | 0                |                 |                 |          |
| GF220.00              | B           | LEARNING RESOURCES | Type Z - Folding Door with Glass                                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| GF221.00              | A           | DESIGN STUDIO      | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR17a           | 0        |
| GF221.00              | B           | DESIGN STUDIO      | Type G - Timber_Double_with vision panel                              | 2100        | 1660       | 50             | 0                | 0               | IR17a           | 0        |
| GF310.00              | A           | OPEN ACCESS        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR53            | 0        |
| GF310.00              | B           | OPEN ACCESS        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR53            | 0        |
| GF311.00              | A           | LABORATORY         | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR53            | 0        |
| GF311.00              | B           | LABORATORY         | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR53            | 0        |
| GF312.00              | A           | CLASS-30           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF313.00              | A           | CLASS-30           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF314.00              | A           | CLASS-30           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF320.00              | A           | PAINTING STUDIO    | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 0        |
| GF320.00              | B           | PAINTING STUDIO    | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 0        |
| GF320.00              | C           | PAINTING STUDIO    | Type Z - Folding Door with Glass                                      | 2500        | 6400       | 40             | 0                |                 |                 |          |
| GF321.00              | A           | DANCING STUDIO     | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 0        |
| GF321.00              | B           | DANCING STUDIO     | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 0        |
| GF500.00              | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| GF510.00              | A           | LABORATORY         | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                | 0               | IR17b           | 0        |
| GF510.02              | A           | AHU Room Lobby     | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                | 0               | IR10            | 45       |
| GF510.02              | B           | AHU Room Lobby     | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                |                 | IR01            | 45       |
| GF600.00              | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| GF600.00              | B           | LIFT LOBBY         | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                | 0               | IR14            | 0        |
| GF601.01              | A           | SERVER ROOM LOBBY  | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                | 0.5             | IR10            | 0        |
| GF601.01              | B           | SERVER ROOM LOBBY  | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                | 0.5             | IR38            | 0        |
| GF605.01              | A           | F. LAV             | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| GF605.02              | A           | M. LAV             | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| GF605.03              | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            |          |
| GF610.01              | C           | LOCKERROOM LOBBY   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                | 0.5             | IR22            | 35       |
| GF611.00              | A           | STORE ROOM         | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR08            | 0        |
| GF620.00              | A           | STORE              | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| GF621.00              | A           | CLASS-40           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF621.00              | B           | CLASS-40           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF622.00              | A           | CLASS-40           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF622.00              | B           | CLASS-40           | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| GF623.00              | A           | MANAGEMENT OFFICE  | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                | 0               | IR24            | 0        |
| GF701.00              | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR10            | 0        |
| GF701.00              | B           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR01            | 0        |
| ST-01                 | A           | STAIRCASE ST-01    | Type P - Metal_Double_self closing                                    | 2100        | 2560       | 50             | 0                | 0               | IR29a           | 0        |
| ST-02                 | A           | STAIRCASE ST-02    | Type M - Metal_Single_self closing                                    | 2100        | 880        | 50             | 0                | 0               | IR28            | 0        |
| ST-02                 | B           | STAIRCASE ST-02    | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 0                | 0               | IR28            | 0        |
| ST-03                 | A           | ST-03 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-03                 | B           | ST-03 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                 | A           | ST-04 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                 | B           | ST-04 LOBBY        | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                 | C           | ST-04 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                 | D           | ST-04 LOBBY        | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-05                 | A           | STAIRCASE ST-05    | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                | 0.5             | IR14            | 0        |
| ST-05                 | B           | ST-05 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-05                 | C           | ST-05 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-06                 | A           | ST-06 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-06                 | B           | ST-06 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-06                 | C           | STAIRCASE ST-06    | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                | 0.5             | IR20            | 35       |
| ST-07                 | A           | ST-07 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR52            | 0        |
| ST-07                 | B           | ST-07 LOBBY        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR17            | 0        |
| Level 41.60_G/F: 78   |             |                    |                                                                       |             |            |                |                  |                 |                 |          |
| Grand total: 78       |             |                    |                                                                       |             |            |                |                  |                 |                 |          |

| Drawing Type                                                                        |  | CONSTRUCTION DRAWINGS  |  |  |
|-------------------------------------------------------------------------------------|--|------------------------|--|--|
| B.D. Reference No.                                                                  |  | BD 2/4066/06 (P)       |  |  |
| F.S.D. Reference No.                                                                |  | FP 8/18636 (E)<br><29> |  |  |
| Authorize By                                                                        |  |                        |  |  |
| Notes                                                                               |  |                        |  |  |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007 |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |
|                                                                                     |  |                        |  |  |

| Door Schedule 3 - 1/F (part 1) |             |                    |                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|--------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name          | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 45.60_1/F                |             |                    |                                                       |             |            |                |                  |                 |                 |          |
| 01100.00                       | A           | LIFT LOBBY         | Type T - Curtain Wall_Double                          | 2020        | 2500       | 50             | 1                |                 |                 |          |
| 01110.00                       | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01111.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01111.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01112.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01112.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01113.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01113.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01114.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR08b           | 0        |
| 01115.00                       | A           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01115.00                       | B           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01116.00                       | A           | CLASS-30           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01116.01                       | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 0                | 0               | IR08a           | 0        |
| 01120.00                       | A           | STORE              | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR08b           | 0        |
| 01201.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR38            | 0        |
| 01202.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 01203.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 01205.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 01205.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01205.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01205.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 01205.04                       | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01206.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 01206.00                       | B           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4200       | 40             | 0                |                 |                 |          |
| 01210.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01210.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01211.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01211.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01212.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01212.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01306.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 01310.00                       | A           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01310.00                       | B           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01311.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01311.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01312.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01312.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01313.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01313.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01320.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01320.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01321.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01321.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01322.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01322.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01500.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 01505.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 01505.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01505.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01505.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 01510.00                       | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01510.00                       | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01600.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 01601.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR38            | 0        |
| 01605.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR16            | 0        |
| 01605.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01605.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01605.04                       | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01610.00                       | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR08            | 0        |
| 01611.00                       | A           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01611.00                       | B           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01612.00                       | A           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01612.00                       | B           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01620.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01650.00                       | B           | LT-160B            | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 0                | 0               | IR22            | 35       |
| 01650.00                       | D           | LT-160B            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01650.01                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08c           | 0        |
| 01650.02                       | A           | LT-160B LOBBY      | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR23            | 35       |
| 01650.03                       | C           | LT-160B LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR18            | 35       |
| 01660.00                       | A           | EQUIPMENT ROOM     | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR51            | 35       |
| 01660.01                       | A           | AHU ROOM           | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR04a           | 35       |
| 01670.00                       | B           | LT-160A            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01670.00                       | D           | LT-160A            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01670.01                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08c           | 0        |
| 01670.02                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR01a           | 0        |
| 01670.02                       | B           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR01a           | 0        |
| 01670.03                       | C           | LT-160A LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR18            | 35       |
| 01670.04                       | A           | LT-160A LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR18            | 35       |
| 01750.00                       | A           | LT-120B            | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 01750.00                       | B           | LT-120B            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR21            | 35       |
| 01750.00                       | D           | LT-120B            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR21            | 35       |
| 01750.02                       | A           | LT-120B LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR18            | 35       |
| 01750.03                       | C           | LT-120B LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR18            | 35       |

Drawing Type

CONSTRUCTION DRAWINGS

B.D. Reference No.

BD 2/4066/06 (P)

F.S.D. Reference No.

FP 8/18636 (E)  
<29>

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION  
WITH THE GENERAL NOTES ON DWG  
TC\_0006 & TC\_0007

Rev.

Description

Issue Date

Initial

Original by

Date

Draw

Check

App.

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

Door Schedule 3

Computer File

Pilot Date

Project Number

Scale

@A1

Drawing Number

Rev.

Issue Status

AED\_595\_TC\_9004

-

C

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.  
All dimensions must be checked and verified on site before commencing any work on producing  
shop drawings. The originator should be notified immediately of any discrepancy.  
This drawing is copyright and remains the property of Aedee.

| Door Schedule 4 - 1/F (part 2) |             |                    |                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|--------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name          | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 45.60_1/F                |             |                    |                                                       |             |            |                |                  |                 |                 |          |
| 01100.00                       | A           | LIFT LOBBY         | Type T - Curtain Wall_Double                          | 2020        | 2500       | 50             | 1                |                 |                 |          |
| 01110.00                       | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01111.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01111.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01112.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01112.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01113.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01113.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01114.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR08b           | 0        |
| 01115.00                       | A           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01115.00                       | B           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01116.00                       | A           | CLASS-30           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01116.01                       | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 0                | 0               | IR08a           | 0        |
| 01120.00                       | A           | STORE              | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR08b           | 0        |
| 01201.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR38            | 0        |
| 01202.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 01203.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 01205.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 01205.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01205.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01205.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 01205.04                       | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01206.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 01206.00                       | B           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4200       | 40             | 0                |                 |                 |          |
| 01210.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01210.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01211.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01211.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01212.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01212.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01306.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 01310.00                       | A           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01310.00                       | B           | CLASS-80           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01311.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01311.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01312.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01312.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01313.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01313.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01320.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01320.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01321.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01321.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01322.00                       | A           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01322.00                       | B           | CLASS-40           | Type D - Timber_Single                                | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01500.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 01505.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 01505.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01505.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01505.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 01510.00                       | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01510.00                       | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 01600.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 01601.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR38            | 0        |
| 01605.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR16            | 0        |
| 01605.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01605.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 01605.04                       | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01610.00                       | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR08            | 0        |
| 01611.00                       | A           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01611.00                       | B           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01612.00                       | A           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01612.00                       | B           | CLASS-40           | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                | 0               | IR20            | 35       |
| 01620.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 01650.00                       | B           | LT-160B            | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 0                | 0               | IR22            | 35       |
| 01650.00                       | D           | LT-160B            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01650.01                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08c           | 0        |
| 01650.02                       | A           | LT-160B LOBBY      | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR23            | 35       |
| 01650.03                       | C           | LT-160B LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR18            | 35       |
| 01660.00                       | A           | EQUIPMENT ROOM     | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR51            | 35       |
| 01660.01                       | A           | AHU ROOM           | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR04a           | 35       |
| 01670.00                       | B           | LT-160A            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01670.00                       | D           | LT-160A            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR21            | 35       |
| 01670.01                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08c           | 0        |
| 01670.02                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR01a           | 0        |
| 01670.02                       | B           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR01a           | 0        |
| 01670.03                       | C           | LT-160A LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR18            | 35       |
| 01670.04                       | A           | LT-160A LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 1                | 0               | IR18            | 35       |
| 01750.00                       | A           | LT-120B            | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 01750.00                       | B           | LT-120B            | Type F - Timber_Double_self closing                   | 2100        | 1660       | 50             | 0                | 0               | IR21            | 35       |

Door Schedule 5 - 2/F (part 1)

| Room No          | Door Letter | Room Name          | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
|------------------|-------------|--------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Level 49.60_ 2/F |             |                    |                                                       |             |            |                |                  |                 |                 |          |
| 02100.00         | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| 02101.01         | A           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR04            | 45       |
| 02101.01         | B           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR11            | 45       |
| 02110.00         | A           | CLASS-60           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02110.00         | B           | CLASS-60           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02111.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02111.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.01         | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 0                | 0               | IR08            |          |
| 02120.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02120.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02121.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02121.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02122.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02122.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02123.00         | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02124.00         | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02124.00         | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02130.00         | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02131.00         | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02131.00         | B           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02132.00         | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02132.00         | B           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02201.00         | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR38            | 0        |
| 02202.00         | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 02203.00         | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 02205.00         | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 02205.01         | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02205.01         | C           | F. LAV             | Type W - Stainless steel_Single_Access panel          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 02205.02         | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02205.03         | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 02205.04         | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02206.01         | A           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR04            | 45       |
| 02206.01         | B           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR11            | 45       |
| 02207.00         | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4200       | 40             | 0                |                 |                 |          |
| 02210.00         | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02211.00         | A           | CLASS-20           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02212.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02212.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02220.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02220.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02221.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02221.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02222.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02222.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02306.00         | A           | COMMON AREA        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1960       | 50             | 1                | 0               | IR12            | 0        |
| 02307.00         | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 02310.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02310.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02310.01         | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02311.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02311.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02312.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02312.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02313.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02313.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02320.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02320.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02321.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02321.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02322.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02322.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02323.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02323.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02330.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02330.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02331.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02331.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02332.00         | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02332.00         | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02500.00         | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 02505.00         | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 02505.01         | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02505.02         | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02505.03         | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 02510.00         | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02510.00         | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02600.00         | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 02601.00         | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 02605.00         | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR16            | 0        |
| 02605.01         | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02605.02         | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |

|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------|--------------|-------|---------|
| Drawing Type                                                                                                                                                                                                                                                                                                                                            |             | CONSTRUCTION DRAWINGS  |              |       |         |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                      |             | BD 2/4066/06 (P)       |              |       |         |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                    |             | FP 8/18636 (E)<br><29> |              |       |         |
| Authorize By                                                                                                                                                                                                                                                                                                                                            |             |                        |              |       |         |
| Notes                                                                                                                                                                                                                                                                                                                                                   |             |                        |              |       |         |
| 1. DWG IS TO BE READ IN CONJUNCTION<br>WITH THE GENERAL NOTES ON DWG<br>TC_0006 & TC_0007                                                                                                                                                                                                                                                               |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Rev.                                                                                                                                                                                                                                                                                                                                                    | Description |                        | Isssue Date  |       | Initial |
| Original by                                                                                                                                                                                                                                                                                                                                             |             | Date                   | Draw<br>-    | Check | App.    |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                               |             |                        |              |       |         |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                       |             |                        |              |       |         |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                    |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                  |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                  |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Project                                                                                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
| Drawing                                                                                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
| Door Schedule 5                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Computer File                                                                                                                                                                                                                                                                                                                                           |             | Pilot Date             |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             | 04/08                  |              |       |         |
| Project Number                                                                                                                                                                                                                                                                                                                                          |             | Scale                  |              | @A1   |         |
| 05595                                                                                                                                                                                                                                                                                                                                                   |             |                        |              |       |         |
| Drawing Number                                                                                                                                                                                                                                                                                                                                          |             | Rev.                   | Issue Status |       |         |
| AED_595_TC_9006                                                                                                                                                                                                                                                                                                                                         |             | -                      | C            |       |         |
| This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.<br>All dimensions must be checked and verified on site before commencing any work or producing<br>shop drawings. The originator should be notified immediately of any discrepancy.<br>This drawing is copyright and remains the property of Aedas. |             |                        |              |       |         |

| Door Schedule 6 - 2/F (part 2) |             |                    |                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|--------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name          | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 49.60_2/F                |             |                    |                                                       |             |            |                |                  |                 |                 |          |
| 02100.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| 02101.01                       | A           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR04            | 45       |
| 02101.01                       | B           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR11            | 45       |
| 02110.00                       | A           | CLASS-60           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02110.00                       | B           | CLASS-60           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02111.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02111.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02112.01                       | A           | STORE              | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 0                | 0               | IR08            |          |
| 02120.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02120.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02121.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02121.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02122.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02122.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02123.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02124.00                       | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02124.00                       | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02130.00                       | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02131.00                       | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02131.00                       | B           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02132.00                       | A           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02132.00                       | B           | CLASS-30           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02201.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                | 0               | IR38            | 0        |
| 02202.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 02203.00                       | A           | ELEC DUCT ROOM     | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                | 0               | IR02a           | 0        |
| 02205.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 02205.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02205.01                       | C           | F. LAV             | Type W - Stainless steel_Single_Access panel          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 02205.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02205.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 02205.04                       | A           | CLEANER'S ROOM     | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02206.01                       | A           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR04            | 45       |
| 02206.01                       | B           | AHU ROOM LOBBY     | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                | 0               | IR11            | 45       |
| 02207.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4200       | 40             | 0                |                 |                 |          |
| 02210.00                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02211.00                       | A           | CLASS-20           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02212.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02212.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02220.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02220.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02221.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02221.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02222.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02222.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02306.00                       | A           | COMMON AREA        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1960       | 50             | 1                | 0               | IR12            | 0        |
| 02307.00                       | A           | LEARNING RESOURCES | Type Z - Folding Door with Glass                      | 2500        | 4800       | 40             | 0                |                 |                 |          |
| 02310.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02310.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02310.01                       | A           | STORE              | Type D - Timber_Single                                | 2100        | 880        | 50             | 1                | 0               | IR08            | 0        |
| 02311.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02311.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02312.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02312.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02313.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02313.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02320.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02320.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02321.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02321.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02322.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02322.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02323.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02323.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02330.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02330.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02331.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02331.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02332.00                       | A           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02332.00                       | B           | CLASS-40           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02500.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 02505.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR16            | 0        |
| 02505.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02505.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02505.03                       | A           | DIS.               | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                | 0               | IR27            | 0        |
| 02510.00                       | A           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02510.00                       | B           | CLASS-80           | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                | 0               | IR20b           | 35       |
| 02600.00                       | A           | LIFT LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                | 0               | IR15            | 0        |
| 02601.00                       | A           | SERVER ROOM        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 02605.00                       | A           | TOILET LOBBY       | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 1                | 0               | IR16            | 0        |
| 02605.01                       | A           | F. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |
| 02605.02                       | A           | M. LAV             | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                | 0               | IR26            | 0        |

| Door Schedule 7 - 3/F (part 1) |             |                 |                                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|-----------------|-----------------------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name       | Door Type                                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 53.80_3/F                |             |                 |                                                                       |             |            |                |                  |                 |                 |          |
|                                | A           |                 | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03100.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                |                 | IR20a           | 0        |
| 03101.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 03101.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 03110.00                       | B           | CANTEEN         | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR19            | 0        |
| 03110.00                       | C           | CANTEEN         | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR19            | 0        |
| 03110.00                       | D           | CANTEEN         | Type C - Timber_Single_with vision panel                              | 2100        | 1180       | 50             | 0                |                 | IR24a           | 0        |
| 03110.01                       | A           | SERVERY         | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 1                |                 | IR45            | 0        |
| 03201.00                       | A           | SERVER ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 03202.00                       | A           | ELEC DUCT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 03203.00                       | A           | ELEC DUCT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 03205.00                       | A           | TOILET LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 03205.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03205.01                       | D           | F. LAV          | Type W - Stainless steel_Single_Access panel                          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 03205.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03205.03                       | A           | DIS.            | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 03205.04                       | A           | CLEANER'S ROOM  | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03206.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 03206.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 03310.00                       | A           | KITCHEN         | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 1                |                 | IR30            | 0        |
| 03310.00                       | C           | KITCHEN         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR11            | 0        |
| 03310.00                       | D           | KITCHEN         | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR30            | 0        |
| 03310.00                       | E           | KITCHEN         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 0                |                 | IR11            | 0        |
| 03310.00                       | U           | KITCHEN         | Type Q - Metal_Double                                                 | 2100        | 1660       | 50             | 0                |                 | IR53            | 0        |
| 03310.01                       | A           | COLD ROOM       | Type Q - Metal_Double                                                 | 2100        | 1660       | 50             | 0                |                 | IR03a           | 0        |
| 03310.02                       | F           | KITCHEN LOBBY   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR25            | 0        |
| 03310.03                       | B           | KITCHEN LOBBY   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR25            | 0        |
| 03320.00                       | B           | STUDENT UNION   | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR17a           | 0        |
| 03321.00                       | A           | ALUMNI CENTRE   | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR48a           | 0        |
| 03500.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 03505.00                       | A           | TOILET LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 03505.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03505.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03505.03                       | A           | DIS.            | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 03510.00                       | A           | CLASS-80        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 35       |
| 03510.00                       | B           | CLASS-80        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 35       |
| 03600.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 03601.00                       | A           | SERVER ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 03602.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 45       |
| 03602.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 45       |
| 03605.00                       | B           | TOILET LOBBY    | Type M - Metal_Single_self closing                                    | 2100        | 980        | 50             | 1                |                 | IR36            | 0        |
| 03605.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03605.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03605.04                       | A           | CLEANER'S ROOM  | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03605.05                       | A           | STORE           | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR05a           | 0        |
| 03605.06                       | A           | COLD ROOM       | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR05a           | 0        |
| 03610.00                       | A           | WT              | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR17            | 35       |
| 03610.00                       | B           | WT              | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR17            | 35       |
| 03650.00                       | B           | LT-240          | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 0                |                 | IR22            | 35       |
| 03650.00                       | D           | LT-240          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03650.02                       | A           | EQUIPMENT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR01a           | 35       |
| 03650.02                       | B           | EQUIPMENT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR01a           | 35       |
| 03650.03                       | A           | LT-240 LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR23            | 35       |
| 03650.04                       | C           | LT-240 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03670.00                       | B           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03670.00                       | D           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03670.00                       | E           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR40            | 35       |
| 03670.00                       | F           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR40            | 35       |
| 03670.01                       | A           | M. LAV          | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR26a           | 0        |
| 03670.02                       | A           | F. LAV          | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR27a           | 0        |
| 03670.03                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03670.04                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03670.06                       | A           | LT-320 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03670.07                       | C           | LT-320 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03750.00                       | A           | LT-120B         | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03750.00                       | B           | LT-120B         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03750.00                       | D           | LT-120B         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03750.02                       | A           | LT-120B LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03750.03                       | C           | LT-120B LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03760.00                       | A           | EQUIPMENT ROOM  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR51            | 35       |
| 03760.01                       | A           | AHU ROOM        | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04a           | 35       |
| 03770.00                       | B           | LT-120A         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03770.00                       | D           | LT-120A         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03770.01                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03770.03                       | A           | LT-120A LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03770.04                       | C           | LT-120A LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18a           | 35       |
| ST-01                          | A           | STAIRCASE ST-01 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| ST-02                          | A           | ST-02 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-02                          | B           | STAIRCASE ST-02 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13a           | 0        |
| ST-03                          | A           | ST-03 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-03                          | B           | STAIRCASE ST-03 | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1960       | 50             | 1                | 0.5             | IR13a           | 0        |
| ST-03                          | C           | ST-03 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-03                          | D           | STAIRCASE ST-03 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |

|                                                                                                             |             |                        |              |            |         |
|-------------------------------------------------------------------------------------------------------------|-------------|------------------------|--------------|------------|---------|
| Drawing Type                                                                                                |             | CONSTRUCTION DRAWINGS  |              |            |         |
| B.D. Reference No.                                                                                          |             | BD 2/4066/06 (P)       |              |            |         |
| F.S.D. Reference No.                                                                                        |             | FP 8/18636 (E)<br><29> |              |            |         |
| Authorize By                                                                                                |             |                        |              |            |         |
| <p>Notes</p> <p>1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 &amp; TC_0007</p> |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
| Rev.                                                                                                        | Description |                        |              | Issue Date | Initial |
| Original by                                                                                                 | Date        | Draw                   | Check        | App.       |         |
| Structure Engineer/ E & M                                                                                   |             |                        |              |            |         |
| Quantity Surveyor                                                                                           |             |                        |              |            |         |
| Landscape Consultant                                                                                        |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
| Client                                                                                                      |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
| Client                                                                                                      |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
|                                                                                                             |             |                        |              |            |         |
| Project                                                                                                     |             |                        |              |            |         |
| <p>Drawing</p> <p>Door Schedule 7</p>                                                                       |             |                        |              |            |         |
| Computer File                                                                                               |             | Pilot Date             |              |            |         |
|                                                                                                             |             | 04/08                  |              |            |         |
| Project Number                                                                                              |             | Scale                  |              |            |         |
| 05595                                                                                                       |             |                        | @A1          |            |         |
| Drawing Number                                                                                              |             | Rev.                   | Issue Status |            |         |
| AED_595_TC_9008                                                                                             |             | -                      | C            |            |         |

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.

| Door Schedule 8 - 3/F (part 2) |             |                 |                                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|-----------------|-----------------------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name       | Door Type                                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 53.80_3/F                |             |                 |                                                                       |             |            |                |                  |                 |                 |          |
|                                | A           |                 | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03100.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                |                 | IR20a           | 0        |
| 03101.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 03101.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 03110.00                       | B           | CANTEEN         | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR19            | 0        |
| 03110.00                       | C           | CANTEEN         | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR19            | 0        |
| 03110.00                       | D           | CANTEEN         | Type C - Timber_Single_with vision panel                              | 2100        | 1180       | 50             | 0                |                 | IR24a           | 0        |
| 03110.01                       | A           | SERVERY         | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 1                |                 | IR45            | 0        |
| 03201.00                       | A           | SERVER ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 03202.00                       | A           | ELEC DUCT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 03203.00                       | A           | ELEC DUCT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 03205.00                       | A           | TOILET LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 03205.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03205.01                       | D           | F. LAV          | Type W - Stainless steel_Single_Access panel                          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 03205.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03205.03                       | A           | DIS.            | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 03205.04                       | A           | CLEANER'S ROOM  | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03206.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 03206.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 03310.00                       | A           | KITCHEN         | Type M - Metal_Single_self closing                                    | 2100        | 1180       | 50             | 1                |                 | IR30            | 0        |
| 03310.00                       | C           | KITCHEN         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR11            | 0        |
| 03310.00                       | D           | KITCHEN         | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR30            | 0        |
| 03310.00                       | E           | KITCHEN         | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 0                |                 | IR11            | 0        |
| 03310.00                       | U           | KITCHEN         | Type Q - Metal_Double                                                 | 2100        | 1660       | 50             | 0                |                 | IR53            | 0        |
| 03310.01                       | A           | COLD ROOM       | Type Q - Metal_Double                                                 | 2100        | 1660       | 50             | 0                |                 | IR03a           | 0        |
| 03310.02                       | F           | KITCHEN LOBBY   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR25            | 0        |
| 03310.03                       | B           | KITCHEN LOBBY   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR25            | 0        |
| 03320.00                       | B           | STUDENT UNION   | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR17a           | 0        |
| 03321.00                       | A           | ALUMNI CENTRE   | Type G - Timber_Double_with vision panel                              | 2100        | 1960       | 50             | 0                |                 | IR48a           | 0        |
| 03500.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 03505.00                       | A           | TOILET LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 03505.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03505.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03505.03                       | A           | DIS.            | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 03510.00                       | A           | CLASS-80        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 35       |
| 03510.00                       | B           | CLASS-80        | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 35       |
| 03600.00                       | A           | LIFT LOBBY      | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 03601.00                       | A           | SERVER ROOM     | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 03602.01                       | A           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 45       |
| 03602.01                       | B           | AHU ROOM LOBBY  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 45       |
| 03605.00                       | B           | TOILET LOBBY    | Type M - Metal_Single_self closing                                    | 2100        | 980        | 50             | 1                |                 | IR36            | 0        |
| 03605.01                       | A           | F. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03605.02                       | A           | M. LAV          | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 03605.04                       | A           | CLEANER'S ROOM  | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03605.05                       | A           | STORE           | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR05a           | 0        |
| 03605.06                       | A           | COLD ROOM       | Type N - Metal_Single                                                 | 2100        | 980        | 50             | 0                |                 | IR05a           | 0        |
| 03610.00                       | A           | WT              | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR17            | 35       |
| 03610.00                       | B           | WT              | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR17            | 35       |
| 03650.00                       | B           | LT-240          | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 0                |                 | IR22            | 35       |
| 03650.00                       | D           | LT-240          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03650.02                       | A           | EQUIPMENT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR01a           | 35       |
| 03650.02                       | B           | EQUIPMENT ROOM  | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR01a           | 35       |
| 03650.03                       | A           | LT-240 LOBBY    | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR23            | 35       |
| 03650.04                       | C           | LT-240 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03670.00                       | B           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03670.00                       | D           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR21            | 35       |
| 03670.00                       | E           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR40            | 35       |
| 03670.00                       | F           | LT-320          | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR40            | 35       |
| 03670.01                       | A           | M. LAV          | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR26a           | 0        |
| 03670.02                       | A           | F. LAV          | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR27a           | 0        |
| 03670.03                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03670.04                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08            | 0        |
| 03670.06                       | A           | LT-320 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03670.07                       | C           | LT-320 LOBBY    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR18            | 35       |
| 03750.00                       | A           | LT-120B         | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03750.00                       | B           | LT-120B         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03750.00                       | D           | LT-120B         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03750.02                       | A           | LT-120B LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03750.03                       | C           | LT-120B LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03760.00                       | A           | EQUIPMENT ROOM  | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR51            | 35       |
| 03760.01                       | A           | AHU ROOM        | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04a           | 35       |
| 03770.00                       | B           | LT-120A         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03770.00                       | D           | LT-120A         | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR21            | 35       |
| 03770.01                       | A           | STORE           | Type D - Timber_Single                                                | 2100        | 880        | 50             | 1                |                 | IR08c           | 0        |
| 03770.03                       | A           | LT-120A LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18            | 35       |
| 03770.04                       | C           | LT-120A LOBBY   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR18a           | 35       |
| ST-01                          | A           | STAIRCASE ST-01 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| ST-02                          | A           | ST-02 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-02                          | B           | STAIRCASE ST-02 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13a           | 0        |
| ST-03                          | A           | ST-03 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-03                          | B           | STAIRCASE ST-03 | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1960       | 50             | 1                | 0.5             | IR13a           | 0        |
| ST-03                          | C           | ST-03 LOBBY     | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-03                          | D           | STAIRCASE ST-03 | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |

| Door Schedule 9 - 4/F (part 1) |             |                                   |                                                                       |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|-----------------------------------|-----------------------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name                         | Door Type                                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 58.20_4/F                |             |                                   |                                                                       |             |            |                |                  |                 |                 |          |
| 04100.00                       | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                |                 | IR39            | 0        |
| 04101.01                       | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 04101.01                       | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 04106.00                       | A           | LEARNING RESOURCES - EXHIBITION   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR17b           |          |
| 04106.00                       | A           | LEARNING RESOURCES - EXHIBITION   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04106.00                       | A           | LEARNING RESOURCES - EXHIBITION   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04106.00                       | A           | LEARNING RESOURCES - EXHIBITION   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 04106.00                       | B           | LEARNING RESOURCES - EXHIBITION   | Type P - Metal_Double_self closing                                    | 2100        | 1360       | 50             | 0                |                 | IR29            | 0        |
| 04106.00                       | B           | LEARNING RESOURCES - EXHIBITION   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04106.00                       | B           | LEARNING RESOURCES - EXHIBITION   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04106.00                       | B           | LEARNING RESOURCES - EXHIBITION   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04106.00                       | Q           | LEARNING RESOURCES - EXHIBITION   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 1180       | 50             | 1                |                 | IR53            | 0        |
| 04111.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04112.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04112.00                       | B           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04113.00                       | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04113.00                       | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04114.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04114.00                       | B           | COMPUTER LAB-30                   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 04120.00                       | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04120.00                       | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04121.00                       | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04130.00                       | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04130.00                       | B           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04160.01                       | A           | LOBBY                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR12            | 0        |
| 04201.00                       | A           | SERVER ROOM                       | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 04202.00                       | A           | ELEC DUCT ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 04203.00                       | A           | ELEC DUCT ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 04205.00                       | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 04205.01                       | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04205.01                       | D           | F. LAV                            | Type W - Stainless steel_Single_Access panel                          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 04205.02                       | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04205.03                       | A           | DIS.                              | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 04205.04                       | A           | CLEANER'S ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 0                |                 | IR08            | 0        |
| 04206.01                       | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 04206.01                       | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 04210.00                       | B           | OFFICE                            | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04220.00                       | A           | COMPUTER LAB-30                   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 04220.00                       | B           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04221.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04221.00                       | B           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04310.00                       | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04311.00                       | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04311.00                       | B           | COMPUTER LAB-40                   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 04312.00                       | A           | DESIGN STUDIO                     | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04320.00                       | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04330.00                       | A           | OFFICE                            | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04331.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04332.00                       | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04333.00                       | A           | OFFICE                            | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04406.00                       | B           | COMMON AREA                       | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04406.00                       | B           | COMMON AREA                       | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04406.00                       | C           | COMMON AREA                       | Type T - Curtain Wall_Double                                          | 2000        | 2000       | 19             | 0                |                 |                 |          |
| 04406.00                       | D           | COMMON AREA                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR12            | 0        |
| 04500.00                       | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 04505.00                       | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 04505.01                       | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04505.02                       | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04505.03                       | A           | DIS.                              | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 04600.00                       | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 04600.00                       | B           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR13            | 0        |
| 04601.00                       | A           | SERVER ROOM                       | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 04602.01                       | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 0        |
| 04602.01                       | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 0        |
| 04605.00                       | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 04605.01                       | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04605.02                       | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04605.04                       | A           | CLEANER'S ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 0                |                 | IR08            | 0        |
| 04610.01                       | A           | LEARNING RESOURCES - EXHIBITION   | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                |                 | IR48            | 0        |
| 04610.02                       | B           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR48            | 0        |
| 04610.02                       | C           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR48            | 0        |
| 04610.02                       | D           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 0                |                 | IR48            | 0        |
| 04610.07                       | A           | VIDEO STUDIO                      | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04610.07                       | B           | VIDEO STUDIO                      | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04610.08                       | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04610.08                       | B           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04620.00                       | A           | OFFICE ACQUISITIONS / CATALOGUING | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR20            | 0        |
| 04620.00                       | B           | OFFICE ACQUISITIONS / CATALOGUING | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR24c           | 0        |
| 04701.02                       | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 35       |
| 04701.02                       | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 35       |
| ST-01                          | A           | STAIRCASE ST-01                   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| ST-02                          | A           | ST-02 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-02                          | B           | STAIRCASE ST-02                   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |

Drawing Type

CONSTRUCTION DRAWINGS

B.D. Reference No.

BD 2/4066/06 (P)

F.S.D. Reference No.

FP 8/18636 (E)  
<29>

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC\_0006 & TC\_0007

Rev.

Description

Issue Date

Initial

Original by

Date

Draw

Check

App.

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

Door Schedule 9

Computer File

Pilot Date

Project Number

Scale

@A1

Drawing Number

Rev.

Issue Status

AED\_595\_TC\_9010

-

C

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.

| Door Schedule 10 - 4/F (part 2) |             |                                   |                                                                       |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|-----------------------------------|-----------------------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name                         | Door Type                                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 58.20_4/F                 |             |                                   |                                                                       |             |            |                |                  |                 |                 |          |
| 04505.00                        | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 04505.03                        | A           | DIS.                              | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 04505.01                        | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04505.02                        | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04605.01                        | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04605.02                        | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04605.04                        | A           | CLEANER'S ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 0                |                 | IR08            | 0        |
| 04203.00                        | A           | ELEC DUCT ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| ST-01                           | A           | STAIRCASE ST-01                   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| 04600.00                        | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 04602.01                        | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 0        |
| 04601.00                        | A           | SERVER ROOM                       | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 1                |                 | IR38            | 0        |
| 04602.01                        | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 0        |
| 04202.00                        | A           | ELEC DUCT ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| ST-04                           | B           | ST-04 LOBBY                       | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                           | A           | ST-04 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                           | C           | ST-04 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-04                           | D           | ST-04 LOBBY                       | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| 04610.02                        | C           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR48            | 0        |
| 04101.01                        | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 04610.02                        | B           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR48            | 0        |
| 04201.00                        | A           | SERVER ROOM                       | Type B - Timber_Single_self closing                                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 04610.08                        | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04130.00                        | B           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04310.00                        | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04311.00                        | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04331.00                        | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04610.07                        | B           | VIDEO STUDIO                      | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04620.00                        | B           | OFFICE ACQUISITIONS / CATALOGUING | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR24c           | 0        |
| ST-07                           | A           | ST-07 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR52            | 0        |
| ST-07                           | B           | ST-07 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                | 0.5             | IR39            | 0        |
| 04205.00                        | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 04205.03                        | A           | DIS.                              | Type H - Timber_Single_self closing_with_Grid Bar                     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 04206.01                        | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 04205.04                        | A           | CLEANER'S ROOM                    | Type B - Timber_Single_self closing                                   | 2100        | 880        | 50             | 0                |                 | IR08            | 0        |
| 04206.01                        | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 04205.01                        | A           | F. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 04205.02                        | A           | M. LAV                            | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| ST-05                           | A           | STAIRCASE ST-05                   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                | 0.5             | IR14            | 0        |
| 04320.00                        | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| ST-02                           | A           | ST-02 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| 04406.00                        | D           | COMMON AREA                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR12            | 0        |
| 04160.01                        | A           | LOBBY                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                |                 | IR12            | 0        |
| 04610.08                        | B           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04701.02                        | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR04            | 35       |
| 04605.00                        | A           | TOILET LOBBY                      | Type B - Timber_Single_self closing                                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| ST-02                           | B           | STAIRCASE ST-02                   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| 04610.01                        | A           | LEARNING RESOURCES - EXHIBITION   | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                |                 | IR48            | 0        |
| 04106.00                        | B           | LEARNING RESOURCES - EXHIBITION   | Type P - Metal_Double_self closing                                    | 2100        | 1360       | 50             | 0                |                 | IR29            | 0        |
| ST-03                           | A           | STAIRCASE ST-03                   | Type P - Metal_Double_self closing                                    | 2100        | 1660       | 50             | 0                | 0               | IR29            | 0        |
| 04101.01                        | A           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 04100.00                        | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 2560       | 50             | 1                |                 | IR39            | 0        |
| 04600.00                        | B           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                |                 | IR13            | 0        |
| ST-06                           | A           | STAIRCASE ST-06                   | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-05                           | E           | ST-05 LOBBY                       | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| ST-05                           | D           | ST-05 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR48            | 0        |
| ST-05                           | C           | ST-05 LOBBY                       | Type I - Timber_Double (unsymmetrical)_with vision panel_self closing | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| 04500.00                        | A           | LIFT LOBBY                        | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| ST-05                           | B           | ST-05 LOBBY                       | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1660       | 50             | 1                | 0.5             | IR13            | 0        |
| 04130.00                        | A           | LEARNING RESOURCES (STUDY ROOM)   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04312.00                        | A           | DESIGN STUDIO                     | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04610.07                        | A           | VIDEO STUDIO                      | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04406.00                        | C           | COMMON AREA                       | Type T - Curtain Wall_Double                                          | 2000        | 2000       | 19             | 0                |                 |                 |          |
| 04610.02                        | D           | BOOKS                             | Type E - Timber_Double_with vision panel_self closing                 | 2100        | 1960       | 50             | 0                |                 | IR48            | 0        |
| 04106.00                        | A           | LEARNING RESOURCES - EXHIBITION   | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 0                |                 | IR17b           |          |
| 04406.00                        | B           | COMMON AREA                       | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR53            | 0        |
| 04620.00                        | A           | OFFICE ACQUISITIONS / CATALOGUING | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 980        | 50             | 1                |                 | IR20            | 0        |
| 04701.02                        | B           | AHU ROOM LOBBY                    | Type F - Timber_Double_self closing                                   | 2100        | 1660       | 50             | 1                |                 | IR11            | 35       |
| 04205.01                        | D           | F. LAV                            | Type W - Stainless steel_Single_Access panel                          | 1950        | 600        | 50             | 1                |                 | IR06            |          |
| 04120.00                        | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04120.00                        | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04333.00                        | A           | OFFICE                            | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04111.00                        | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04112.00                        | B           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04112.00                        | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04114.00                        | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04121.00                        | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04113.00                        | B           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04113.00                        | A           | COMPUTER LAB-40                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| 04332.00                        | A           | COMPUTER LAB-30                   | Type C - Timber_Single_with vision panel                              | 2100        | 980        | 50             | 0                |                 | IR20b           | 0        |
| ST-08                           | P           | ST-01 LOBBY                       | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 1180       | 50             | 1                |                 | IR53            | 0        |
| 04106.00                        | Q           | LEARNING RESOURCES - EXHIBITION   | Type A - Timber_Single_with vision panel_self closing                 | 2100        | 1180       | 50             | 1                |                 | IR53            | 0        |

| Door Schedule 11 - 5/F (part 1) |             |                     |                                                       |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|---------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name           | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 62.00_ 5/F                |             |                     |                                                       |             |            |                |                  |                 |                 |          |
| -                               | A           | P.D.                | Type W - Stainless steel _Single_Access panel         | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                               | EEE         | P.D.                | Type W - Stainless steel _Single_Access panel         | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                               | PP          | P.D.                | Type W - Stainless steel _Single_Access panel         | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                               | QQ          | P.D.                | Type W - Stainless steel _Single_Access panel         | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                               | RR          | P.D.                | Type W - Stainless steel _Single_Access panel         | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| 05100.00                        | A           | LIFT LOBBY          | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 05101.01                        | A           | AHU ROOM LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05101.01                        | B           | AHU ROOM LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | C           | STAFF ROOM CORRIDOR | Type M - Metal_Single_self closing                    | 2100        | 1030       | 50             | 0                |                 | IR28            | 0        |
| 05106.00                        | N           | STAFF ROOM CORRIDOR | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 05110.00                        | A           | MEETING             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05111.00                        | A           | MEETING             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05112.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05113.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05114.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05115.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05116.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05117.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05121.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05122.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05123.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05124.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05125.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05126.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05127.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05128.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05130.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05131.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05132.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05133.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05134.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05136.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05137.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05138.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05140.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05141.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05142.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05143.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05144.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05145.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05146.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05147.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05148.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05149.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05150.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05151.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05152.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                        | A           | PT STAFF ROOM       | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                        | B           | PT STAFF ROOM       | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05154.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05155.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05202.00                        | A           | ELEC DUCT ROOM      | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05203.00                        | A           | ELEC DUCT ROOM      | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05204.00                        | A           | STORE               | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.00                        | A           | TOILET LOBBY        | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 05205.01                        | A           | M. LAV              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.02                        | A           | F. LAV              | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.03                        | A           | DIS.                | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 05206.00                        | A           | SERVER ROOM         | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 05207.00                        | B           | AHU ROOM            | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05207.01                        | A           | AHU ROOM LOBBY      | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05210.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05211.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05212.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05213.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05214.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05215.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05216.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05217.00                        | A           | ACADEMIC STAFF      | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |

Drawing Type

CONSTRUCTION DRAWINGS

B.D. Reference No.

BD 2/4066/06 (P)

F.S.D. Reference No.

FP 8/18636 (E)  
<29>

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION  
WITH THE GENERAL NOTES ON DWG  
TC\_0006 & TC\_0007

Rev.

Description

Issue Date

Initial

Original by

Date

Draw

Check

App.

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

Door Schedule 11

Computer File

Pilot Date

04/08

Project Number

Scale

@A1

05595

Drawing Number

Rev.

Issue Status

AED\_595\_TC\_9012

-

C

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.  
All dimensions must be checked and verified on site before commencing any work on producing  
shop drawings. The originator should be notified immediately of any discrepancy.  
This drawing is copyright and remains the property of Aedee.

| Door Schedule 12 - 5/F (part 2) |             |                     |                                                          |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|---------------------|----------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name           | Door Type                                                | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 62.00_5/F                 |             |                     |                                                          |             |            |                |                  |                 |                 |          |
| -                               | A           | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                               | EEE         | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                               | PP          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                               | QQ          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                               | RR          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| 05100.00                        | A           | LIFT LOBBY          | Type E - Timber _Double _with vision panel _self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 05101.01                        | A           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05101.01                        | B           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                        | C           | STAFF ROOM CORRIDOR | Type M - Metal _Single _self closing                     | 2100        | 1030       | 50             | 0                |                 | IR28            | 0        |
| 05106.00                        | N           | STAFF ROOM CORRIDOR | Type A - Timber _Single _with vision panel _self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 05110.00                        | A           | MEETING             | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05111.00                        | A           | MEETING             | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05112.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05113.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05114.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05115.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05116.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05117.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05121.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05122.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05123.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05124.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05125.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05126.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05127.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05128.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05130.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05131.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05132.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05133.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05134.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05136.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05137.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05138.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05140.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05141.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05142.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05143.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05144.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05145.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05146.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05147.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05148.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05149.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05150.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05151.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05152.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                        | A           | PT STAFF ROOM       | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                        | B           | PT STAFF ROOM       | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05154.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05155.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05202.00                        | A           | ELEC DUCT ROOM      | Type B - Timber _Single _self closing                    | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05203.00                        | A           | ELEC DUCT ROOM      | Type B - Timber _Single _self closing                    | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05204.00                        | A           | STORE               | Type C - Timber _Single _with vision panel               | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.00                        | A           | TOILET LOBBY        | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 05205.01                        | A           | M. LAV              | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.02                        | A           | F. LAV              | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.03                        | A           | DIS.                | Type H - Timber _Single _self closing _with _Grid Bar    | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 05206.00                        | A           | SERVER ROOM         | Type B - Timber _Single _self closing                    | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 05207.00                        | B           | AHU ROOM            | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05207.01                        | A           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05210.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05211.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05212.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05213.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05214.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05215.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05216.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05217.00                        | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |

| Door Schedule 13 - 5/F (part3) |             |                     |                                                          |             |            |                |                  |                 |                 |          |
|--------------------------------|-------------|---------------------|----------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                        | Door Letter | Room Name           | Door Type                                                | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 62.00_5/F                |             |                     |                                                          |             |            |                |                  |                 |                 |          |
| -                              | A           | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                              | EEE         | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR06            |          |
| -                              | PP          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                              | QQ          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| -                              | RR          | P.D.                | Type W - Stainless steel _Single _Access panel           | 1950        | 850        | 50             | 1                |                 | IR03            |          |
| 05100.00                       | A           | LIFT LOBBY          | Type E - Timber _Double _with vision panel _self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 05101.01                       | A           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05101.01                       | B           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | A           | STAFF ROOM CORRIDOR | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05106.00                       | C           | STAFF ROOM CORRIDOR | Type M - Metal _Single _self closing                     | 2100        | 1030       | 50             | 0                |                 | IR28            | 0        |
| 05106.00                       | N           | STAFF ROOM CORRIDOR | Type A - Timber _Single _with vision panel _self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 05110.00                       | A           | MEETING             | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05111.00                       | A           | MEETING             | Type C - Timber _Single _with vision panel               | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 05112.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05113.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05114.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05115.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05116.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05117.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05121.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05122.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05123.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05124.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05125.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05126.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05127.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05128.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05130.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05131.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05132.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05133.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05134.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05136.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05137.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05138.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05140.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05141.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05142.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05143.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05144.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05145.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05146.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05147.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05148.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05149.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05150.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05151.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05152.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                       | A           | PT STAFF ROOM       | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05153.00                       | B           | PT STAFF ROOM       | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05154.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05155.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05202.00                       | A           | ELEC DUCT ROOM      | Type B - Timber _Single _self closing                    | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05203.00                       | A           | ELEC DUCT ROOM      | Type B - Timber _Single _self closing                    | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 05204.00                       | A           | STORE               | Type C - Timber _Single _with vision panel               | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.00                       | A           | TOILET LOBBY        | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR16            | 0        |
| 05205.01                       | A           | M. LAV              | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.02                       | A           | F. LAV              | Type B - Timber _Single _self closing                    | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 05205.03                       | A           | DIS.                | Type H - Timber _Single _self closing _with _Grid Bar    | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 05206.00                       | A           | SERVER ROOM         | Type B - Timber _Single _self closing                    | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 05207.00                       | B           | AHU ROOM            | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 05207.01                       | A           | AHU ROOM LOBBY      | Type F - Timber _Double _self closing                    | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 05210.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05211.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05212.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05213.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05214.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05215.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05216.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05217.00                       | A           | ACADEMIC STAFF      | Type L - Timber _Single _with mail box                   | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |

| Door Schedule 14 - 6/F (part 1) |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|----------------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name                  | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 65.80_6/F                 |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|                                 | L           |                            | Type V - Glass_Bathroom shower doors                  | 1800        | 700        | 12             | 0                |                 | IR26a           | 0        |
| 05700.7                         | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.11                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.14                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06100.00                        | A           | LIFT LOBBY                 | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 06101.01                        | A           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 06101.01                        | B           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06107.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06107.00                        | B           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR16            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06110.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06110.00                        | C           | MEETING                    | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06110.01                        | B           | MEETING ROOM LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06111.00                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06112.00                        | A           | SENIOR DEVELOPMENT OFFICER | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06113.00                        | A           | COLLEGE SECRETARY          | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06114.00                        | A           | ADMIN SECRETARY            | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06115.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06116.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06117.00                        | A           | PRINCIPAL                  | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06120.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06121.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06122.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06123.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06124.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06125.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06130.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06131.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06132.00                        | A           | ACADEMIC STAFF             | Type L                                                |             |            |                |                  |                 |                 |          |

| Door Schedule 15 - 6/F (part 2) |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|----------------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name                  | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 65.80_6/F                 |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|                                 | L           |                            | Type V - Glass_Bathroom shower doors                  | 1800        | 700        | 12             | 0                |                 | IR26a           | 0        |
| 05700.7                         | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.11                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.14                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06100.00                        | A           | LIFT LOBBY                 | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 06101.01                        | A           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 06101.01                        | B           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            |          |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | B           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            |          |
| 06106.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06107.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06107.00                        | B           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR16            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06110.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06110.00                        | C           | MEETING                    | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06110.01                        | B           | MEETING ROOM LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06111.00                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06112.00                        | A           | SENIOR DEVELOPMENT OFFICER | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06113.00                        | A           | COLLEGE SECRETARY          | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06114.00                        | A           | ADMIN SECRETARY            | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06115.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06116.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06117.00                        | A           | PRINCIPAL                  | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06120.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06121.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06122.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06123.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06124.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06125.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06130.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06131.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06132.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06133.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06134.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06135.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06136.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06137.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06140.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06141.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06143.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06144.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06201.00                        | A           | ELEC DUCT ROOM             | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 06202.00                        | A           | ELEC DUCT ROOM             | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 06203.00                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.00                        | A           | TOILET LOBBY               | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR14            | 0        |
| 06205.01                        | A           | M. LAV                     | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.02                        | A           | F. LAV                     | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.03                        | A           | DIS.                       | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 06206.00                        | A           | SERVER ROOM                | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 06207.01                        | A           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 06207.01                        | B           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 06210.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06211.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06212.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06213.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06214.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06215.00                        | A           | ASSOC. HEAD                | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06216.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06217.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06218.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06219.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | B           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | C           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | D           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06226.00                        | A           | PT STAFF ROOM              | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06226.00                        | B           | PT STAFF ROOM              | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06230.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06231.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06232.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |

| Door Schedule 16 - 6/F (part 3) |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|---------------------------------|-------------|----------------------------|-------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                         | Door Letter | Room Name                  | Door Type                                             | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 65.80_6/F                 |             |                            |                                                       |             |            |                |                  |                 |                 |          |
|                                 | L           |                            | Type V - Glass_Bathroom shower doors                  | 1800        | 700        | 12             | 0                |                 | IR26a           | 0        |
| 05700.7                         | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.11                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 05700.14                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06100.00                        | A           | LIFT LOBBY                 | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR52            | 0        |
| 06101.01                        | A           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 06101.01                        | B           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            |          |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | A           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06106.00                        | B           | STAFF ROOM CORRIDOR        | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            |          |
| 06106.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06107.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06107.00                        | B           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR16            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type E - Timber_Double_with vision panel_self closing | 2100        | 1660       | 50             | 0                |                 | IR15            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | A           | STAFF ROOM CORRIDOR        | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06108.00                        | B           | STAFF ROOM CORRIDOR        | Type A - Timber_Single_with vision panel_self closing | 2100        | 980        | 50             | 1                |                 | IR53            | 0        |
| 06110.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06110.00                        | C           | MEETING                    | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06110.01                        | B           | MEETING ROOM LOBBY         | Type E - Timber_Double_with vision panel_self closing | 2100        | 2560       | 50             | 1                |                 | IR26            | 0        |
| 06111.00                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR08b           | 0        |
| 06112.00                        | A           | SENIOR DEVELOPMENT OFFICER | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06113.00                        | A           | COLLEGE SECRETARY          | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06114.00                        | A           | ADMIN SECRETARY            | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06115.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06116.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06117.00                        | A           | PRINCIPAL                  | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06120.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06121.00                        | A           | SECRETARY / ASSIST         | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06122.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06123.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06124.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06125.00                        | A           | VICE PRINCIPAL             | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06130.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06131.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06132.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06133.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06134.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06135.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06136.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06137.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06140.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06141.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06143.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06144.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06201.00                        | A           | ELEC DUCT ROOM             | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 06202.00                        | A           | ELEC DUCT ROOM             | Type B - Timber_Single_self closing                   | 2100        | 880        | 50             | 1                |                 | IR02a           | 0        |
| 06203.00                        | A           | STORE                      | Type C - Timber_Single_with vision panel              | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.00                        | A           | TOILET LOBBY               | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR14            | 0        |
| 06205.01                        | A           | M. LAV                     | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.02                        | A           | F. LAV                     | Type B - Timber_Single_self closing                   | 2100        | 980        | 50             | 0                |                 | IR26            | 0        |
| 06205.03                        | A           | DIS.                       | Type H - Timber_Single_self closing_with_Grid Bar     | 2100        | 880        | 50             | 0                |                 | IR27            | 0        |
| 06206.00                        | A           | SERVER ROOM                | Type B - Timber_Single_self closing                   | 2100        | 1180       | 50             | 1                |                 | IR38            | 0        |
| 06207.01                        | A           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR04            | 45       |
| 06207.01                        | B           | AHU ROOM LOBBY             | Type F - Timber_Double_self closing                   | 2100        | 1960       | 50             | 1                |                 | IR11            | 45       |
| 06210.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06211.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06212.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06213.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06214.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06215.00                        | A           | ASSOC. HEAD                | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06216.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06217.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06218.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06219.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | A           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | B           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | C           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06220.00                        | D           | MEETING                    | Type C - Timber_Single_with vision panel              | 2100        | 880        | 50             | 0                |                 | IR24            | 0        |
| 06226.00                        | A           | PT STAFF ROOM              | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06226.00                        | B           | PT STAFF ROOM              | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06230.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06231.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06232.00                        | A           | ACADEMIC STAFF             | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |
| 06233.00                        | A           | PT STAFF ROOM              | Type L - Timber_Single_with mail box                  | 2700        | 1215       | 50             | 0                |                 | IR24            | 0        |

| Door Schedule 16 - R/F |             |                               |                                                      |             |            |                |                  |                 |                 |          |
|------------------------|-------------|-------------------------------|------------------------------------------------------|-------------|------------|----------------|------------------|-----------------|-----------------|----------|
| Room No                | Door Letter | Room Name                     | Door Type                                            | Height (mm) | Width (mm) | Thickness (mm) | Fire Rating (hr) | Insulation (hr) | Ironmongery Set | STC Rate |
| Level 70.00_R/F        |             |                               |                                                      |             |            |                |                  |                 |                 |          |
|                        | A           |                               | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
|                        | A           |                               | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF100.00               | A           | LIFT LOBBY                    | Type F - Timber_Double_self closing                  | 2100        | 1960       | 50             | 1                |                 | IR12a           | 0        |
| RF120.00               | A           | FAN ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF211.00               | A           | PAU ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF212.00               | A           | CHILLER PLANT ROOM            | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF212.00               | B           | CHILLER PLANT ROOM            | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF213.00               | A           | MCC & CHILLED WATER PUMP ROOM | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF214.00               | A           | MCC ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF214.01               | A           | A/C CONTROL ROOM              | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05b           | 0        |
| RF215.00               | A           | E/M ROOM                      | Type M - Metal_Single_self closing                   | 2100        | 1030       | 50             | 0                |                 | IR06b           | 0        |
| RF500.00               | A           | LIFT LOBBY                    | Type F - Timber_Double_self closing                  | 2100        | 1960       | 50             | 1                |                 | IR12a           |          |
| RF510.00               | A           | WATER TANK ROOM               | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF511.00               | AA          | FS INLET CABINET              | Type Q - Metal_Double                                | 2100        | 1760       | 50             | 0                |                 | IR05            | 0        |
| RF511.00               | S           | FS INLET CABINET              | Type Q - Metal_Double                                | 2100        | 1760       | 50             | 0                |                 | IR05            | 0        |
| RF511.00               | Z           | FS INLET CABINET              | Type Q - Metal_Double                                | 2100        | 1760       | 50             | 0                |                 | IR05            | 0        |
| RF520.00               | A           | FAN ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF600.00               | A           | LIFT LOBBY                    | Type F - Timber_Double_self closing                  | 2100        | 1960       | 50             | 1                |                 | IR12a           | 0        |
| RF610.00               | A           | PAU ROOM                      | Type N - Metal_Single                                | 2100        | 980        | 50             | 0                |                 | IR06a           | 0        |
| RF620.00               | A           | PAU ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF620.00               | B           | PAU ROOM                      | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF621.00               | A           | FS PUMP ROOM                  | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF710.00               | A           | PAU ROOM                      | Type N - Metal_Single                                | 2100        | 980        | 50             | 0                |                 | IR06a           | 0        |
| RF801.00               | A           | COOLING TOWER                 | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| RF801.00               | B           | COOLING TOWER                 | Type Q - Metal_Double                                | 2100        | 1960       | 50             | 0                |                 | IR05            | 0        |
| ST-01                  | A           | STAIRCASE ST-01               | Type O - Metal_Double_with vision panel_self closing | 2100        | 1960       | 100            | 0                |                 |                 |          |
| ST-05                  | A           | STAIRCASE ST-05               | Type O - Metal_Double_with vision panel_self closing | 2100        | 1960       | 100            | 0                |                 |                 |          |

Level 70.00\_R/F: 27  
Grand total: 27

|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|--|-------------------------------------------------------------------------------------|--|--------------|--|---------|--|
| Drawing Type                                                                                                                                                                                                                                                                                                                                                  |  |      |  | CONSTRUCTION DRAWINGS                                                               |  |              |  |         |  |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                            |  |      |  | BD 2/4066/06 (P)                                                                    |  |              |  |         |  |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                          |  |      |  | FP 8/18636 (E)<br><29>                                                              |  |              |  |         |  |
| Authorize By                                                                                                                                                                                                                                                                                                                                                  |  |      |  |                                                                                     |  |              |  |         |  |
| Notes                                                                                                                                                                                                                                                                                                                                                         |  |      |  | 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007 |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
| Rev.                                                                                                                                                                                                                                                                                                                                                          |  |      |  | Description                                                                         |  | Issue Date   |  | Initial |  |
| Original by                                                                                                                                                                                                                                                                                                                                                   |  | Date |  | Draw                                                                                |  | Check        |  | App.    |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  | -                                                                                   |  |              |  |         |  |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                                     |  |      |  |                                                                                     |  |              |  |         |  |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                             |  |      |  |                                                                                     |  |              |  |         |  |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                          |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
| Client                                                                                                                                                                                                                                                                                                                                                        |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
| Client                                                                                                                                                                                                                                                                                                                                                        |  |      |  |                                                                                     |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  |                                                                                     |  |              |  |         |  |
| Project                                                                                                                                                                                                                                                                                                                                                       |  |      |  |                                                                                     |  |              |  |         |  |
| Drawing                                                                                                                                                                                                                                                                                                                                                       |  |      |  |                                                                                     |  |              |  |         |  |
| Door Schedule 17                                                                                                                                                                                                                                                                                                                                              |  |      |  |                                                                                     |  |              |  |         |  |
| Computer File                                                                                                                                                                                                                                                                                                                                                 |  |      |  | Pilot Date                                                                          |  |              |  |         |  |
|                                                                                                                                                                                                                                                                                                                                                               |  |      |  | 04/08                                                                               |  |              |  |         |  |
| Project Number                                                                                                                                                                                                                                                                                                                                                |  |      |  | Scale                                                                               |  | @A1          |  |         |  |
| 05595                                                                                                                                                                                                                                                                                                                                                         |  |      |  |                                                                                     |  |              |  |         |  |
| Drawing Number                                                                                                                                                                                                                                                                                                                                                |  |      |  | Rev.                                                                                |  | Issue Status |  |         |  |
| AED_595_TC_9018                                                                                                                                                                                                                                                                                                                                               |  |      |  | -                                                                                   |  | C            |  |         |  |
| <small>This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Audax.</small> |  |      |  |                                                                                     |  |              |  |         |  |



| Window Schedule (part 1) |             |                 |            |                                       |                  |                  |                  |             |       |
|--------------------------|-------------|-----------------|------------|---------------------------------------|------------------|------------------|------------------|-------------|-------|
| Level                    | Room Number | Room Name       | Window Tag | Family and Type                       | Sill Height (mm) | Head Height (mm) | Total Width (mm) | Height (mm) | Count |
| Level 49.60_2/F          | 02660.00    | EQUIPMENT ROOM  | W9         | M_Instance - Fixed: 610 x 1220mm (L9) | 915              | 2135             | 1500             | 1220        | 1     |
| Level 49.60_2/F          | 02670.00    | LT-240A         | W9         | M_Instance - Fixed: 610 x 1220mm (L9) | 915              | 2135             | 1500             | 1220        | 1     |
| Level 49.60_2/F          | 02760.00    | EQUIPMENT ROOM  | W9         | M_Instance - Fixed: 610 x 1220mm (L9) | 915              | 2135             | 1500             | 1220        | 1     |
| Level 49.60_2/F          | 02770.00    | LT-120A         | W9         | M_Instance - Fixed: 610 x 1220mm (L9) | 915              | 2135             | 1500             | 1220        | 1     |
| Level 49.60_2/F          | ST-07       | STAIRCASE ST-07 | W20        | W20 - 2700x2100 Flushed Type: -       | 800              | 2900             | 2700             | 2100        | 1     |

Level 49.60\_2/F: 26

26

|                 |          |                 |     |                                           |      |      |       |      |   |
|-----------------|----------|-----------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 53.80_3/F |          |                 |     |                                           |      |      |       |      |   |
| Level 53.80_3/F |          |                 | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 53.80_3/F |          |                 | W28 | W28 - 4800x1600 Flushed Type: -           | 3300 | 4900 | 4800  | 1600 | 1 |
| Level 53.80_3/F |          |                 | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 | 3600  | 1400 | 1 |
| Level 53.80_3/F |          |                 | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 | 3600  | 1400 | 1 |
| Level 53.80_3/F |          |                 | W30 | W30 - 3200x1400 Flushed Type: -           | 3050 | 4450 | 3200  | 1400 | 1 |
| Level 53.80_3/F |          |                 | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 53.80_3/F |          |                 | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 53.80_3/F |          |                 | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F |          |                 | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN         | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN         | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN         | W15 | W15 - 4000x2000 Flushed Type: -           | 800  | 2800 | 4000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN         | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F | 03205.01 | F. LAV          | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 53.80_3/F | 03205.02 | M. LAV          | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN         | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 | 6000  | 2000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN         | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 | 6000  | 2000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN         | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 | 6000  | 2000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN         | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 53.80_3/F | 03505.01 | F. LAV          | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 53.80_3/F | 03505.01 | F. LAV          | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 53.80_3/F | 03505.02 | M. LAV          | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 53.80_3/F | 03510.00 | CLASS-80        | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 53.80_3/F | 03510.00 | CLASS-80        | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 53.80_3/F | 03601.00 | SERVER ROOM     | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 53.80_3/F | 03605.01 | F. LAV          | W44 | W44 - 3000x900 Recessed Type: -           | 1900 | 2800 | 3000  | 900  | 1 |
| Level 53.80_3/F | 03605.02 | M. LAV          | W40 | W40 - 5000x900 Recessed Type: -           | 1900 | 2800 | 5000  | 900  | 1 |
| Level 53.80_3/F | 03610.00 | WT              | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 53.80_3/F | 03650.02 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 53.80_3/F | 03670.00 | LT-320          | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 53.80_3/F | 03760.00 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 53.80_3/F | 03770.00 | LT-120A         | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 53.80_3/F | ST-07    | STAIRCASE ST-07 | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 53.80\_3/F: 33

33

|                 |          |                                 |     |                                           |      |      |       |      |   |
|-----------------|----------|---------------------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 58.20_4/F |          |                                 |     |                                           |      |      |       |      |   |
| Level 58.20_4/F |          |                                 | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 | 3600  | 1400 | 1 |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 | 3600  | 1400 | 1 |
| Level 58.20_4/F |          |                                 | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 58.20_4/F |          |                                 | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 58.20_4/F |          |                                 | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F |          |                                 | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F | 04111.00 | COMPUTER LAB-30                 | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04112.00 | COMPUTER LAB-30                 | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04113.00 | COMPUTER LAB-40                 | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04205.01 | F. LAV                          | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 58.20_4/F | 04205.02 | M. LAV                          | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 58.20_4/F | 04310.00 | COMPUTER LAB-40                 | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04311.00 | COMPUTER LAB-40                 | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04333.00 | OFFICE                          | W16 | W16 - 4000x1800 Flushed Type: -           | 800  | 2600 | 4000  | 1800 | 1 |
| Level 58.20_4/F | 04406.00 | COMMON AREA                     | W63 | AED_Counter Window(library): 750X1160mm   | 1600 | 2350 | 1160  | 750  | 1 |
| Level 58.20_4/F | 04406.00 | COMMON AREA                     | W63 | AED_Counter Window(library): 750X1160mm   | 1600 | 2350 | 1160  | 750  | 1 |
| Level 58.20_4/F | 04505.01 | F. LAV                          | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 58.20_4/F | 04505.01 | F. LAV                          | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 58.20_4/F | 04505.02 | M. LAV                          | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |

Drawing Type CONSTRUCTION DRAWINGS

B.D. Reference No. BD 2/4066/06 (P)

F.S.D. Reference No. FP 8/18636 (E) <29 >

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC\_0006 & TC\_0007

|      |             |            |         |
|------|-------------|------------|---------|
| Rev. | Description | Issue Date | Initial |
|------|-------------|------------|---------|

|             |      |      |       |      |
|-------------|------|------|-------|------|
| Original by | Date | Draw | Check | App. |
|             |      | -    |       |      |

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

Window Schedule 1

|               |            |  |
|---------------|------------|--|
| Computer File | Pilot Date |  |
|---------------|------------|--|

|                |       |
|----------------|-------|
| Project Number | Scale |
|----------------|-------|

|       |     |
|-------|-----|
| 05595 | @A1 |
|-------|-----|

|                |      |              |
|----------------|------|--------------|
| Drawing Number | Rev. | Issue Status |
|----------------|------|--------------|

|                 |   |   |
|-----------------|---|---|
| AED_595_TC_9020 | - | C |
|-----------------|---|---|

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.

| Window Schedule (part 2) |             |           |            |                 |                  |                  |                  |             |       |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|------------------|-------------|-------|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) | Total Width (mm) | Height (mm) | Count |

|                 |          |                    |     |                                  |      |      |      |      |   |
|-----------------|----------|--------------------|-----|----------------------------------|------|------|------|------|---|
| Level 41.60_G/F |          |                    |     |                                  |      |      |      |      |   |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF320.00 | PAINTING STUDIO    | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W27 | W27 - 5600x2700 Flushed Type: -  | 350  | 3050 | 5600 | 2700 | 1 |
| Level 41.60_G/F | GF406.00 | LEARNING RESOURCES | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W2  | W2 - 8000x1800 Recessed Type: -  | 800  | 2600 | 8000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W3  | W3 - 7000x1800 Recessed Type: -  | 800  | 2600 | 7000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF623.00 | MANAGEMENT OFFICE  | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -  | 800  | 2900 | 2700 | 2100 | 1 |

Level 41.60\_G/F: 17

17

|                 |          |                    |     |                                           |      |      |       |      |   |
|-----------------|----------|--------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 45.60_1/F |          |                    |     |                                           |      |      |       |      |   |
| Level 45.60_1/F |          |                    | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 45.60_1/F |          |                    | W28 | W28 - 4800x1600 Flushed Type: -           | 3050 | 4650 | 4800  | 1600 | 1 |
| Level 45.60_1/F |          |                    | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 45.60_1/F |          |                    | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 45.60_1/F | 01205.01 | F. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01205.02 | M. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01206.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01212.00 | CLASS-40           | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01306.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 45.60_1/F | 01505.02 | M. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 45.60_1/F | 01605.01 | F. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1775 | 2675 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01605.02 | M. LAV             | W40 | W40 - 5000x900 Recessed Type: -           | 1775 | 2675 | 5000  | 900  | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |
| Level 45.60_1/F | 01660.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01670.00 | LT-160A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01760.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01770.00 | LT-120A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | ST-02    | STAIRCASE          | W29 | W29 - 3600x1400 Flushed Type: -           | -75  | 1325 | 3600  | 1400 | 1 |
| Level 45.60_1/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 45.60\_1/F: 26

26

|                 |          |             |     |                                           |      |      |       |      |   |
|-----------------|----------|-------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 49.60_2/F |          |             |     |                                           |      |      |       |      |   |
| Level 49.60_2/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 49.60_2/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3200 | 4800 | 4800  | 1600 | 1 |
| Level 49.60_2/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 49.60_2/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 2950 | 4350 | 3200  | 1400 | 1 |
| Level 49.60_2/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 49.60_2/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02222.00 | CLASS-40    | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 49.60_2/F | 02505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 49.60_2/F | 02601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 49.60_2/F | 02605.01 | F. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1850 | 2750 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02605.02 | M. LAV      | W40 | W40 - 5000x900 Recessed Type: -           | 1850 | 2750 | 5000  | 900  | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |

| Level | Room Number | Room Name | Window Tag |  |
|-------|-------------|-----------|------------|--|
|-------|-------------|-----------|------------|--|

|                 |          |                |     |                 |
|-----------------|----------|----------------|-----|-----------------|
| Level 49.60_2/F | 02660.00 | EQUIPMENT ROOM | W9  | M_Instance -    |
| Level 49.60_2/F | 02670.00 | LT-240A        | W9  | M_Instance -    |
| Level 49.60_2/F | 02760.00 | EQUIPMENT ROOM | W9  | M_Instance -    |
| Level 49.60_2/F | 02770.00 | LT-120A        | W9  | M_Instance -    |
| Level 49.60_2/F | ST-07    | STAIRCASE      | W20 | W20 - 2700x2100 |

Level 49.60\_2/F: 26

|                 |          |                |     |                  |
|-----------------|----------|----------------|-----|------------------|
| Level 53.80_3/F |          |                |     |                  |
| Level 53.80_3/F |          |                | W19 | W19 - 6400x2100  |
| Level 53.80_3/F |          |                | W28 | W28 - 4800x1600  |
| Level 53.80_3/F |          |                | W29 | W29 - 3600x1400  |
| Level 53.80_3/F |          |                | W29 | W29 - 3600x1400  |
| Level 53.80_3/F |          |                | W30 | W30 - 3200x1400  |
| Level 53.80_3/F |          |                | W31 | W31 - 22000x2000 |
| Level 53.80_3/F |          |                | W32 | W32 - 22300x2000 |
| Level 53.80_3/F |          |                | W35 | W35 - 1550x1400  |
| Level 53.80_3/F |          |                | W35 | W35 - 1550x1400  |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W7  | W7 - 5000x2100   |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W7  | W7 - 5000x2100   |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W15 | W15 - 4000x1600  |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W35 | W35 - 1550x1400  |
| Level 53.80_3/F | 03205.01 | F. LAV         | W42 | W42 - 4000x700   |
| Level 53.80_3/F | 03205.02 | M. LAV         | W42 | W42 - 4000x700   |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W13 | W13 - 6000x2100  |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W13 | W13 - 6000x2100  |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W13 | W13 - 6000x2100  |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W18 | W18 - 3000x900   |
| Level 53.80_3/F | 03505.01 | F. LAV         | W41 | W41 - 4000x900   |
| Level 53.80_3/F | 03505.01 | F. LAV         | W45 | W45 - 2000x900   |
| Level 53.80_3/F | 03505.02 | M. LAV         | W44 | W44 - 3000x900   |
| Level 53.80_3/F | 03510.00 | CLASS-80       | W2  | W2 - 8000x1800   |
| Level 53.80_3/F | 03510.00 | CLASS-80       | W3  | W3 - 7000x1800   |
| Level 53.80_3/F | 03601.00 | SERVER ROOM    | W18 | W18 - 3000x2000  |
| Level 53.80_3/F | 03605.01 | F. LAV         | W44 | W44 - 3000x900   |
| Level 53.80_3/F | 03605.02 | M. LAV         | W40 | W40 - 5000x900   |
| Level 53.80_3/F | 03610.00 | WT             | W14 | W14 - 4800x2000  |
| Level 53.80_3/F | 03650.02 | EQUIPMENT ROOM | W9  | M_Instance -     |
| Level 53.80_3/F | 03670.00 | LT-320         | W9  | M_Instance -     |
| Level 53.80_3/F | 03760.00 | EQUIPMENT ROOM | W9  | M_Instance -     |
| Level 53.80_3/F | 03770.00 | LT-120A        | W9  | M_Instance -     |
| Level 53.80_3/F | ST-07    | STAIRCASE      | W20 | W20 - 2700x2100  |

Level 53.80\_3/F: 33

|                 |          |                                 |     |                  |
|-----------------|----------|---------------------------------|-----|------------------|
| Level 58.20_4/F |          |                                 |     |                  |
| Level 58.20_4/F |          |                                 | W19 | W19 - 6400x2100  |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400  |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400  |
| Level 58.20_4/F |          |                                 | W30 | W30 - 3200x1400  |
| Level 58.20_4/F |          |                                 | W31 | W31 - 22000x2000 |
| Level 58.20_4/F |          |                                 | W32 | W32 - 22300x2000 |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x900   |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x900   |
| Level 58.20_4/F |          |                                 | W39 | W39 - 6000x2100  |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7  | W7 - 5000x2100   |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7  | W7 - 5000x2100   |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W36 | W36 - 1800x900   |
| Level 58.20_4/F | 04111.00 | COMPUTER LAB-30                 | W12 | W12 - 6000x2100  |
| Level 58.20_4/F | 04112.00 | COMPUTER LAB-30                 | W12 | W12 - 6000x2100  |
| Level 58.20_4/F | 04113.00 | COMPUTER LAB-40                 | W12 | W12 - 6000x2100  |
| Level 58.20_4/F | 04205.01 | F. LAV                          | W42 | W42 - 4000x700   |
| Level 58.20_4/F | 04205.02 | M. LAV                          | W42 | W42 - 4000x700   |
| Level 58.20_4/F | 04310.00 | COMPUTER LAB-40                 | W39 | W39 - 6000x2100  |
| Level 58.20_4/F | 04311.00 | COMPUTER LAB-40                 | W39 | W39 - 6000x2100  |
| Level 58.20_4/F | 04333.00 | OFFICE                          | W16 | W16 - 4000x1600  |
| Level 58.20_4/F | 04406.00 | COMMON AREA                     | W63 | AED_Counte       |
| Level 58.20_4/F | 04406.00 | COMMON AREA                     | W63 | AED_Counte       |
| Level 58.20_4/F | 04505.01 | F. LAV                          | W41 | W41 - 4000x900   |
| Level 58.20_4/F | 04505.01 | F. LAV                          | W45 | W45 - 2000x900   |
| Level 58.20_4/F | 04505.02 | M. LAV                          | W44 | W44 - 3000x900   |

| Window Schedule (part 3) |             |           |            |                 |                  |                  |                  |             |       |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|------------------|-------------|-------|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) | Total Width (mm) | Height (mm) | Count |

|                 |          |                    |     |                                  |      |      |      |      |   |
|-----------------|----------|--------------------|-----|----------------------------------|------|------|------|------|---|
| Level 41.60_G/F |          |                    |     |                                  |      |      |      |      |   |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF320.00 | PAINTING STUDIO    | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W27 | W27 - 5600x2700 Flushed Type: -  | 350  | 3050 | 5600 | 2700 | 1 |
| Level 41.60_G/F | GF406.00 | LEARNING RESOURCES | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W2  | W2 - 8000x1800 Recessed Type: -  | 800  | 2600 | 8000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W3  | W3 - 7000x1800 Recessed Type: -  | 800  | 2600 | 7000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF623.00 | MANAGEMENT OFFICE  | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -  | 800  | 2900 | 2700 | 2100 | 1 |

Level 41.60\_G/F: 17

|                 |          |                    |     |                                           |      |      |       |      |   |
|-----------------|----------|--------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 45.60_1/F |          |                    |     |                                           |      |      |       |      |   |
| Level 45.60_1/F |          |                    | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 45.60_1/F |          |                    | W28 | W28 - 4800x1600 Flushed Type: -           | 3050 | 4650 | 4800  | 1600 | 1 |
| Level 45.60_1/F |          |                    | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 45.60_1/F |          |                    | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 45.60_1/F | 01205.01 | F. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01205.02 | M. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01206.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01212.00 | CLASS-40           | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01306.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 45.60_1/F | 01505.02 | M. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 45.60_1/F | 01605.01 | F. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1775 | 2675 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01605.02 | M. LAV             | W40 | W40 - 5000x900 Recessed Type: -           | 1775 | 2675 | 5000  | 900  | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |
| Level 45.60_1/F | 01660.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01670.00 | LT-160A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01760.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01770.00 | LT-120A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | ST-02    | STAIRCASE          | W29 | W29 - 3600x1400 Flushed Type: -           | -75  | 1325 | 3600  | 1400 | 1 |
| Level 45.60_1/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 45.60\_1/F: 26

|                 |          |             |     |                                           |      |      |       |      |   |
|-----------------|----------|-------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 49.60_2/F |          |             |     |                                           |      |      |       |      |   |
| Level 49.60_2/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 49.60_2/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3200 | 4800 | 4800  | 1600 | 1 |
| Level 49.60_2/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 49.60_2/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 2950 | 4350 | 3200  | 1400 | 1 |
| Level 49.60_2/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 49.60_2/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02222.00 | CLASS-40    | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 49.60_2/F | 02505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 49.60_2/F | 02601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 49.60_2/F | 02605.01 | F. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1850 | 2750 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02605.02 | M. LAV      | W40 | W40 - 5000x900 Recessed Type: -           | 1850 | 2750 | 5000  | 900  | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |

| Window Schedule (part 3) |             |           |            |                 |                  |                  |                  |   |  |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|------------------|---|--|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) | Total Width (mm) | H |  |

|                 |          |                |     |                                       |     |      |      |      |   |
|-----------------|----------|----------------|-----|---------------------------------------|-----|------|------|------|---|
| Level 49.60_2/F | 02660.00 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 | 1500 | 1220 | 1 |
| Level 49.60_2/F | 02670.00 | LT-240A        | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 | 1500 | 1220 | 1 |
| Level 49.60_2/F | 02760.00 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 | 1500 | 1220 | 1 |
| Level 49.60_2/F | 02770.00 | LT-120A        | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 | 1500 | 1220 | 1 |
| Level 49.60_2/F | ST-07    | STAIRCASE      | W20 | W20 - 2700x2100 Flushed Type: -       | 800 | 2900 | 2700 | 2100 | 1 |

Level 49.60\_2/F: 26

|                 |          |                |     |                                           |      |      |       |      |   |
|-----------------|----------|----------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 53.80_3/F |          |                |     |                                           |      |      |       |      |   |
| Level 53.80_3/F |          |                | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 53.80_3/F |          |                | W28 | W28 - 4800x1600 Flushed Type: -           | 3300 | 4900 | 4800  | 1600 | 1 |
| Level 53.80_3/F |          |                | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 | 3600  | 1400 | 1 |
| Level 53.80_3/F |          |                | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 | 3600  | 1400 | 1 |
| Level 53.80_3/F |          |                | W30 | W30 - 3200x1400 Flushed Type: -           | 3050 | 4450 | 3200  | 1400 | 1 |
| Level 53.80_3/F |          |                | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 53.80_3/F |          |                | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 53.80_3/F |          |                | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F |          |                | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W15 | W15 - 4000x2000 Flushed Type: -           | 800  | 2800 | 4000  | 2000 | 1 |
| Level 53.80_3/F | 03110.00 | CANTEEN        | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 | 1550  | 2000 | 1 |
| Level 53.80_3/F | 03205.01 | F. LAV         | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 7000 | 1 |
| Level 53.80_3/F | 03205.02 | M. LAV         | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 7000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 | 6000  | 2000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 | 6000  | 2000 | 1 |
| Level 53.80_3/F | 03310.00 | KITCHEN        | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 53.80_3/F | 03505.01 | F. LAV         | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 9000 | 1 |
| Level 53.80_3/F | 03505.01 | F. LAV         | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 9000 | 1 |
| Level 53.80_3/F | 03505.02 | M. LAV         | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 9000 | 1 |
| Level 53.80_3/F | 03510.00 | CLASS-80       | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 53.80_3/F | 03510.00 | CLASS-80       | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 53.80_3/F | 03601.00 | SERVER ROOM    | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 53.80_3/F | 03605.01 | F. LAV         | W44 | W44 - 3000x900 Recessed Type: -           | 1900 | 2800 | 3000  | 9000 | 1 |
| Level 53.80_3/F | 03605.02 | M. LAV         | W40 | W40 - 5000x900 Recessed Type: -           | 1900 | 2800 | 5000  | 9000 | 1 |
| Level 53.80_3/F | 03610.00 | WT             | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 53.80_3/F | 03650.02 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1222 | 1 |
| Level 53.80_3/F | 03670.00 | LT-320         | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1222 | 1 |
| Level 53.80_3/F | 03760.00 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1222 | 1 |
| Level 53.80_3/F | 03770.00 | LT-120A        | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1222 | 1 |
| Level 53.80_3/F | ST-07    | STAIRCASE      | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 53.80\_3/F: 33

|                 |          |                                       |     |                                           |      |      |       |      |   |
|-----------------|----------|---------------------------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 58.20_4/F |          |                                       |     |                                           |      |      |       |      |   |
| Level 58.20_4/F |          |                                       | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 58.20_4/F |          |                                       | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 | 3600  | 1400 | 1 |
| Level 58.20_4/F |          |                                       | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 | 3600  | 1400 | 1 |
| Level 58.20_4/F |          |                                       | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 58.20_4/F |          |                                       | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 58.20_4/F |          |                                       | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 58.20_4/F |          |                                       | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F |          |                                       | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F |          |                                       | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 | 5000  | 2000 | 1 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 | 1800  | 2000 | 1 |
| Level 58.20_4/F | 04111.00 | COMPUTER<br>LAB-30                    | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04112.00 | COMPUTER<br>LAB-30                    | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04113.00 | COMPUTER<br>LAB-40                    | W12 | W12 - 6000x1800 Flushed Type: -           | 800  | 2600 | 6000  | 1800 | 1 |
| Level 58.20_4/F | 04205.01 | F. LAV                                | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 58.20_4/F | 04205.02 | M. LAV                                | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 58.20_4/F | 04310.00 | COMPUTER<br>LAB-40                    | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04311.00 | COMPUTER<br>LAB-40                    | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 | 6000  | 1000 | 1 |
| Level 58.20_4/F | 04333.00 | OFFICE                                | W16 | W16 - 4000x1800 Flushed Type: -           | 800  | 2600 | 4000  | 1800 | 1 |
| Level 58.20_4/F | 04406.00 | COMMON<br>AREA                        | W63 | AED_Counter Window(library): 750X1160mm   | 1600 | 2350 | 1160  | 750  | 1 |
| Level 58.20_4/F | 04406.00 | COMMON<br>AREA                        | W63 | AED_Counter Window(library): 750X1160mm   | 1600 | 2350 | 1160  | 750  | 1 |
| Level 58.20_4/F | 04505.01 | F. LAV                                | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 58.20_4/F | 04505.01 | F. LAV                                | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 58.20_4/F | 04505.02 | M. LAV                                | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |

| Window Schedule (part 4) |             |           |            |                 |                  |                  |                  |             |       |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|------------------|-------------|-------|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) | Total Width (mm) | Height (mm) | Count |

|                 |          |                    |     |                                  |      |      |      |      |   |
|-----------------|----------|--------------------|-----|----------------------------------|------|------|------|------|---|
| Level 41.60_G/F |          |                    |     |                                  |      |      |      |      |   |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF320.00 | PAINTING STUDIO    | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W27 | W27 - 5600x2700 Flushed Type: -  | 350  | 3050 | 5600 | 2700 | 1 |
| Level 41.60_G/F | GF406.00 | LEARNING RESOURCES | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W2  | W2 - 8000x1800 Recessed Type: -  | 800  | 2600 | 8000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W3  | W3 - 7000x1800 Recessed Type: -  | 800  | 2600 | 7000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF623.00 | MANAGEMENT OFFICE  | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -  | 800  | 2900 | 2700 | 2100 | 1 |

Level 41.60\_G/F: 17

17

|                 |          |                    |     |                                           |      |      |       |      |   |
|-----------------|----------|--------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 45.60_1/F |          |                    |     |                                           |      |      |       |      |   |
| Level 45.60_1/F |          |                    | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 45.60_1/F |          |                    | W28 | W28 - 4800x1600 Flushed Type: -           | 3050 | 4650 | 4800  | 1600 | 1 |
| Level 45.60_1/F |          |                    | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 45.60_1/F |          |                    | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 45.60_1/F | 01205.01 | F. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01205.02 | M. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01206.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01212.00 | CLASS-40           | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01306.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 45.60_1/F | 01505.02 | M. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 45.60_1/F | 01605.01 | F. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1775 | 2675 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01605.02 | M. LAV             | W40 | W40 - 5000x900 Recessed Type: -           | 1775 | 2675 | 5000  | 900  | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |
| Level 45.60_1/F | 01660.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01670.00 | LT-160A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01760.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01770.00 | LT-120A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | ST-02    | STAIRCASE          | W29 | W29 - 3600x1400 Flushed Type: -           | -75  | 1325 | 3600  | 1400 | 1 |
| Level 45.60_1/F | ST-07    | STAIRCASE          | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 45.60\_1/F: 26

26

|                 |          |             |     |                                           |      |      |       |      |   |
|-----------------|----------|-------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 49.60_2/F |          |             |     |                                           |      |      |       |      |   |
| Level 49.60_2/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 49.60_2/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3200 | 4800 | 4800  | 1600 | 1 |
| Level 49.60_2/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 49.60_2/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 2950 | 4350 | 3200  | 1400 | 1 |
| Level 49.60_2/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 49.60_2/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02222.00 | CLASS-40    | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 49.60_2/F | 02505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 49.60_2/F | 02601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 49.60_2/F | 02605.01 | F. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1850 | 2750 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02605.02 | M. LAV      | W40 | W40 - 5000x900 Recessed Type: -           | 1850 | 2750 | 5000  | 900  | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |

| Window Schedule (part 4) |             |           |            |                 |                  |                  |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) |

|                 |          |                |     |                                       |     |      |
|-----------------|----------|----------------|-----|---------------------------------------|-----|------|
| Level 49.60_2/F | 02660.00 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 49.60_2/F | 02670.00 | LT-240A        | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 49.60_2/F | 02760.00 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 49.60_2/F | 02770.00 | LT-120A        | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 49.60_2/F | ST-07    | STAIRCASE      | W20 | W20 - 2700x2100 Flushed Type: -       | 800 | 2900 |

Level 49.60\_2/F: 26

|                 |          |             |     |                                           |      |      |
|-----------------|----------|-------------|-----|-------------------------------------------|------|------|
| Level 53.80_3/F |          |             |     |                                           |      |      |
| Level 53.80_3/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 |
| Level 53.80_3/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3300 | 4900 |
| Level 53.80_3/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 |
| Level 53.80_3/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 3050 | 4450 |
| Level 53.80_3/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 3050 | 4450 |
| Level 53.80_3/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 |
| Level 53.80_3/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 |
| Level 53.80_3/F |          |             | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 |
| Level 53.80_3/F |          |             | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W15 | W15 - 4000x2000 Flushed Type: -           | 800  | 2800 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W35 | W35 - 1550x2000 Recessed Type: -          | 850  | 2850 |
| Level 53.80_3/F | 03205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 |
| Level 53.80_3/F | 03205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W13 | W13 - 6000x2000 Flushed Type: -           | 800  | 2800 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 |
| Level 53.80_3/F | 03505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 |
| Level 53.80_3/F | 03505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 |
| Level 53.80_3/F | 03505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 |
| Level 53.80_3/F | 03510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 |
| Level 53.80_3/F | 03510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 |
| Level 53.80_3/F | 03601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 |

|                 |          |                |     |                                       |      |      |
|-----------------|----------|----------------|-----|---------------------------------------|------|------|
| Level 53.80_3/F | 03605.01 | F. LAV         | W44 | W44 - 3000x900 Recessed Type: -       | 1900 | 2800 |
| Level 53.80_3/F | 03605.02 | M. LAV         | W40 | W40 - 5000x900 Recessed Type: -       | 1900 | 2800 |
| Level 53.80_3/F | 03610.00 | WT             | W14 | W14 - 4800x2000 Flushed Type: -       | 800  | 2800 |
| Level 53.80_3/F | 03650.02 | EQUIPMENT ROOM | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915  | 2135 |

|                 |          |                |    |                                       |     |      |
|-----------------|----------|----------------|----|---------------------------------------|-----|------|
| Level 53.80_3/F | 03670.00 | LT-320         | W9 | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 53.80_3/F | 03760.00 | EQUIPMENT ROOM | W9 | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |

|                 |          |           |     |                                       |     |      |
|-----------------|----------|-----------|-----|---------------------------------------|-----|------|
| Level 53.80_3/F | 03770.00 | LT-120A   | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 | 2135 |
| Level 53.80_3/F | ST-07    | STAIRCASE | W20 | W20 - 2700x2100 Flushed Type: -       | 800 | 2900 |

Level 53.80\_3/F: 33

|                 |          |                                 |     |                                           |      |      |
|-----------------|----------|---------------------------------|-----|-------------------------------------------|------|------|
| Level 58.20_4/F |          |                                 |     |                                           |      |      |
| Level 58.20_4/F |          |                                 | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 |
| Level 58.20_4/F |          |                                 | W29 | W29 - 3600x1400 Flushed Type: -           | 2750 | 4150 |
| Level 58.20_4/F |          |                                 | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 |
| Level 58.20_4/F |          |                                 | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 |
| Level 58.20_4/F |          |                                 | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 |
| Level 58.20_4/F |          |                                 | W36 | W36 - 1800x2000 Recessed Type: -          | 850  | 2850 |
| Level 58.20_4/F |          |                                 | W39 | W39 - 6000x1000 Flushed Type: -           | 800  | 1800 |
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 850  | 2850 |

|                 |          |                                 |    |                                 |     |      |
|-----------------|----------|---------------------------------|----|---------------------------------|-----|------|
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION | W7 | W7 - 5000x2000 Recessed Type: - | 850 | 2850 |
|-----------------|----------|---------------------------------|----|---------------------------------|-----|------|

|                 |          |                                 |
|-----------------|----------|---------------------------------|
| Level 58.20_4/F | 04106.00 | LEARNING RESOURCES - EXHIBITION |
|-----------------|----------|---------------------------------|

| Window Schedule (part 5) |             |           |            |                 |                  |                  |                  |             |       |
|--------------------------|-------------|-----------|------------|-----------------|------------------|------------------|------------------|-------------|-------|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | Sill Height (mm) | Head Height (mm) | Total Width (mm) | Height (mm) | Count |

|                 |          |                    |     |                                  |      |      |      |      |   |
|-----------------|----------|--------------------|-----|----------------------------------|------|------|------|------|---|
| Level 41.60_G/F |          |                    |     |                                  |      |      |      |      |   |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W43 | W43 - 4000x700 Flushed Type: -   | 2460 | 3160 | 4000 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F |          |                    | W64 | AED_Counter Window: -            | 2499 | 3199 | 1510 | 700  | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF221.00 | DESIGN STUDIO      | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF320.00 | PAINTING STUDIO    | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W26 | W26 - 6000x2700 Flushed Type: -  | 350  | 3050 | 6000 | 2700 | 1 |
| Level 41.60_G/F | GF321.00 | DANCING STUDIO     | W27 | W27 - 5600x2700 Flushed Type: -  | 350  | 3050 | 5600 | 2700 | 1 |
| Level 41.60_G/F | GF406.00 | LEARNING RESOURCES | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W2  | W2 - 8000x1800 Recessed Type: -  | 800  | 2600 | 8000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W3  | W3 - 7000x1800 Recessed Type: -  | 800  | 2600 | 7000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF510.00 | LABORATORY         | W10 | W10 - 4000x1800 Recessed Type: - | 800  | 2600 | 4000 | 1800 | 1 |
| Level 41.60_G/F | GF623.00 | MANAGEMENT OFFICE  | W64 | AED_Counter Window: -            | 1400 | 2100 | 1200 | 700  | 1 |
| Level 41.60_G/F | ST-07    | STAIRCASE ST-07    | W20 | W20 - 2700x2100 Flushed Type: -  | 800  | 2900 | 2700 | 2100 | 1 |

Level 41.60\_G/F: 17

17

|                 |          |                    |     |                                           |      |      |       |      |   |
|-----------------|----------|--------------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 45.60_1/F |          |                    |     |                                           |      |      |       |      |   |
| Level 45.60_1/F |          |                    | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 45.60_1/F |          |                    | W28 | W28 - 4800x1600 Flushed Type: -           | 3050 | 4650 | 4800  | 1600 | 1 |
| Level 45.60_1/F |          |                    | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W30 | W30 - 3200x1400 Flushed Type: -           | 2750 | 4150 | 3200  | 1400 | 1 |
| Level 45.60_1/F |          |                    | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 45.60_1/F |          |                    | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 45.60_1/F | 01205.01 | F. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01205.02 | M. LAV             | W43 | W43 - 4000x700 Flushed Type: -            | 1850 | 2550 | 4000  | 700  | 1 |
| Level 45.60_1/F | 01206.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01212.00 | CLASS-40           | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01306.01 | LEARNING RESOURCES | W33 | W33 - 1000x2000 Recessed Type: -          | 850  | 2850 | 1000  | 2000 | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 45.60_1/F | 01505.01 | F. LAV             | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 45.60_1/F | 01505.02 | M. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 45.60_1/F | 01510.00 | CLASS-80           | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 45.60_1/F | 01605.01 | F. LAV             | W44 | W44 - 3000x900 Recessed Type: -           | 1775 | 2675 | 3000  | 900  | 1 |
| Level 45.60_1/F | 01605.02 | M. LAV             | W40 | W40 - 5000x900 Recessed Type: -           | 1775 | 2675 | 5000  | 900  | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 45.60_1/F | 01611.00 | CLASS-40           | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |
| Level 45.60_1/F | 01660.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01670.00 | LT-160A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01760.00 | EQUIPMENT ROOM     | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | 01770.00 | LT-120A            | W9  | M_Instance - Fixed: 610 x 1220mm (L9)     | 915  | 2135 | 1500  | 1220 | 1 |
| Level 45.60_1/F | ST-02    | STAIRCASE ST-02    | W29 | W29 - 3600x1400 Flushed Type: -           | -75  | 1325 | 3600  | 1400 | 1 |
| Level 45.60_1/F | ST-07    | STAIRCASE ST-07    | W20 | W20 - 2700x2100 Flushed Type: -           | 800  | 2900 | 2700  | 2100 | 1 |

Level 45.60\_1/F: 26

26

|                 |          |             |     |                                           |      |      |       |      |   |
|-----------------|----------|-------------|-----|-------------------------------------------|------|------|-------|------|---|
| Level 49.60_2/F |          |             |     |                                           |      |      |       |      |   |
| Level 49.60_2/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  | 2900 | 6400  | 2100 | 1 |
| Level 49.60_2/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3200 | 4800 | 4800  | 1600 | 1 |
| Level 49.60_2/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 2950 | 4350 | 3600  | 1400 | 1 |
| Level 49.60_2/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 2950 | 4350 | 3200  | 1400 | 1 |
| Level 49.60_2/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 850  | 2850 | 22000 | 2000 | 1 |
| Level 49.60_2/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 850  | 2850 | 22350 | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F |          |             | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1850 | 2550 | 4000  | 700  | 1 |
| Level 49.60_2/F | 02222.00 | CLASS-40    | W34 | W34 - 1250x2000 Recessed Type: -          | 850  | 2850 | 1250  | 2000 | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 | 2600 | 4000  | 900  | 1 |
| Level 49.60_2/F | 02505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 | 2600 | 2000  | 900  | 1 |
| Level 49.60_2/F | 02505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 | 2600 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 800  | 2600 | 8000  | 1800 | 1 |
| Level 49.60_2/F | 02510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 800  | 2600 | 7000  | 1800 | 1 |
| Level 49.60_2/F | 02601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 800  | 2800 | 3000  | 2000 | 1 |
| Level 49.60_2/F | 02605.01 | F. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1850 | 2750 | 3000  | 900  | 1 |
| Level 49.60_2/F | 02605.02 | M. LAV      | W40 | W40 - 5000x900 Recessed Type: -           | 1850 | 2750 | 5000  | 900  | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W14 | W14 - 4800x2000 Flushed Type: -           | 800  | 2800 | 4800  | 2000 | 1 |
| Level 49.60_2/F | 02611.00 | CLASS-40    | W17 | W17 - 3600x2000 Flushed Type: -           | 800  | 2800 | 3600  | 2000 | 1 |

| Window Schedule (part 5) |             |           |            |                 |   |
|--------------------------|-------------|-----------|------------|-----------------|---|
| Level                    | Room Number | Room Name | Window Tag | Family and Type | S |

|                 |          |                 |     |                                       |     |
|-----------------|----------|-----------------|-----|---------------------------------------|-----|
| Level 49.60_2/F | 02660.00 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 |
| Level 49.60_2/F | 02670.00 | LT-240A         | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 |
| Level 49.60_2/F | 02760.00 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 |
| Level 49.60_2/F | 02770.00 | LT-120A         | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915 |
| Level 49.60_2/F | ST-07    | STAIRCASE ST-07 | W20 | W20 - 2700x2100 Flushed Type: -       | 800 |

Level 49.60\_2/F: 26

|                 |          |             |     |                                           |      |
|-----------------|----------|-------------|-----|-------------------------------------------|------|
| Level 53.80_3/F |          |             |     |                                           |      |
| Level 53.80_3/F |          |             | W19 | W19 - 6400x2100 Flushed Type: -           | 800  |
| Level 53.80_3/F |          |             | W28 | W28 - 4800x1600 Flushed Type: -           | 3300 |
| Level 53.80_3/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 3000 |
| Level 53.80_3/F |          |             | W29 | W29 - 3600x1400 Flushed Type: -           | 3000 |
| Level 53.80_3/F |          |             | W30 | W30 - 3200x1400 Flushed Type: -           | 3000 |
| Level 53.80_3/F |          |             | W31 | W31 - 22000x2000 Special Recessed Type: - | 8500 |
| Level 53.80_3/F |          |             | W32 | W32 - 22300x2000 Special Recessed Type: - | 8500 |
| Level 53.80_3/F |          |             | W35 | W35 - 1550x2000 Recessed Type: -          | 8500 |
| Level 53.80_3/F |          |             | W35 | W35 - 1550x2000 Recessed Type: -          | 8500 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W7  | W7 - 5000x2000 Recessed Type: -           | 8500 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W7  | W7 - 5000x2000 Recessed Type: -           | 8500 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W15 | W15 - 4000x2000 Flushed Type: -           | 8000 |
| Level 53.80_3/F | 03110.00 | CANTEEN     | W35 | W35 - 1550x2000 Recessed Type: -          | 8500 |
| Level 53.80_3/F | 03205.01 | F. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1800 |
| Level 53.80_3/F | 03205.02 | M. LAV      | W42 | W42 - 4000x700 Recessed Type: -           | 1800 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W13 | W13 - 6000x2000 Flushed Type: -           | 8000 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W13 | W13 - 6000x2000 Flushed Type: -           | 8000 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W13 | W13 - 6000x2000 Flushed Type: -           | 8000 |
| Level 53.80_3/F | 03310.00 | KITCHEN     | W18 | W18 - 3000x2000 Flushed Type: -           | 8000 |
| Level 53.80_3/F | 03505.01 | F. LAV      | W41 | W41 - 4000x900 Recessed Type: -           | 1700 |
| Level 53.80_3/F | 03505.01 | F. LAV      | W45 | W45 - 2000x900 Recessed Type: -           | 1700 |
| Level 53.80_3/F | 03505.02 | M. LAV      | W44 | W44 - 3000x900 Recessed Type: -           | 1700 |
| Level 53.80_3/F | 03510.00 | CLASS-80    | W2  | W2 - 8000x1800 Recessed Type: -           | 8000 |
| Level 53.80_3/F | 03510.00 | CLASS-80    | W3  | W3 - 7000x1800 Recessed Type: -           | 8000 |
| Level 53.80_3/F | 03601.00 | SERVER ROOM | W18 | W18 - 3000x2000 Flushed Type: -           | 8000 |

|                 |          |                 |     |                                       |      |
|-----------------|----------|-----------------|-----|---------------------------------------|------|
| Level 53.80_3/F | 03605.01 | F. LAV          | W44 | W44 - 3000x900 Recessed Type: -       | 1900 |
| Level 53.80_3/F | 03605.02 | M. LAV          | W40 | W40 - 5000x900 Recessed Type: -       | 1900 |
| Level 53.80_3/F | 03610.00 | WT              | W14 | W14 - 4800x2000 Flushed Type: -       | 8000 |
| Level 53.80_3/F | 03650.02 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915  |
| Level 53.80_3/F | 03670.00 | LT-320          | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915  |
| Level 53.80_3/F | 03760.00 | EQUIPMENT ROOM  | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915  |
| Level 53.80_3/F | 03770.00 | LT-120A         | W9  | M_Instance - Fixed: 610 x 1220mm (L9) | 915  |
| Level 53.80_3/F | ST-07    | STAIRCASE ST-07 | W20 | W20 - 2700x2100 Flushed Type: -       | 800  |

Level 53.80\_3/F: 33

|                 |          |                                       |     |                                           |      |
|-----------------|----------|---------------------------------------|-----|-------------------------------------------|------|
| Level 58.20_4/F |          |                                       |     |                                           |      |
| Level 58.20_4/F |          |                                       | W19 | W19 - 6400x2100 Flushed Type: -           | 8000 |
| Level 58.20_4/F |          |                                       | W29 | W29 - 3600x1400 Flushed Type: -           | 2700 |
| Level 58.20_4/F |          |                                       | W29 | W29 - 3600x1400 Flushed Type: -           | 2700 |
| Level 58.20_4/F |          |                                       | W30 | W30 - 3200x1400 Flushed Type: -           | 2700 |
| Level 58.20_4/F |          |                                       | W31 | W31 - 22000x2000 Special Recessed Type: - | 8500 |
| Level 58.20_4/F |          |                                       | W32 | W32 - 22300x2000 Special Recessed Type: - | 8500 |
| Level 58.20_4/F |          |                                       | W36 | W36 - 1800x2000 Recessed Type: -          | 8500 |
| Level 58.20_4/F |          |                                       | W36 | W36 - 1800x2000 Recessed Type: -          | 8500 |
| Level 58.20_4/F |          |                                       | W39 | W39 - 6000x1000 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 8500 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W7  | W7 - 5000x2000 Recessed Type: -           | 8500 |
| Level 58.20_4/F | 04106.00 | LEARNING<br>RESOURCES -<br>EXHIBITION | W36 | W36 - 1800x2000 Recessed Type: -          | 8500 |
| Level 58.20_4/F | 04111.00 | COMPUTER<br>LAB-30                    | W12 | W12 - 6000x1800 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04112.00 | COMPUTER<br>LAB-30                    | W12 | W12 - 6000x1800 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04113.00 | COMPUTER<br>LAB-40                    | W12 | W12 - 6000x1800 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04205.01 | F. LAV                                | W42 | W42 - 4000x700 Recessed Type: -           | 1800 |
| Level 58.20_4/F | 04205.02 | M. LAV                                | W42 | W42 - 4000x700 Recessed Type: -           | 1800 |
| Level 58.20_4/F | 04310.00 | COMPUTER<br>LAB-40                    | W39 | W39 - 6000x1000 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04311.00 | COMPUTER<br>LAB-40                    | W39 | W39 - 6000x1000 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04333.00 | OFFICE                                | W16 | W16 - 4000x1800 Flushed Type: -           | 8000 |
| Level 58.20_4/F | 04406.00 | COMMON<br>AREA                        | W63 | AED_Counter Window(library): 750X1160mm   | 1600 |
| Level 58.20_4/F | 04406.00 | COMMON<br>AREA                        | W63 | AED_Counter Window(library): 750X1160mm   | 1600 |
| Level 58.20_4/F | 04505.01 | F. LAV                                | W41 | W41 - 4000x900 Recessed Type: -           | 1700 |
| Level 58.20_4/F | 04505.01 | F. LAV                                | W45 | W45 - 2000x900 Recessed Type: -           | 1700 |
| Level 58.20_4/F | 04505.02 | M. LAV                                | W44 | W44 - 3000x900 Recessed Type: -           | 1700 |

W38: 3

|     |                                 |                 |                  |          |     |      |      |  |  |
|-----|---------------------------------|-----------------|------------------|----------|-----|------|------|--|--|
| W39 | W39 - 6000x1000 Flushed Type: - | Level 58.20_4/F | COMPUTE R LAB-40 | 04310.00 | 800 | 1000 | 6000 |  |  |
| W39 | W39 - 6000x1000 Flushed Type: - | Level 58.20_4/F |                  |          | 800 | 1000 | 6000 |  |  |
| W39 | W39 - 6000x1000 Flushed Type: - | Level 58.20_4/F | COMPUTE R LAB-40 | 04311.00 | 800 | 1000 | 6000 |  |  |

W39: 30

|     |                                 |                 |        |          |      |     |      |  |  |
|-----|---------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W40 | W40 - 5000x900 Recessed Type: - | Level 45.60_1/F | M. LAV | 01605.02 | 1775 | 900 | 5000 |  |  |
| W40 | W40 - 5000x900 Recessed Type: - | Level 49.60_2/F | M. LAV | 02605.02 | 1850 | 900 | 5000 |  |  |
| W40 | W40 - 5000x900 Recessed Type: - | Level 53.80_3/F | M. LAV | 03605.02 | 1900 | 900 | 5000 |  |  |
| W40 | W40 - 5000x900 Recessed Type: - | Level 58.20_4/F | M. LAV | 04605.02 | 1700 | 900 | 5000 |  |  |
| W40 | W40 - 5000x900 Recessed Type: - | Level 62.00_5/F | M. LAV | 05605.02 | 1700 | 900 | 5000 |  |  |
| W40 | W40 - 5000x900 Recessed Type: - | Level 65.80_6/F | M. LAV | 06605.02 | 1900 | 900 | 5000 |  |  |

W40: 60

|     |                                 |                 |        |          |      |     |      |  |  |
|-----|---------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W41 | W41 - 4000x900 Recessed Type: - | Level 45.60_1/F | F. LAV | 01505.01 | 1700 | 900 | 4000 |  |  |
| W41 | W41 - 4000x900 Recessed Type: - | Level 49.60_2/F | F. LAV | 02505.01 | 1700 | 900 | 4000 |  |  |
| W41 | W41 - 4000x900 Recessed Type: - | Level 53.80_3/F | F. LAV | 03505.01 | 1700 | 900 | 4000 |  |  |
| W41 | W41 - 4000x900 Recessed Type: - | Level 58.20_4/F | F. LAV | 04505.01 | 1700 | 900 | 4000 |  |  |
| W41 | W41 - 4000x900 Recessed Type: - | Level 62.00_5/F | F. LAV | 05505.01 | 1700 | 900 | 4000 |  |  |
| W41 | W41 - 4000x900 Recessed Type: - | Level 65.80_6/F | F. LAV | 06505.01 | 1700 | 900 | 4000 |  |  |

W41: 60

|     |                                 |                 |        |          |      |     |      |  |  |
|-----|---------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W42 | W42 - 4000x700 Recessed Type: - | Level 49.60_2/F | F. LAV | 02205.01 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 49.60_2/F | M. LAV | 02205.02 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 53.80_3/F | M. LAV | 03205.02 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 53.80_3/F | F. LAV | 03205.01 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 58.20_4/F | F. LAV | 04205.01 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 58.20_4/F | M. LAV | 04205.02 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 62.00_5/F | F. LAV | 05205.02 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 62.00_5/F | M. LAV | 05205.01 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 65.80_6/F | F. LAV | 06205.02 | 1850 | 700 | 4000 |  |  |
| W42 | W42 - 4000x700 Recessed Type: - | Level 65.80_6/F | M. LAV | 06205.01 | 1850 | 700 | 4000 |  |  |

W42: 100

|     |                                |                 |        |          |      |     |      |  |  |
|-----|--------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W43 | W43 - 4000x700 Flushed Type: - | Level 41.60_G/F |        |          | 2460 | 700 | 4000 |  |  |
| W43 | W43 - 4000x700 Flushed Type: - | Level 41.60_G/F |        |          | 2460 | 700 | 4000 |  |  |
| W43 | W43 - 4000x700 Flushed Type: - | Level 45.60_1/F | M. LAV | 01205.02 | 1850 | 700 | 4000 |  |  |
| W43 | W43 - 4000x700 Flushed Type: - | Level 45.60_1/F | F. LAV | 01205.01 | 1850 | 700 | 4000 |  |  |

W43: 40

|     |                                 |                 |        |          |      |     |      |  |  |
|-----|---------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W44 | W44 - 3000x900 Recessed Type: - | Level 45.60_1/F | F. LAV | 01605.01 | 1775 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 45.60_1/F | M. LAV | 01505.02 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 49.60_2/F | F. LAV | 02605.01 | 1850 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 49.60_2/F | M. LAV | 02505.02 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 53.80_3/F | F. LAV | 03605.01 | 1900 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 53.80_3/F | M. LAV | 03505.02 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 58.20_4/F | F. LAV | 04605.01 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 58.20_4/F | M. LAV | 04505.02 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 62.00_5/F | F. LAV | 05605.01 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 62.00_5/F | M. LAV | 05505.02 | 1700 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 65.80_6/F | F. LAV | 06605.01 | 1900 | 900 | 3000 |  |  |
| W44 | W44 - 3000x900 Recessed Type: - | Level 65.80_6/F | M. LAV | 06505.02 | 1700 | 900 | 3000 |  |  |

W44: 120

|     |                                 |                 |        |          |      |     |      |  |  |
|-----|---------------------------------|-----------------|--------|----------|------|-----|------|--|--|
| W45 | W45 - 2000x900 Recessed Type: - | Level 45.60_1/F | F. LAV | 01505.01 | 1700 | 900 | 2000 |  |  |
| W45 | W45 - 2000x900 Recessed Type: - | Level 49.60_2/F | F. LAV | 02505.01 | 1700 | 900 | 2000 |  |  |
| W45 | W45 - 2000x900 Recessed Type: - | Level 53.80_3/F | F. LAV | 03505.01 | 1700 | 900 | 2000 |  |  |
| W45 | W45 - 2000x900 Recessed Type: - | Level 58.20_4/F | F. LAV | 04505.01 | 1700 | 900 | 2000 |  |  |
| W45 | W45 - 2000x900 Recessed Type: - | Level 62.00_5/F | F. LAV | 05505.01 | 1700 | 900 | 2000 |  |  |
| W45 | W45 - 2000x900 Recessed Type: - | Level 65.80_6/F | F. LAV | 06505.01 | 1700 | 900 | 2000 |  |  |

W45: 60

|     |                                 |                 |                 |       |     |      |      |  |  |
|-----|---------------------------------|-----------------|-----------------|-------|-----|------|------|--|--|
| W46 | W46 - 1800x1600 Flushed Type: - | Level 65.80_6/F | STAIRCASE ST-03 | ST-03 | 350 | 1600 | 1800 |  |  |
|-----|---------------------------------|-----------------|-----------------|-------|-----|------|------|--|--|

W46: 10

|     |                                         |                 |             |          |      |     |      |  |  |
|-----|-----------------------------------------|-----------------|-------------|----------|------|-----|------|--|--|
| W63 | AED_Counter Window(library): 750X1160mm | Level 58.20_4/F | COMMON AREA | 04406.00 | 1600 | 750 | 1160 |  |  |
| W63 | AED_Counter Window(library): 750X1160mm | Level 58.20_4/F | COMMON AREA | 04406.00 | 1600 | 750 | 1160 |  |  |

W63: 20

|     |                       |                 |                    |          |      |     |      |  |  |
|-----|-----------------------|-----------------|--------------------|----------|------|-----|------|--|--|
| W64 | AED_Counter Window: - | Level 41.60_G/F |                    |          | 2499 | 700 | 1510 |  |  |
| W64 | AED_Counter Window: - | Level 41.60_G/F | MANAGEMENT OFFICE  | GF623.00 | 1400 | 700 | 1200 |  |  |
| W64 | AED_Counter Window: - | Level 41.60_G/F | LEARNING RESOURCES | GF406.00 | 1400 | 700 | 1200 |  |  |
| W64 | AED_Counter Window: - | Level 41.60_G/F |                    |          | 2499 | 700 | 1510 |  |  |
| W64 | AED_Counter Window: - | Level 62.00_5/F | CENTRAL OFFICE     | 05375.00 | 1413 | 700 | 1780 |  |  |
| W64 | AED_Counter Window: - | Level 62.00_5/F | CENTRAL OFFICE     | 05375.00 | 1413 | 700 | 1780 |  |  |
| W64 | AED_Counter Window: - | Level 65.80_6/F | CENTRAL OFFICE     | 06390.00 | 1413 | 700 | 1780 |  |  |
| W64 | AED_Counter Window: - | Level 65.80_6/F | CENTRAL OFFICE     | 06390.00 | 1413 | 700 | 1780 |  |  |

W64: 80

|                 |     |                             |                               |          |      |      |      |        |   |
|-----------------|-----|-----------------------------|-------------------------------|----------|------|------|------|--------|---|
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | ROOM<br>CHILLER PLANT ROOM    | RF212.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | CHILLER PLANT ROOM            | RF212.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | CHILLER PLANT ROOM            | RF212.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | MCC & CHILLED WATER PUMP ROOM | RF213.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | MCC & CHILLED WATER PUMP ROOM | RF213.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L45 | AED_Louvre: 2210x2000 (-)   | MCC & CHILLED WATER PUMP ROOM | RF213.00 | 750  | 2210 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L46 | AED_Louvre: 2325x2000 (-)   | MCC ROOM                      | RF214.00 | 750  | 2325 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L46 | AED_Louvre: 2325x2000 (-)   | MCC ROOM                      | RF214.00 | 750  | 2325 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L46 | AED_Louvre: 2325x2000 (-)   | A/C CONTROL ROOM              | RF214.01 | 750  | 2325 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L46 | AED_Louvre: 2325x2000 (-)   | A/C CONTROL ROOM              | RF214.01 | 750  | 2325 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | A/C PUMP ROOM                 | RF210.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L48 | AED_Louvre: 2010x2000 (-)   | COOLING TOWER                 | RF801.00 | 750  | 2010 | 2000 | SINGLE | 1 |
| Level 70.00_R/F | L49 | AED_Louvre: 1680x2000 (L17) | PAU ROOM                      | RF110.00 | 750  | 1680 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L49 | AED_Louvre: 1680x2000 (L17) | PAU ROOM                      | RF110.00 | 750  | 1680 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L49 | AED_Louvre: 1680x2000 (L17) | PAU ROOM                      | RF110.00 | 750  | 1680 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L50 | AED_Louvre: 2000x2000 (-)   | PAU ROOM                      | RF110.00 | 750  | 2000 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L50 | AED_Louvre: 2000x2000 (-)   | PAU ROOM                      | RF110.00 | 750  | 2000 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L50 | AED_Louvre: 2000x2000 (-)   | PAU ROOM                      | RF110.00 | 750  | 2000 | 2000 | DOUBLE | 1 |
| Level 70.00_R/F | L54 | AED_Louvre: 2250x2500 (-)   | PAU ROOM                      | RF610.00 | 1100 | 2250 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L54 | AED_Louvre: 2250x2500 (-)   | PAU ROOM                      | RF610.00 | 1100 | 2250 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L55 | AED_Louvre: 1850x2500 (-)   | PAU ROOM                      | RF211.00 | 1100 | 1850 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L55 | AED_Louvre: 1850x2500 (-)   | PAU ROOM                      | RF211.00 | 1100 | 1850 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L55 | AED_Louvre: 1850x2500 (-)   | PAU ROOM                      | RF211.00 | 1100 | 1850 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L56 | AED_Louvre: 1500x1800 (L13) | PAU ROOM                      | RF610.00 | 1100 | 1500 | 1800 | DOUBLE | 1 |
| Level 70.00_R/F | L56 | AED_Louvre: 1500x1800 (L13) | PAU ROOM                      | RF610.00 | 1100 | 1500 | 1800 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF620.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF620.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF610.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF610.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF620.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L57 | AED_Louvre: 1750x2500 (L21) | PAU ROOM                      | RF620.00 | 1100 | 1750 | 2500 | DOUBLE | 1 |
| Level 70.00_R/F | L58 | AED_Louvre: 1500x1600 (L12) | PAU ROOM                      | RF710.00 | 1100 | 1500 | 1600 | DOUBLE | 1 |
| Level 70.00_R/F | L58 | AED_Louvre: 1500x1600 (L12) | PAU ROOM                      | RF710.00 | 1100 | 1500 | 1600 | DOUBLE | 1 |
| Level 70.00_R/F | L59 | AED_Louvre: 1250x1500 (L9)  |                               |          | 1750 | 1250 | 1500 | DOUBLE | 1 |
| Level 70.00_R/F | L59 | AED_Louvre: 1250x1500 (L9)  |                               |          | 1750 | 1250 | 1500 | DOUBLE | 1 |
| Level 70.00_R/F | L76 | AED_Louvre: 1700x800 (L18)  |                               |          | 1950 | 1700 | 800  | DOUBLE | 1 |




| Catladder Schedule |                        |                 |                             |                         |       |              |
|--------------------|------------------------|-----------------|-----------------------------|-------------------------|-------|--------------|
| Level              | Room:<br>Name          | Room:<br>Number | Family and Type             | Type                    | Count | Total Height |
| Level 34.00_LG2/F  |                        |                 |                             |                         |       |              |
| Level 34.00_LG2/F  | P.D.                   | -               | Access_Catladder_Parametric | Type 1_Catladder_4850 H | 1     | 4850         |
| Level 34.00_LG2/F  |                        |                 | Access_Catladder            | Type 3_Catladder        | 1     | 1750         |
| Level 34.00_LG2/F  |                        |                 | Access_Catladder            | Type 3_Catladder        | 1     | 1750         |
| Level 34.00_LG2/F  |                        |                 | Access_Catladder            | Type 3_Catladder        | 1     | 1750         |
| Level 34.00_LG2/F  | SERVICES<br>FACILITIES | B2610.00        | Access_Catladder_Parametric | Type 1_Catladder_3200 H | 1     | 3200         |
| 5                  |                        |                 |                             |                         | 5     |              |
| Level 37.80_LG1/F  |                        |                 |                             |                         |       |              |
| Level 37.80_LG1/F  | E & M                  | B1510.01        | Access_Catladder_Parametric | Type 2_Catladder_3200 H | 1     | 3200         |
| Level 37.80_LG1/F  | E & M                  | B1510.00        | Access_Catladder            | Step Iron_2000 H        | 1     | 2000         |
| Level 37.80_LG1/F  | E & M                  | B1510.00        | Access_Catladder            | Step Iron_2000 H        | 1     | 2000         |
| Level 37.80_LG1/F  | E & M                  | B1510.00        | Access_Catladder            | Step Iron_2000 H        | 1     | 2000         |
| 4                  |                        |                 |                             |                         | 4     |              |
| Level 41.60_G/F    |                        |                 |                             |                         |       |              |
| Level 41.60_G/F    |                        |                 | Access_Catladder            | Type 3_Catladder        | 1     | 1750         |
| Level 41.60_G/F    |                        |                 | Access_Catladder            | Type 3_Catladder        | 1     | 1750         |
| 2                  |                        |                 |                             |                         | 2     |              |
| Level 70.00_R/F    |                        |                 |                             |                         |       |              |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_5350 H | 1     | 5350         |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_4850 H | 1     | 4850         |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_5550 H | 1     | 5550         |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_5150 H | 1     | 5150         |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_5250 H | 1     | 5250         |
| Level 70.00_R/F    |                        |                 | Access_Catladder_Parametric | Type 1_Catladder_5250 H | 1     | 5250         |
| Level 70.00_R/F    | E & M                  | RF110.00        | Access_Catladder_Parametric | Type 2_Catladder_3200 H | 1     | 3200         |
| Level 70.00_R/F    | COMMON<br>AREA         | RF801.4         | Access_Catladder_Parametric | Type 2_Catladder_3200 H | 1     | 3200         |
| 8                  |                        |                 |                             |                         | 8     |              |


|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|------------|-------------------------|-----------------------|--|---------|--|--|
| Drawing Type                                                                                                                                                                                                                                                                                                                                                  |             |      |            |                         | CONSTRUCTION DRAWINGS |  |         |  |  |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                            |             |      |            | BD 2/4066/06 (P)        |                       |  |         |  |  |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                          |             |      |            | FP 8/18636 (E)<br><29"> |                       |  |         |  |  |
| Authorize By                                                                                                                                                                                                                                                                                                                                                  |             |      |            |                         |                       |  |         |  |  |
| Notes                                                                                                                                                                                                                                                                                                                                                         |             |      |            |                         |                       |  |         |  |  |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007                                                                                                                                                                                                                                                                           |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
| Rev.                                                                                                                                                                                                                                                                                                                                                          | Description |      |            | Issue Date              |                       |  | Initial |  |  |
| Original by                                                                                                                                                                                                                                                                                                                                                   |             | Date | Draw       | Check                   | App.                  |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             | -    |            |                         |                       |  |         |  |  |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                                     |             |      |            |                         |                       |  |         |  |  |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                             |             |      |            |                         |                       |  |         |  |  |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                          |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
| Client                                                                                                                                                                                                                                                                                                                                                        |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
| Client                                                                                                                                                                                                                                                                                                                                                        |             |      |            |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      |            |                         |                       |  |         |  |  |
| Project                                                                                                                                                                                                                                                                                                                                                       |             |      |            |                         |                       |  |         |  |  |
| Drawing                                                                                                                                                                                                                                                                                                                                                       |             |      |            |                         |                       |  |         |  |  |
| Catladder Schedule                                                                                                                                                                                                                                                                                                                                            |             |      |            |                         |                       |  |         |  |  |
| Computer File                                                                                                                                                                                                                                                                                                                                                 |             |      | Pilot Date |                         |                       |  |         |  |  |
|                                                                                                                                                                                                                                                                                                                                                               |             |      | 04/08      |                         |                       |  |         |  |  |
| Project Number                                                                                                                                                                                                                                                                                                                                                |             |      | Scale      |                         | @A1                   |  |         |  |  |
| 05595                                                                                                                                                                                                                                                                                                                                                         |             |      |            |                         |                       |  |         |  |  |
| Drawing Number                                                                                                                                                                                                                                                                                                                                                |             |      | Rev.       | Issue Status            |                       |  |         |  |  |
| AED_595_TC_9074                                                                                                                                                                                                                                                                                                                                               |             |      |            | C                       |                       |  |         |  |  |
| <small>This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.</small> |             |      |            |                         |                       |  |         |  |  |

| Acoustic Wall Panel Schedule |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
|------------------------------|-----------|------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|
| Level                        | Room Name | Panel Mark | Left Level 1 | Right Level 1 | Left Level 2 | Right Level 2 | Left Level 3 | Right Level 3 | Left Level 4 | Right Level 4 | Left Level 5 | Right Level 5 | Left Projection 1 | Right Projection 1 | Left Projection 2 | Right Projection 2 | Left Projection 3 | Right Projection 3 | Left Projection 4 | Right Projection 4 | Left Projection 5 | Right Projection 5 |
| LT-120A                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F              | LT-120A   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 45.60_1/F              | LT-120A   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 45.60_1/F              | LT-120A   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 45.60_1/F              | LT-120A   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 45.60_1/F              | LT-120A   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 45.60_1/F              | LT-120A   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120A: 6                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120B                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F              | LT-120B   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 45.60_1/F              | LT-120B   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 45.60_1/F              | LT-120B   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 45.60_1/F              | LT-120B   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 45.60_1/F              | LT-120B   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 45.60_1/F              | LT-120B   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120B: 6                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-160A                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F              | LT-160A   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F              | LT-160A   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F              | LT-160A   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 45.60_1/F              | LT-160A   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| Level 45.60_1/F              | LT-160A   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F              | LT-160A   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F              | LT-160A   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3075         | 3175          | 3625         | 3475          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 45.60_1/F              | LT-160A   | AW08       | 1925         | 1775          | 2200         | 2025          | 2600         | 2575          | 3150         | 3025          | 3775         | 3625          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| LT-160A: 8                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-160B                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F              | LT-160B   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 50                | 75                 | 250               | 175                | 75                | 50                 | 200               | 300                | 50                | 100                |
| Level 45.60_1/F              | LT-160B   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 100                | 50                | 75                 | 225               | 250                | 75                | 100                | 200               | 150                |
| Level 45.60_1/F              | LT-160B   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 50                 | 150               | 175                | 100               | 75                 | 225               | 200                | 50                | 75                 |
| Level 45.60_1/F              | LT-160B   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 100               | 75                 | 75                | 50                 | 150               | 175                | 75                | 100                | 300               | 250                |
| Level 45.60_1/F              | LT-160B   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 50                | 75                 | 225               | 300                | 75                | 50                 | 200               | 275                | 50                | 100                |
| Level 45.60_1/F              | LT-160B   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 100                | 50                | 75                 | 225               | 275                | 50                | 125                | 175               | 200                |
| Level 45.60_1/F              | LT-160B   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3275         | 3100          | 3625         | 3475          | 75                | 75                 | 175               | 225                | 125               | 50                 | 300               | 250                | 50                | 75                 |
| Level 45.60_1/F              | LT-160B   | AW08       | 1925         | 1775          | 2050         | 2075          | 2700         | 2575          | 3250         | 3325          | 3775         | 3625          | 75                | 100                | 50                | 75                 | 225               | 250                | 100               | 125                | 200               | 275                |
| LT-160B: 8                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120A                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F              | LT-120A   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 49.60_2/F              | LT-120A   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 49.60_2/F              | LT-120A   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 49.60_2/F              | LT-120A   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 49.60_2/F              | LT-120A   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 49.60_2/F              | LT-120A   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120A: 6                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120B                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F              | LT-120B   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 49.60_2/F              | LT-120B   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 49.60_2/F              | LT-120B   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 49.60_2/F              | LT-120B   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 49.60_2/F              | LT-120B   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 49.60_2/F              | LT-120B   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120B: 6                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-240A                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F              | LT-240A   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F              | LT-240A   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F              | LT-240A   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 49.60_2/F              | LT-240A   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| Level 49.60_2/F              | LT-240A   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F              | LT-240A   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F              | LT-240A   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3075         | 3175          | 3625         | 3475          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 49.60_2/F              | LT-240A   | AW08       | 1925         | 1775          | 2200         | 2025          | 2600         | 2575          | 3150         | 3025          | 3775         | 3625          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| LT-240A: 8                   |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-240B                      |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F              | LT-240B   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 50                | 75                 | 250               | 175                | 75                | 50                 | 200               | 300                | 50                | 100                |
| Level 49.60_2/F              | LT-240B   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 100                | 50                | 75                 | 225               | 250                | 75                | 100                | 200               | 150                |
| Level 49.60_2/F              | LT-240B   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 50                 | 150               | 175                | 100               | 75                 | 225               | 200                | 50                | 75                 |
| Level 49.60_2/F              | LT-240B   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 100               | 75                 | 75                | 50                 | 150               | 175                | 75                | 100                | 300               | 250                |
| Level 49.60_2/F              | LT-240B   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 50                | 75</               |                   |                    |                   |                    |                   |                    |                   |                    |


| Acoustic Wall Panel Schedule (part 2) |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
|---------------------------------------|-----------|------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|
| Level                                 | Room Name | Panel Mark | Left Level 1 | Right Level 1 | Left Level 2 | Right Level 2 | Left Level 3 | Right Level 3 | Left Level 4 | Right Level 4 | Left Level 5 | Right Level 5 | Left Projection 1 | Right Projection 1 | Left Projection 2 | Right Projection 2 | Left Projection 3 | Right Projection 3 | Left Projection 4 | Right Projection 4 | Left Projection 5 | Right Projection 5 |
| LT-120A                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F                       | LT-120A   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 45.60_1/F                       | LT-120A   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 45.60_1/F                       | LT-120A   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 45.60_1/F                       | LT-120A   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 45.60_1/F                       | LT-120A   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 45.60_1/F                       | LT-120A   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120A: 6                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120B                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F                       | LT-120B   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 45.60_1/F                       | LT-120B   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 45.60_1/F                       | LT-120B   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 45.60_1/F                       | LT-120B   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 45.60_1/F                       | LT-120B   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 45.60_1/F                       | LT-120B   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120B: 6                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-160A                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F                       | LT-160A   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F                       | LT-160A   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F                       | LT-160A   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 45.60_1/F                       | LT-160A   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| Level 45.60_1/F                       | LT-160A   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F                       | LT-160A   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 45.60_1/F                       | LT-160A   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3075         | 3175          | 3625         | 3475          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 45.60_1/F                       | LT-160A   | AW08       | 1925         | 1775          | 2200         | 2025          | 2600         | 2575          | 3150         | 3025          | 3775         | 3625          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| LT-160A: 8                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-160B                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 45.60_1/F                       | LT-160B   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 50                | 75                 | 250               | 175                | 75                | 50                 | 200               | 300                | 50                | 100                |
| Level 45.60_1/F                       | LT-160B   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 100                | 50                | 75                 | 225               | 250                | 75                | 100                | 200               | 150                |
| Level 45.60_1/F                       | LT-160B   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 50                 | 150               | 175                | 100               | 75                 | 225               | 200                | 50                | 75                 |
| Level 45.60_1/F                       | LT-160B   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 100               | 75                 | 75                | 50                 | 150               | 175                | 75                | 100                | 300               | 250                |
| Level 45.60_1/F                       | LT-160B   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 50                | 75                 | 225               | 300                | 75                | 50                 | 200               | 275                | 50                | 100                |
| Level 45.60_1/F                       | LT-160B   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 100                | 50                | 75                 | 225               | 275                | 50                | 125                | 175               | 200                |
| Level 45.60_1/F                       | LT-160B   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3275         | 3100          | 3625         | 3475          | 75                | 75                 | 175               | 225                | 125               | 50                 | 300               | 250                | 50                | 75                 |
| Level 45.60_1/F                       | LT-160B   | AW08       | 1925         | 1775          | 2050         | 2075          | 2700         | 2575          | 3250         | 3325          | 3775         | 3625          | 75                | 100                | 50                | 75                 | 225               | 250                | 100               | 125                | 200               | 275                |
| LT-160B: 8                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120A                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F                       | LT-120A   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 49.60_2/F                       | LT-120A   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 49.60_2/F                       | LT-120A   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 49.60_2/F                       | LT-120A   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 49.60_2/F                       | LT-120A   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 49.60_2/F                       | LT-120A   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120A: 6                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-120B                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F                       | LT-120B   | AW01       | 1100         | 1250          | 1550         | 1500          | 1925         | 1975          | 2575         | 2550          | 2850         | 3000          | 50                | 75                 | 175               | 150                | 75                | 50                 | 275               | 200                | 125               | 75                 |
| Level 49.60_2/F                       | LT-120B   | AW02       | 1250         | 1400          | 1625         | 1675          | 2175         | 2100          | 2625         | 2775          | 3000         | 3150          | 100               | 75                 | 75                | 50                 | 250               | 200                | 50                | 125                | 125               | 175                |
| Level 49.60_2/F                       | LT-120B   | AW03       | 1400         | 1550          | 1750         | 1725          | 2175         | 2250          | 2825         | 2775          | 3150         | 3300          | 50                | 75                 | 175               | 150                | 75                | 50                 | 200               | 175                | 75                | 100                |
| Level 49.60_2/F                       | LT-120B   | AW04       | 1250         | 1100          | 1500         | 1550          | 1975         | 1925          | 2550         | 2575          | 3000         | 2850          | 75                | 50                 | 200               | 175                | 75                | 100                | 175               | 150                | 100               | 75                 |
| Level 49.60_2/F                       | LT-120B   | AW05       | 1400         | 1250          | 1675         | 1625          | 2100         | 2175          | 2775         | 2625          | 3150         | 3000          | 75                | 100                | 50                | 75                 | 275               | 225                | 50                | 125                | 200               | 175                |
| Level 49.60_2/F                       | LT-120B   | AW06       | 1550         | 1400          | 1725         | 1750          | 2250         | 2175          | 2775         | 2825          | 3300         | 3150          | 50                | 75                 | 175               | 200                | 75                | 50                 | 250               | 175                | 75                | 100                |
| LT-120B: 6                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-240A                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F                       | LT-240A   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F                       | LT-240A   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F                       | LT-240A   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 49.60_2/F                       | LT-240A   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| Level 49.60_2/F                       | LT-240A   | AW05       | 1475         | 1325          | 1750         | 1650          | 2175         | 2250          | 3000         | 2875          | 3325         | 3175          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F                       | LT-240A   | AW06       | 1625         | 1475          | 1800         | 1825          | 2425         | 2325          | 2975         | 3075          | 3475         | 3325          | 75                | 50                 | 150               | 175                | 50                | 75                 | 200               | 275                | 75                | 125                |
| Level 49.60_2/F                       | LT-240A   | AW07       | 1775         | 1625          | 2150         | 1950          | 2500         | 2525          | 3075         | 3175          | 3625         | 3475          | 75                | 100                | 50                | 75                 | 200               | 250                | 125               | 50                 | 175               | 125                |
| Level 49.60_2/F                       | LT-240A   | AW08       | 1925         | 1775          | 2200         | 2025          | 2600         | 2575          | 3150         | 3025          | 3775         | 3625          | 75                | 50                 | 150               | 175                | 50                | 75                 | 175               | 200                | 100               | 75                 |
| LT-240A: 8                            |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| LT-240B                               |           |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |
| Level 49.60_2/F                       | LT-240B   | AW01       | 1325         | 1475          | 1650         | 1750          | 2250         | 2175          | 2875         | 3000          | 3175         | 3325          | 50                | 75                 | 250               | 175                | 75                | 50                 | 200               | 300                | 50                | 100                |
| Level 49.60_2/F                       | LT-240B   | AW02       | 1475         | 1625          | 1825         | 1800          | 2325         | 2425          | 3075         | 2975          | 3325         | 3475          | 75                | 100                | 50                | 75                 | 225               | 250                | 75                | 100                | 200               | 150                |
| Level 49.60_2/F                       | LT-240B   | AW03       | 1625         | 1775          | 1950         | 2150          | 2525         | 2500          | 3100         | 3275          | 3475         | 3625          | 75                | 50                 | 150               | 175                | 100               | 75                 | 225               | 200                | 50                | 75                 |
| Level 49.60_2/F                       | LT-240B   | AW04       | 1775         | 1925          | 2075         | 2050          | 2575         | 2700          | 3325         | 3250          | 3625         | 3775          | 100               | 75                 | 75                | 50                 | 150               | 175                | 75                | 100                | 300               | 250                |
| Level 49.60_2/F                       | LT        |            |              |               |              |               |              |               |              |               |              |               |                   |                    |                   |                    |                   |                    |                   |                    |                   |                    |




5 Detail of interior cladding 3  
1 : 2




6 Detail of interior cladding 4  
1 : 2




3 Detail of interior condition 2  
1 : 10



4 Detail of interior cladding 2  
1 : 2



2 Detail of interior condition 1  
1 : 10



1 Detail of interior cladding 1  
1 : 2

|                      |  |  |  |                                                                                           |  |  |  |
|----------------------|--|--|--|-------------------------------------------------------------------------------------------|--|--|--|
| Drawing Type         |  |  |  | CONSTRUCTION DRAWINGS                                                                     |  |  |  |
| B.D. Reference No.   |  |  |  | BD 2/4066/06 (P)                                                                          |  |  |  |
| F.S.D. Reference No. |  |  |  | FP 8/18636 (E)<br><29'>                                                                   |  |  |  |
| Authorize By         |  |  |  |                                                                                           |  |  |  |
| Notes                |  |  |  | 1. DWG IS TO BE READ IN CONJUNCTION<br>WITH THE GENERAL NOTES ON DWG<br>TC_0006 & TC_0007 |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |
|                      |  |  |  |                                                                                           |  |  |  |

Drawing Type CONSTRUCTION DRAWINGS

B.D. Reference No. BD 2/4066/06 (P)

F.S.D. Reference No. FP 8/18636 (E)  
<29>

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION  
WITH THE GENERAL NOTES ON DWG  
TC\_0006 & TC\_0007

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

- ADDITIONAL DRAWING 23/7/2008 WIL

| Rev. | Description | Issue Date | Initial |
|------|-------------|------------|---------|
|------|-------------|------------|---------|

| Original by | Date | Draw | Check | App. |
|-------------|------|------|-------|------|
|-------------|------|------|-------|------|

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

OPERABLE PARTITION  
HOUSING DETAILS

|               |            |  |
|---------------|------------|--|
| Computer File | Pilot Date |  |
|---------------|------------|--|

|                |       |  |
|----------------|-------|--|
| Project Number | Scale |  |
|----------------|-------|--|

|                |     |           |        |
|----------------|-----|-----------|--------|
| Drawing Number | Rev | Indicated | Status |
|----------------|-----|-----------|--------|

|                 |   |  |   |
|-----------------|---|--|---|
| AED_595_TCA6211 | - |  | C |
|-----------------|---|--|---|

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.  
All dimensions must be checked and verified on site before commencing any work or producing  
shop drawings. The originator should be notified immediately of any discrepancy.  
This drawing is copyright and remains the property of Aedas.

EE

EQ

EQ

F.C.L.

DOOR HANDLE DESIGN AND DETAILS  
REFER TO IRONMONGER'S PROPOSAL  
AND SAMPLE SUBMITTAL

60

100

05 70 00.21

850

2700

Level 65.80, 6/F

65800

NOMINAL 100

S.S. HINGE  
ALLOWS 270° MAX. SWING

06 10 00.01

INSULATION WOOL

OPERABLE PARTITIONS

EE

OPERABLE PARTITIONS

INSULATION WOOL

NOMINAL 75

06 10 00.01

S.S. HINGE  
ALLOWS 270° MAX. SWING

NOMINAL 75

OVERHEAD TRACK ABOVE  
HOUSING DOORS

OVERHEAD TRACK ABOVE  
HOUSING DOORS

OVERHEAD TRACK ABOVE  
PARTITION WALLS

2 OPERABLE PARTITION HOUSING ELEVATION

1 : 10

1 OPERABLE PARTITION HOUSING DETAILS

1 : 2







This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.




This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.




4 Callout of VOID EDGE AT MAIN ENTRANCE 4  
1 : 2



3 Callout of VOID EDGE AT MAIN ENTRANCE 2  
1 : 2



2 Callout of VOID EDGE AT MAIN ENTRANCE 2  
1 : 5



1 Callout of VOID EDGE AT MAIN ENTRANCE 1  
1 : 5

Drawing Type CONSTRUCTION DRAWINGS

B.D. Reference No. BD 2/4066/06 (P)

F.S.D. Reference No. FP 8/18636 (E) <29'>

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC\_0006 & TC\_0007

| Rev. | Description | Issue Date | Initial |
|------|-------------|------------|---------|
|------|-------------|------------|---------|

|             |      |      |       |      |
|-------------|------|------|-------|------|
| Original by | Date | Draw | Check | App. |
|-------------|------|------|-------|------|

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project

Drawing

VOID EDGE DETAIL AT MAIN ENTRANCE AREA

|               |            |  |
|---------------|------------|--|
| Computer File | Pilot Date |  |
|---------------|------------|--|

|                |       |  |
|----------------|-------|--|
| Project Number | Scale |  |
|----------------|-------|--|

|                |     |           |        |
|----------------|-----|-----------|--------|
| Drawing Number | Rev | Indicated | Status |
|----------------|-----|-----------|--------|

|                 |   |  |   |
|-----------------|---|--|---|
| AED_595_TCA6921 | - |  | C |
|-----------------|---|--|---|

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.

10

MAIN ENTRANCE DOOR

1 : 20

Level 45.60\_1/F  
45600




Level 42.70\_G/F  
Raised Entrance  
42700




4

Callout of Main Entrance Door Section 4


1 : 2



003 Callout of External Wall Details 22  
1 : 20




002 Callout of External Wall Details 10  
1 : 20



001 Callout of External Wall Details 02  
1 : 20


|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------|--------------|-------|---------|
| Drawing Type                                                                                                                                                                                                                                                                                                                                   |             | CONSTRUCTION DRAWINGS   |              |       |         |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                             |             | BD 2/4066/06 (P)        |              |       |         |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                           |             | FP 8/18636 (E)<br><29'> |              |       |         |
| Authorize By                                                                                                                                                                                                                                                                                                                                   |             |                         |              |       |         |
| Notes                                                                                                                                                                                                                                                                                                                                          |             |                         |              |       |         |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007                                                                                                                                                                                                                                                            |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
| Rev.                                                                                                                                                                                                                                                                                                                                           | Description |                         | Issue Date   |       | Initial |
| Original by                                                                                                                                                                                                                                                                                                                                    |             | Date                    | Draw         | Check | App.    |
|                                                                                                                                                                                                                                                                                                                                                |             |                         | -            |       |         |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                      |             |                         |              |       |         |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                              |             |                         |              |       |         |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                           |             |                         |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             |                         |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                         |             |                         |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                         |             |                         |              |       |         |
| Project                                                                                                                                                                                                                                                                                                                                        |             |                         |              |       |         |
| Drawing                                                                                                                                                                                                                                                                                                                                        |             |                         |              |       |         |
| TOILET WINDOWS DETAILS                                                                                                                                                                                                                                                                                                                         |             |                         |              |       |         |
| Computer File                                                                                                                                                                                                                                                                                                                                  |             | Pilot Date              |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                |             | 04/08                   |              |       |         |
| Project Number                                                                                                                                                                                                                                                                                                                                 |             | Scale                   |              |       |         |
| 05595                                                                                                                                                                                                                                                                                                                                          |             | 1 : 20                  | @A1          |       |         |
| Drawing Number                                                                                                                                                                                                                                                                                                                                 |             | Rev.                    | Issue Status |       |         |
| AED_595_TCA8350                                                                                                                                                                                                                                                                                                                                |             | B                       | C            |       |         |
| This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas. |             |                         |              |       |         |



| Drawing Type                                                                                                                                                                                                                                                                                                                                                              |             | CONSTRUCTION DRAWINGS  |              |       |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------|--------------|-------|---------|
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                                        |             | BD 2/4066/06 (P)       |              |       |         |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                                      |             | FP 8/18636 (E)<br><29> |              |       |         |
| Authorize By                                                                                                                                                                                                                                                                                                                                                              |             |                        |              |       |         |
| Notes                                                                                                                                                                                                                                                                                                                                                                     |             |                        |              |       |         |
| 1. DWG IS TO BE READ IN CONJUNCTION<br>WITH THE GENERAL NOTES ON DWG<br>TC_0006 & TC_0007                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
| Rev.                                                                                                                                                                                                                                                                                                                                                                      | Description |                        | Issuse Date  |       | Initial |
| Original by                                                                                                                                                                                                                                                                                                                                                               |             | Date                   | Draw<br>-    | Check | App.    |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                                      |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                                    |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                                    |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             |                        |              |       |         |
| Project                                                                                                                                                                                                                                                                                                                                                                   |             |                        |              |       |         |
| Drawing                                                                                                                                                                                                                                                                                                                                                                   |             |                        |              |       |         |
| TYPICAL ALUMINIUM WINDOW<br>MULLIONS DETAILS                                                                                                                                                                                                                                                                                                                              |             |                        |              |       |         |
| Computer File                                                                                                                                                                                                                                                                                                                                                             |             | Pilot Date             |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                                           |             | 04/08                  |              |       |         |
| Project Number                                                                                                                                                                                                                                                                                                                                                            |             | Scale                  |              |       |         |
| 05595                                                                                                                                                                                                                                                                                                                                                                     |             | 1 : 20 @A1             |              |       |         |
| Drawing Number                                                                                                                                                                                                                                                                                                                                                            |             | Rev.                   | Issue Status |       |         |
| AED_595_TCA8501                                                                                                                                                                                                                                                                                                                                                           |             | B                      | C            |       |         |
| <small>This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.<br/>All dimensions must be checked and verified on site before commencing any work or producing<br/>shop drawings. The originator should be notified immediately of any discrepancy.<br/>This drawing is copyright and remains the property of Andes.</small> |             |                        |              |       |         |





This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.



This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.




This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.



002 Callout of External Wall Details 28  
1 : 20

1 : 20



Callout of External Wall Details 29

1 : 20


Callout of External Wall Details 27

1 : 20


|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------|--------------|-------|---------|
| Drawing Type                                                                                                                                                                                                                                                                                                                                            |             | CONSTRUCTION DRAWINGS  |              |       |         |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                      |             | BD 2/4066/06 (P)       |              |       |         |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                    |             | FP 8/18636 (E)<br><29> |              |       |         |
| Authorize By                                                                                                                                                                                                                                                                                                                                            |             |                        |              |       |         |
| Notes                                                                                                                                                                                                                                                                                                                                                   |             |                        |              |       |         |
| 1. DWG IS TO BE READ IN CONJUNCTION<br>WITH THE GENERAL NOTES ON DWG<br>TC_0006 & TC_0007                                                                                                                                                                                                                                                               |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Rev.                                                                                                                                                                                                                                                                                                                                                    | Description |                        | Issued Date  |       | Initial |
| Original by                                                                                                                                                                                                                                                                                                                                             |             | Date                   | Draw         | Check | App.    |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        | -            |       |         |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                               |             |                        |              |       |         |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                       |             |                        |              |       |         |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                    |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                  |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Client                                                                                                                                                                                                                                                                                                                                                  |             |                        |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             |                        |              |       |         |
| Project                                                                                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
| Drawing                                                                                                                                                                                                                                                                                                                                                 |             |                        |              |       |         |
| TYPICAL ALUMINIUM WINDOW<br>SILL DETAILS (4)                                                                                                                                                                                                                                                                                                            |             |                        |              |       |         |
| Computer File                                                                                                                                                                                                                                                                                                                                           |             | Pilot Date             |              |       |         |
|                                                                                                                                                                                                                                                                                                                                                         |             | 04/08                  |              |       |         |
| Project Number                                                                                                                                                                                                                                                                                                                                          |             | Scale                  |              |       |         |
| 05595                                                                                                                                                                                                                                                                                                                                                   |             | 1 : 20 @A1             |              |       |         |
| Drawing Number                                                                                                                                                                                                                                                                                                                                          |             | Rev.                   | Issue Status |       |         |
| AED_595_TCA8513                                                                                                                                                                                                                                                                                                                                         |             | B                      | C            |       |         |
| This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.<br>All dimensions must be checked and verified on site before commencing any work or producing<br>shop drawings. The originator should be notified immediately of any discrepancy.<br>This drawing is copyright and remains the property of Aedas. |             |                        |              |       |         |



|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------|------------|--------------|------|---------|--|
| Drawing Type                                                                                                                                                                                                                                                                                                                                                       |             | CONSTRUCTION DRAWINGS  |            |              |      |         |  |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                                 |             | BD 2/4066/06 (P)       |            |              |      |         |  |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                               |             | FP 8/18636 (E)<br><29> |            |              |      |         |  |
| Authorize By                                                                                                                                                                                                                                                                                                                                                       |             |                        |            |              |      |         |  |
| <div>Notes</div> <div>1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 &amp; TC_0007</div>                                                                                                                                                                                                                                                |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
| Rev.                                                                                                                                                                                                                                                                                                                                                               | Description |                        |            | Issuse Date  |      | Initial |  |
| Original by                                                                                                                                                                                                                                                                                                                                                        |             | Date                   | Draw -     | Check        | App. |         |  |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                                          |             |                        |            |              |      |         |  |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                                  |             |                        |            |              |      |         |  |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                               |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
| Client                                                                                                                                                                                                                                                                                                                                                             |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
| Client                                                                                                                                                                                                                                                                                                                                                             |             |                        |            |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        |            |              |      |         |  |
| Project                                                                                                                                                                                                                                                                                                                                                            |             |                        |            |              |      |         |  |
| Drawing<br>TYPICAL ALUMINIUM WINDOW SILL DETAILS (5)                                                                                                                                                                                                                                                                                                               |             |                        |            |              |      |         |  |
| Computer File                                                                                                                                                                                                                                                                                                                                                      |             |                        | Pilot Date |              |      |         |  |
|                                                                                                                                                                                                                                                                                                                                                                    |             |                        | 04/08      |              |      |         |  |
| Project Number                                                                                                                                                                                                                                                                                                                                                     |             |                        | Scale      |              |      |         |  |
| 05595                                                                                                                                                                                                                                                                                                                                                              |             |                        | 1 : 20 @A1 |              |      |         |  |
| Drawing Number                                                                                                                                                                                                                                                                                                                                                     |             |                        | Rev.       | Issue Status |      |         |  |
| AED_595_TCA8514                                                                                                                                                                                                                                                                                                                                                    |             |                        | B          | C            |      |         |  |
| <div>This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing.<br/>All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately if any discrepancy.<br/>This drawing is copyright and remains the property of Aedile.</div> |             |                        |            |              |      |         |  |




002 Callout (2) of External Wall Details 10  
1 : 20



001 Callout (2) of External Wall Details 03  
1 : 20

|                                                                                     |             |                        |                   |       |         |
|-------------------------------------------------------------------------------------|-------------|------------------------|-------------------|-------|---------|
| Drawing Type                                                                        |             | CONSTRUCTION DRAWINGS  |                   |       |         |
| B.D. Reference No.                                                                  |             | BD 2/4066/06 (P)       |                   |       |         |
| F.S.D. Reference No.                                                                |             | FP 8/18636 (E)<br>~29~ |                   |       |         |
| Authorize By                                                                        |             |                        |                   |       |         |
| Notes                                                                               |             |                        |                   |       |         |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007 |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
| Rev.                                                                                | Description |                        | Issue Date        |       | Initial |
| Original by                                                                         |             | Date                   | Draw -            | Check | App.    |
| Structure Engineer/ E & M                                                           |             |                        |                   |       |         |
| Quantity Surveyor                                                                   |             |                        |                   |       |         |
| Landscape Consultant                                                                |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
| Client                                                                              |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
| Client                                                                              |             |                        |                   |       |         |
|                                                                                     |             |                        |                   |       |         |
| Project                                                                             |             |                        |                   |       |         |
| Drawing                                                                             |             |                        |                   |       |         |
| TYPICAL ALUMINIUM WINDOW SILL DETAILS (6)                                           |             |                        |                   |       |         |
| Computer File                                                                       |             | Pilot Date             |                   |       |         |
| Project Number<br>05595                                                             |             | Scale<br>1 : 20 @A1    |                   |       |         |
| Drawing Number<br>AED_595_TCA8515                                                   |             | Rev.<br>-              | Issue Status<br>C |       |         |



001

Callout of External Wall Details 06

1 : 20

Drawing Type CONSTRUCTION DRAWINGS

B.D. Reference No. BD 2/4066/06 (P)

F.S.D. Reference No. FP 8/18636 (E) <29">

Authorize By

Notes

1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC\_0006 & TC\_0007

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

| Rev.        | Description | Issue Date | Initial    |
|-------------|-------------|------------|------------|
| Original by | Date        | Draw       | Check App. |

Structure Engineer/ E & M

Quantity Surveyor

Landscape Consultant

Client

Client

Project


Drawing

TYPICAL BALCONY SECTION DETAILS

|                 |            |              |
|-----------------|------------|--------------|
| Computer File   | Pilot Date |              |
|                 | 04/08      |              |
| Project Number  | Scale      |              |
| 05595           | 1 : 20 @A1 |              |
| Drawing Number  | Rev.       | Issue Status |
| AED_595_TCA8520 | B          | C            |

This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.


4



001 Louvre detail  
1 : 20

4


11



003 Detail 2  
1 : 20

|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------|--|-------------------------|-------|--------------|------------|--|---------|
| Drawing Type                                                                                                                                                                                                                                                                                                                                                  |  |  |      |  | CONSTRUCTION DRAWINGS   |       |              |            |  |         |
| B.D. Reference No.                                                                                                                                                                                                                                                                                                                                            |  |  |      |  | BD 2/4066/06 (P)        |       |              |            |  |         |
| F.S.D. Reference No.                                                                                                                                                                                                                                                                                                                                          |  |  |      |  | FP 8/18636 (E)<br><29"> |       |              |            |  |         |
| Authorize By                                                                                                                                                                                                                                                                                                                                                  |  |  |      |  |                         |       |              |            |  |         |
| Notes                                                                                                                                                                                                                                                                                                                                                         |  |  |      |  |                         |       |              |            |  |         |
| 1. DWG IS TO BE READ IN CONJUNCTION WITH THE GENERAL NOTES ON DWG TC_0006 & TC_0007                                                                                                                                                                                                                                                                           |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
| Rev.                                                                                                                                                                                                                                                                                                                                                          |  |  |      |  | Description             |       |              | Issue Date |  | Initial |
| Original by                                                                                                                                                                                                                                                                                                                                                   |  |  | Date |  | Draw                    | Check | App.         |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  | -                       |       |              |            |  |         |
| Structure Engineer/ E & M                                                                                                                                                                                                                                                                                                                                     |  |  |      |  |                         |       |              |            |  |         |
| Quantity Surveyor                                                                                                                                                                                                                                                                                                                                             |  |  |      |  |                         |       |              |            |  |         |
| Landscape Consultant                                                                                                                                                                                                                                                                                                                                          |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
| Client                                                                                                                                                                                                                                                                                                                                                        |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
| Client                                                                                                                                                                                                                                                                                                                                                        |  |  |      |  |                         |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  |                         |       |              |            |  |         |
| Project                                                                                                                                                                                                                                                                                                                                                       |  |  |      |  |                         |       |              |            |  |         |
| Drawing                                                                                                                                                                                                                                                                                                                                                       |  |  |      |  |                         |       |              |            |  |         |
| LOUVRE DETAILS                                                                                                                                                                                                                                                                                                                                                |  |  |      |  |                         |       |              |            |  |         |
| Computer File                                                                                                                                                                                                                                                                                                                                                 |  |  |      |  | Pilot Date              |       |              |            |  |         |
|                                                                                                                                                                                                                                                                                                                                                               |  |  |      |  | 04/08                   |       |              |            |  |         |
| Project Number                                                                                                                                                                                                                                                                                                                                                |  |  |      |  | Scale                   |       |              |            |  |         |
| 05595                                                                                                                                                                                                                                                                                                                                                         |  |  |      |  | 1 : 20 @A1              |       |              |            |  |         |
| Drawing Number                                                                                                                                                                                                                                                                                                                                                |  |  |      |  | Rev.                    |       | Issue Status |            |  |         |
| AED_595_TCA8600                                                                                                                                                                                                                                                                                                                                               |  |  |      |  | A                       |       | C            |            |  |         |
| <small>This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.</small> |  |  |      |  |                         |       |              |            |  |         |





This drawing is to be read in conjunction with all related drawings. Do not scale from this drawing. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of Aedas.